

Texas Water Development Board Groundwater Database Reports



Infrequent Constituent Report

County: Gonzales

State Well Number	Date S	Sample#	Storet Code	Description	Flag Value	+ or -
6714804						
	8 / 19 / 2010	0 1	00010	TEMPERATURE, WATER (CELSIUS)	24.2	2
	8 / 19 / 2010	0 1	00666	PHOSPHORUS, DISSOLVED (MG/L AS P)	0.22	2
	8 / 19 / 2010	0 1	01020	BORON, DISSOLVED (UG/L AS B)	140)
6714807						
	1/11/200	7 1	00094	SPECIFIC CONDUCTANCE, FIELD (UMHOS/CM AT 25C)	703	3
6719901						
	4 / 26 / 1962	2 1	01045	IRON, TOTAL (UG/L AS FE)	3300	
	4 / 26 / 1962	2 1	01046	IRON, DISSOLVED (UG/L AS FE)	< 10	
6720607						
	2 / 6 / 1963	3 1	01045	IRON, TOTAL (UG/L AS FE)	1300	
	2 / 6 / 1963	3 1	01046	IRON, DISSOLVED (UG/L AS FE)	130	
6720616						
	1 / 12 / 200	7 1	00094	SPECIFIC CONDUCTANCE, FIELD (UMHOS/CM AT 25C)	1590)
	1 / 12 / 200	7 1	00400	PH (STANDARD UNITS), FIELD	7.8	3
6720902						
	4/17/1963	3 1	01045	IRON, TOTAL (UG/L AS FE)	3200	
	4/17/1963	3 1	01046	IRON, DISSOLVED (UG/L AS FE)	20	
6720903						
	4 / 17 / 1963	3 1	01045	IRON, TOTAL (UG/L AS FE)	1500	
	4 / 17 / 1963	3 1	01046	IRON, DISSOLVED (UG/L AS FE)	10	
6720904						
	4 / 17 / 1963	3 1	01045	IRON, TOTAL (UG/L AS FE)	2800	
	4 / 17 / 1963	3 1	01046	IRON, DISSOLVED (UG/L AS FE)	20	

state Well Number	Date	Sample#	Storet Code	Description	Flag Value + c
6720909					
	1/12/200	00 1	00010	TEMPERATURE, WATER (CELSIUS)	21
	1/12/200	00 1	00094	SPECIFIC CONDUCTANCE, FIELD (UMHOS/CM AT 25C)	159
	1/12/200	00 1	00400	PH (STANDARD UNITS), FIELD	7.3
6721207					
	8 / 19 / 201	.0 1	00010	TEMPERATURE, WATER (CELSIUS)	24.7
	8 / 19 / 201	0 1	00666	PHOSPHORUS, DISSOLVED (MG/L AS P)	0.10
	8 / 19 / 201	.0 1	01020	BORON, DISSOLVED (UG/L AS B)	170
6721301					
	1 / 24 / 196	53 1	01045	IRON, TOTAL (UG/L AS FE)	14000.
	1 / 24 / 196	53 1	01046	IRON, DISSOLVED (UG/L AS FE)	10.
6721402					
	1 / 12 / 200	07 1	00010	TEMPERATURE, WATER (CELSIUS)	24
	1 / 12 / 200	07 1	00094	SPECIFIC CONDUCTANCE, FIELD (UMHOS/CM AT 25C)	1460
	1/12/200	07 1	00400	PH (STANDARD UNITS), FIELD	7.6
6721606					
	6 / 5 / 196	59 1	01020	BORON, DISSOLVED (UG/L AS B)	200.
6721607					
	4 / 27 / 200	9 1	00010	TEMPERATURE, WATER (CELSIUS)	24.5
	8 / 19 / 201	.0 1	00010	TEMPERATURE, WATER (CELSIUS)	25.9
	4/27/200	9 1	00666	PHOSPHORUS, DISSOLVED (MG/L AS P)	0.04
	8 / 19 / 201	.0 1	00666	PHOSPHORUS, DISSOLVED (MG/L AS P)	0.01
	4 / 27 / 200	9 1	01020	BORON, DISSOLVED (UG/L AS B)	100
	8 / 19 / 201	.0 1	01020	BORON, DISSOLVED (UG/L AS B)	50
6721705					
	6 / 29 / 199	08 1	00010	TEMPERATURE, WATER (CELSIUS)	30.1
	4 / 21 / 199	9 1	00010	TEMPERATURE, WATER (CELSIUS)	28.4
	5/31/200	00 1	00010	TEMPERATURE, WATER (CELSIUS)	28.4
	5 / 23 / 200	01 1	00010	TEMPERATURE, WATER (CELSIUS)	28.5

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
	6/25/20	02 1	00010	TEMPERATURE, WATER (CELSIUS)		28.7	
	4/24/20	03 1	00010	TEMPERATURE, WATER (CELSIUS)		28.8	
	7/22/20	04 1	00010	TEMPERATURE, WATER (CELSIUS)		28.9	
	6/29/20	05 1	00010	TEMPERATURE, WATER (CELSIUS)		28.9	
	10 / 2 /20	06 1	00010	TEMPERATURE, WATER (CELSIUS)		29.7	
	3/18/20	09 1	00010	TEMPERATURE, WATER (CELSIUS)		27.9	
	8 / 17 / 20	10 1	00010	TEMPERATURE, WATER (CELSIUS)		28.7	
	6/29/19	98 1	00090	OXIDATION REDUCTION POTENTIAL (ORP), MILLIVOLTS		-114.2	
	4/21/19	99 1	00090	OXIDATION REDUCTION POTENTIAL (ORP), MILLIVOLTS		-48.9	
	6/29/20	05 1	00094	SPECIFIC CONDUCTANCE, FIELD (UMHOS/CM AT 25C)		485	
	6/29/19	98 1	00608	NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)		0.22	
	4/21/19	99 1	00608	NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)		0.107	
	6/29/19	98 1	00623	NITROGEN, KJELDAHL, DISSOLVED (MG/L AS N)		0.07	
	4/21/19	99 1	00623	NITROGEN, KJELDAHL, DISSOLVED (MG/L AS N)		0.128	
	6/29/19	98 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.05	
	4/21/19	99 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.02	
	5/31/20	00 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.02	
	5 / 23 / 20	01 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.02	
	6/25/20	02 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)		0.0230	
	4/24/20	03 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.02	
	7 / 22 / 20	04 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)		0.0283	
	6/29/20	05 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.02	
	10 / 2 /20	06 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.1	
	6/29/19	98 1	00666	PHOSPHORUS, DISSOLVED (MG/L AS P)	<	0.1	
	4/21/19	99 1	00666	PHOSPHORUS, DISSOLVED (MG/L AS P)	<	0.04	
	3/18/20	09 1	00666	PHOSPHORUS, DISSOLVED (MG/L AS P)	<	0.01	
	8 / 17 / 20	10 1	00666	PHOSPHORUS, DISSOLVED (MG/L AS P)	<	0.01	
	6/29/19	98 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2	
	4/21/19	99 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
	5/31/20	00 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2	
	5 / 23 / 20	01 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2	
	6/25/20	02 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2	
	4/24/20	03 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2	
	7 / 22 / 20	04 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2	
	6/29/20	05 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2.04	
	10 / 2 /20	06 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	1	
	6/29/19	98 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		150	
	4/21/19	99 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		138	
	5/31/20	00 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		137	
	5 / 23 / 20	01 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		132	
	6/25/20	02 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		130	
	4/24/20	03 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		132	
	7 / 22 / 20	04 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		124	
	6/29/20	05 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		128	
	10 / 2 /20	06 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		146	
	6/29/19	98 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1	
	4/21/19	99 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1	
	5/31/20	00 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1	
	5 / 23 / 20	01 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1	
	6/25/20	02 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	4	
	4/24/20	03 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1	
	7 / 22 / 20	04 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1	
	6/29/20	05 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1.02	
	10 / 2 /20	06 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1	
	6/29/19	98 1	01020	BORON, DISSOLVED (UG/L AS B)		69	
	4/21/19	99 1	01020	BORON, DISSOLVED (UG/L AS B)		52	
	5/31/20	00 1	01020	BORON, DISSOLVED (UG/L AS B)	<	50	
	5/23/20	01 1	01020	BORON, DISSOLVED (UG/L AS B)	<	51	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value + or
	6 / 25 / 20	02 1	01020	BORON, DISSOLVED (UG/L AS B)		301
	4/24/20	03 1	01020	BORON, DISSOLVED (UG/L AS B)		143
	7/22/20	04 1	01020	BORON, DISSOLVED (UG/L AS B)		62.9
	6/29/20	05 1	01020	BORON, DISSOLVED (UG/L AS B)		112
	10 / 2 /20	06 1	01020	BORON, DISSOLVED (UG/L AS B)	<	100
	3/18/20	09 1	01020	BORON, DISSOLVED (UG/L AS B)		70
	8 / 17 / 20	10 1	01020	BORON, DISSOLVED (UG/L AS B)		40
	6/29/19	98 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1
	4/21/19	99 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1
	5/31/20	00 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1
	5 / 23 / 20	01 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1
	6/25/20	02 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1
	4/24/20	03 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1
	7/22/20	04 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1
	6/29/20	05 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1.02
	10 / 2 /20	06 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1
	6/29/19	98 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)		2.5
	4/21/19	99 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)		4.2
	5/31/20	00 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)	<	1
	5 / 23 / 20	01 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)	<	1
	6/25/20	02 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)	<	4
	4/24/20	03 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)	<	1
	7/22/20	04 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)	<	1
	6/29/20	05 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)		2.19
	10 / 2 /20	06 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)	<	1
	6/29/19	98 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1
	4/21/19	99 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1
	5/31/20	00 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1
	5 / 23 / 20	01 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value + or -
	6/25/200	02 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1
	4/24/200	03 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1
	7/22/200	04 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1
	6/29/200	05 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1.02
	10 / 2 /200	06 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1
	6/29/199	98 1	01040	COPPER, DISSOLVED (UG/L AS CU)	<	2
	4/21/199	99 1	01040	COPPER, DISSOLVED (UG/L AS CU)	<	2
	5/31/200	00 1	01040	COPPER, DISSOLVED (UG/L AS CU)	<	2
	5 / 23 / 200	01 1	01040	COPPER, DISSOLVED (UG/L AS CU)	<	2
	6/25/200	02 1	01040	COPPER, DISSOLVED (UG/L AS CU)	<	1
	4/24/200	03 1	01040	COPPER, DISSOLVED (UG/L AS CU)	<	1
	7 / 22 / 200	04 1	01040	COPPER, DISSOLVED (UG/L AS CU)	<	1
	6/29/200	05 1	01040	COPPER, DISSOLVED (UG/L AS CU)	<	1.02
	10 / 2 /200	06 1	01040	COPPER, DISSOLVED (UG/L AS CU)		6
	6/29/199	98 1	01046	IRON, DISSOLVED (UG/L AS FE)		2620
	4/21/199	99 1	01046	IRON, DISSOLVED (UG/L AS FE)		2740
	5/31/200	00 1	01046	IRON, DISSOLVED (UG/L AS FE)		3480
	5 / 23 / 200	01 1	01046	IRON, DISSOLVED (UG/L AS FE)		2760
	6/25/200	02 1	01046	IRON, DISSOLVED (UG/L AS FE)		2760
	4/24/200	03 1	01046	IRON, DISSOLVED (UG/L AS FE)		3130
	7 / 22 / 200	04 1	01046	IRON, DISSOLVED (UG/L AS FE)		2680
	6/29/200	05 1	01046	IRON, DISSOLVED (UG/L AS FE)		2770
	10 / 2 /200	06 1	01046	IRON, DISSOLVED (UG/L AS FE)		2810
	6/29/199	98 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1
	4/21/199	99 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1
	5/31/200	00 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1
	5 / 23 / 200	01 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1
	6/25/200	02 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1
	4/24/200	03 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value +	or -
	7 / 22 / 20	04 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1	
	6/29/20	05 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1.02	
	10 / 2 /20	06 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1	
	6/29/19	98 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		304	
	4/21/19	99 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		293	
	5/31/20	00 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		366	
	5 / 23 / 20	01 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		286	
	6/25/20	02 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		340	
	4/24/20	03 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		327	
	7/22/20	04 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		251	
	6/29/20	05 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		333	
	10 / 2 /20	06 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		316	
	6/29/19	98 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1	
	4/21/19	99 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1	
	5/31/20	00 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1	
	5 / 23 / 20	01 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1	
	6/25/20	02 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1	
	4/24/20	03 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1	
	7 / 22 / 20	04 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1	
	6/29/20	05 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1.02	
	10 / 2 /20	06 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1	
	6/29/19	98 1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1	
	4/21/19	99 1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1	
	5/31/20	00 1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1	
	5 / 23 / 20	01 1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1	
	6/25/20	02 1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1	
	4/24/20	03 1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1	
	7 / 22 / 20	04 1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1	
	6/29/20	05 1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1.02	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value + or
	10 / 2 /20	06 1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1
	6/29/19	98 1	01065	NICKEL, DISSOLVED (UG/L AS NI)		1.8
	4/21/19	99 1	01065	NICKEL, DISSOLVED (UG/L AS NI)		8.3
	5/31/20	00 1	01065	NICKEL, DISSOLVED (UG/L AS NI)		1.64
	5 / 23 / 20	01 1	01065	NICKEL, DISSOLVED (UG/L AS NI)	<	1
	6/25/20	02 1	01065	NICKEL, DISSOLVED (UG/L AS NI)		1.65
	4/24/20	03 1	01065	NICKEL, DISSOLVED (UG/L AS NI)		1.35
	7 / 22 / 20	04 1	01065	NICKEL, DISSOLVED (UG/L AS NI)	<	1
	6/29/19	98 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		307
	4/21/19	99 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		295
	5/31/20	00 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		317
	5 / 23 / 20	01 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		307
	6/25/20	02 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		304
	4/24/20	03 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		323
	7/22/20	04 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		311
	6/29/20	05 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		315
	10 / 2 /20	06 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		318
	6/29/19	98 1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	1
	4/21/19	99 1	01085	VANADIUM, DISSOLVED (UG/L AS V)		1.1
	5/31/20	00 1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	1
	5 / 23 / 20	01 1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	1
	6/25/20	02 1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	4
	4/24/20	03 1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	1
	7/22/20	04 1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	1
	6/29/20	05 1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	1.02
	10 / 2 /20	06 1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	1
	6/29/19	98 1	01090	ZINC, DISSOLVED (UG/L AS ZN)		6.3
	4/21/19	99 1	01090	ZINC, DISSOLVED (UG/L AS ZN)	<	4
	5/31/20	00 1	01090	ZINC, DISSOLVED (UG/L AS ZN)		15.6

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
	5 / 23 / 20	01 1	01090	ZINC, DISSOLVED (UG/L AS ZN)		7.25	
	6/25/20	02 1	01090	ZINC, DISSOLVED (UG/L AS ZN)	<	4	
	4/24/20	03 1	01090	ZINC, DISSOLVED (UG/L AS ZN)		5.88	
	7/22/20	04 1	01090	ZINC, DISSOLVED (UG/L AS ZN)		16.3	
	6/29/20	05 1	01090	ZINC, DISSOLVED (UG/L AS ZN)		18.4	
	10 / 2 /20	06 1	01090	ZINC, DISSOLVED (UG/L AS ZN)		67	
	6/29/19	98 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1	
	4/21/19	99 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1	
	5/31/20	00 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1	
	5/23/20	01 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1	
	6/25/20	02 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1	
	4/24/20	03 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1	
	7 / 22 / 20	04 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1	
	6/29/20	05 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1.02	
	10 / 2 /20	06 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1	
	6/29/19	98 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	4	
	4/21/19	99 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	4	
	5/31/20	00 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	4	
	5 / 23 / 20	01 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	4	
	6/25/20	02 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	16	
	4/24/20	03 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	4	
	7 / 22 / 20	04 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	4	
	6/29/20	05 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	4.08	
	10 / 2 /20	06 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)		1	
	6/29/19	98 1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		16.4	
	4/21/19	99 1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		21.3	
	5/31/20	00 1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		23.2	
	5 / 23 / 20	01 1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		16.9	
	6/25/20	02 1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		17.2	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
	4 / 24 / 20	03 1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		17.5	
	7 / 22 / 20	04 1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		16.2	
	6/29/20	05 1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		18.0	
	10 / 2 /20	06 1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		16	
	6/29/19	98 1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	4	
	4/21/19	99 1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	4	
	5/31/20	00 1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	4	
	5 / 23 / 20	01 1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	4	
	6/25/20	02 1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	4	
	4/24/20	03 1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	4	
	7 / 22 / 20	04 1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	4	
	6/29/20	05 1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	4.08	
	10 / 2 /20	06 1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	1	
	6/29/20	05 1	04241	GROSS ALPHA RADIATION, TOTAL, PRODUCED WATER(pCi/L)		3.2	1.6
	6/29/20	05 1	04242	GROSS BETA RADIATION, TOTAL, PRODUCED WATER(pCi/L)		12	1
	6/29/19	98 1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		94.0	
	4/21/19	99 1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		91.0	
	5/31/20	00 1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		92.0	
	5 / 23 / 20	01 1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		110.0	
	6/25/20	02 1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		104	
	4/24/20	03 1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		110	
	7 / 22 / 20	04 1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		110	
	6/29/20	05 1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		110	
	6/29/19	98 1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.15	
	4/21/19	99 1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.15	
	5/31/20	00 1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.130	
	5 / 23 / 20	01 1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.149	
	6/25/20	02 1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.129	
	4/24/20	03 1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.109	

State Well Number	Date S	Sample#	Storet Code	Description	Flag	Value + or
	7 / 22 / 2004	1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.973
	6 / 29 / 2005	1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.144
	10 / 2 /2006	5 1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)	<	0.50
6721903						
	6 / 6 / 1969	1	01020	BORON, DISSOLVED (UG/L AS B)	<	100.
	7 / 24 / 1974	1	01020	BORON, DISSOLVED (UG/L AS B)	<	100.
6722301						
	3 / 31 / 2009	1	00010	TEMPERATURE, WATER (CELSIUS)		21.5
	8 / 17 / 2010) 1	00010	TEMPERATURE, WATER (CELSIUS)	;	25.9
	3 / 31 / 2009	1	00666	PHOSPHORUS, DISSOLVED (MG/L AS P)		0.63
	8 / 17 / 2010	1	00666	PHOSPHORUS, DISSOLVED (MG/L AS P)	<	0.01
	3 / 31 / 2009	1	01020	BORON, DISSOLVED (UG/L AS B)		480
	8 / 17 / 2010	1	01020	BORON, DISSOLVED (UG/L AS B)		570
	4 / 27 / 1962	. 1	01045	IRON, TOTAL (UG/L AS FE)		1200.
	4 / 27 / 1962	. 1	01046	IRON, DISSOLVED (UG/L AS FE)	<	10.
6722403						
	7 / 22 / 2002	. 1	00010	TEMPERATURE, WATER (CELSIUS)		27.5
	7 / 22 / 2002	. 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)		0.0246
	7 / 22 / 2002	2 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2
	7 / 22 / 2002	. 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		22.4
	7 / 22 / 2002	. 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1
	7 / 22 / 2002	. 1	01020	BORON, DISSOLVED (UG/L AS B)		259
	7 / 22 / 2002	. 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1
	7 / 22 / 2002	. 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)		1.09
	7 / 22 / 2002	. 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1
	7 / 22 / 2002	. 1	01040	COPPER, DISSOLVED (UG/L AS CU)		1.32
	7 / 22 / 2002	. 1	01046	IRON, DISSOLVED (UG/L AS FE)		74.8
	7 / 22 / 2002	2 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1
	7 / 22 / 2002	. 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		5.73

tate Well Number	Date S	ample#	Storet Code	Description	Flag	Value	+ or -
	7 / 22 / 2002	1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1	
	7 / 22 / 2002	1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1	
	7 / 22 / 2002	1	01065	NICKEL, DISSOLVED (UG/L AS NI)	<	1	
	7 / 22 / 2002	1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		302	
	7 / 22 / 2002	1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	1	
	7 / 22 / 2002	1	01090	ZINC, DISSOLVED (UG/L AS ZN)		9.49	
	7 / 22 / 2002	1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1	
	7 / 22 / 2002	1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)		31.0	
	7 / 22 / 2002	1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		29.0	
	7 / 22 / 2002	1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	4	
	7 / 22 / 2002	1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		238	
	7 / 22 / 2002	1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.174	
	7 / 22 / 2002	1	82244	ALKALINITY PHENOLPHTHALEIN FIELD DATA (MG/L)		3	
6722405							
	1 / 12 / 2007	1	00010	TEMPERATURE, WATER (CELSIUS)		24	
	1 / 12 / 2007	1	00094	SPECIFIC CONDUCTANCE, FIELD (UMHOS/CM AT 25C)		1920	
	1 / 12 / 2007	1	00400	PH (STANDARD UNITS), FIELD		7.2	
6722501							
	4 / 22 / 1959	1	01020	BORON, DISSOLVED (UG/L AS B)		40.	
	12 / 20 / 1944	1	01045	IRON, TOTAL (UG/L AS FE)		310.	
6722505							
	7 / 21 / 1998	1	00010	TEMPERATURE, WATER (CELSIUS)		28.6	
	4 / 14 / 1999	1	00010	TEMPERATURE, WATER (CELSIUS)		28.5	
	7 / 21 / 1998	1	00090	OXIDATION REDUCTION POTENTIAL (ORP), MILLIVOLTS		060.0	
	4 / 14 / 1999	1	00090	OXIDATION REDUCTION POTENTIAL (ORP), MILLIVOLTS		59.0	
	7 / 28 / 1993	1	00608	NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)		1.06	
	7 / 21 / 1998	1	00608	NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)		0.97	
	4 / 14 / 1999	1	00608	NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)		0.955	
	7 / 28 / 1993	1	00613	NITRITE NITROGEN, DISSOLVED (MG/L AS N)	<	0.01	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value +	or -
	7 / 28 / 199	3 1	00618	NITRATE NITROGEN, DISSOLVED (MG/L AS N)	<	0.01	
	7 / 28 / 199	3 1	00623	NITROGEN, KJELDAHL, DISSOLVED (MG/L AS N)		1.1	
	7 / 21 / 199	8 1	00623	NITROGEN, KJELDAHL, DISSOLVED (MG/L AS N)		1.21	
	4/14/199	9 1	00623	NITROGEN, KJELDAHL, DISSOLVED (MG/L AS N)		1.025	
	7 / 21 / 199	8 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.05	
	4 / 14 / 199	9 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.05	
	7 / 21 / 199	8 1	00666	PHOSPHORUS, DISSOLVED (MG/L AS P)		0.11	
	4 / 14 / 199	9 1	00666	PHOSPHORUS, DISSOLVED (MG/L AS P)	<	0.04	
	7 / 28 / 199	3 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	1.0	
	7 / 21 / 199	8 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2	
	4 / 14 / 199	9 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2	
	7 / 28 / 199	3 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		24.7	
	7 / 21 / 199	8 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		27.5	
	4 / 14 / 199	9 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		26.4	
	7 / 21 / 199	8 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1	
	4 / 14 / 199	9 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1	
	7 / 21 / 199	8 1	01020	BORON, DISSOLVED (UG/L AS B)		246	
	4 / 14 / 199	9 1	01020	BORON, DISSOLVED (UG/L AS B)		262	
	7 / 28 / 199	3 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	2.0	
	7 / 21 / 199	8 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1	
	4/14/199	9 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1	
	7 / 28 / 199	3 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)	<	4.0	
	7 / 21 / 199	8 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)		2.7	
	4 / 14 / 199	9 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)		8	
	7 / 21 / 199	8 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1	
	4 / 14 / 199	9 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1	
	7 / 28 / 199	3 1	01040	COPPER, DISSOLVED (UG/L AS CU)		3.5	
	7 / 21 / 199	8 1	01040	COPPER, DISSOLVED (UG/L AS CU)		2.7	
	4 / 14 / 199	9 1	01040	COPPER, DISSOLVED (UG/L AS CU)	<	2	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
	7 / 28 / 199	93 1	01046	IRON, DISSOLVED (UG/L AS FE)		133.	
	7 / 21 / 199	98 1	01046	IRON, DISSOLVED (UG/L AS FE)		319	
	4/14/199	99 1	01046	IRON, DISSOLVED (UG/L AS FE)		341	
	7 / 28 / 199	93 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	5.0	
	7 / 21 / 199	98 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1	
	4 / 14 / 199	99 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1	
	7 / 28 / 199	93 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		60.1	
	7 / 21 / 199	98 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		86.1	
	4/14/199	99 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		72.3	
	7 / 21 / 199	98 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1	
	4 / 14 / 199	99 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1	
	7 / 28 / 199	93 1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	50.	
	7 / 21 / 199	98 1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1	
	4 / 14 / 199	99 1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1	
	7 / 21 / 199	98 1	01065	NICKEL, DISSOLVED (UG/L AS NI)		5.5	
	4 / 14 / 199	99 1	01065	NICKEL, DISSOLVED (UG/L AS NI)		7.8	
	7 / 28 / 199	93 1	01075	SILVER, DISSOLVED (UG/L AS AG)	<	3.0	
	7 / 21 / 199	98 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		2190	
	4 / 14 / 199	99 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		2200	
	7 / 28 / 199	93 1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	20.	
	7 / 21 / 199	98 1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	1	
	4 / 14 / 199	99 1	01085	VANADIUM, DISSOLVED (UG/L AS V)		2.1	
	7 / 28 / 199	93 1	01090	ZINC, DISSOLVED (UG/L AS ZN)		12.3	
	7 / 21 / 199	98 1	01090	ZINC, DISSOLVED (UG/L AS ZN)		54.4	
	4 / 14 / 199	99 1	01090	ZINC, DISSOLVED (UG/L AS ZN)	<	4	
	7 / 21 / 199	98 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1	
	4 / 14 / 199	99 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1	
	7 / 28 / 199	93 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	50.	
	7/21/199	98 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	4	

State Well Number	Date S	ample#	Storet Code	Description	Flag	Value	+ or -
	4 / 14 / 1999	1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	4	
	7 / 21 / 1998	1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		64	
	4/14/1999	1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		65	
	7 / 28 / 1993	1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	2.0	
	7 / 21 / 1998	1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	4	
	4 / 14 / 1999	1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	4	
	7 / 28 / 1993	1	01503	ALPHA, DISSOLVED (PC/L)		2.5	2.6
	7 / 28 / 1993	1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		166	
	7 / 21 / 1998	1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		179.0	
	4 / 14 / 1999	1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		177.0	
	7 / 28 / 1993	1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.23	
	7 / 21 / 1998	1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.12	
	4 / 14 / 1999	1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.33	
	7 / 28 / 1993	1	71890	MERCURY, DISSOLVED (UG/L AS HG)	<	0.13	
6722506							
	7 / 21 / 1998	1	00010	TEMPERATURE, WATER (CELSIUS)		30.0	
	4 / 14 / 1999	1	00010	TEMPERATURE, WATER (CELSIUS)		27.9	
	5 / 31 / 2000	1	00010	TEMPERATURE, WATER (CELSIUS)		28.1	
	5 / 10 / 2001	1	00010	TEMPERATURE, WATER (CELSIUS)		27.4	
	6/21/2002	1	00010	TEMPERATURE, WATER (CELSIUS)		28.4	
	4 / 24 / 2003	1	00010	TEMPERATURE, WATER (CELSIUS)		28.2	
	7 / 22 / 2004	1	00010	TEMPERATURE, WATER (CELSIUS)		28.3	
	6 / 29 / 2005	1	00010	TEMPERATURE, WATER (CELSIUS)		28.3	
	10 / 2 /2006	1	00010	TEMPERATURE, WATER (CELSIUS)		29.7	
	3 / 18 / 2009	1	00010	TEMPERATURE, WATER (CELSIUS)		28.1	
	7 / 21 / 1998	1	00090	OXIDATION REDUCTION POTENTIAL (ORP), MILLIVOLTS		090.0	
	4 / 14 / 1999	1	00090	OXIDATION REDUCTION POTENTIAL (ORP), MILLIVOLTS		99.0	
	6/29/2005	1	00094	SPECIFIC CONDUCTANCE, FIELD (UMHOS/CM AT 25C)		886	
	7 / 21 / 1998	1	00608	NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)		0.84	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
	4 / 14 / 199	99 1	00608	NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)		0.627	
	7 / 21 / 199	98 1	00623	NITROGEN, KJELDAHL, DISSOLVED (MG/L AS N)		0.91	
	4/14/199	99 1	00623	NITROGEN, KJELDAHL, DISSOLVED (MG/L AS N)		0.707	
	7/21/199	98 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.05	
	4/14/199	99 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.05	
	5/31/200	00 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.02	
	5 / 10 / 200	01 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.02	
	6/21/200	02 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.02	
	4/24/200	03 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)		0.0319	
	7/22/200	04 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.02	
	6/29/200	05 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.02	
	10 / 2 /200	06 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.1	
	7 / 21 / 199	98 1	00666	PHOSPHORUS, DISSOLVED (MG/L AS P)		0.12	
	4/14/199	99 1	00666	PHOSPHORUS, DISSOLVED (MG/L AS P)	<	0.04	
	3 / 18 / 200	09 1	00666	PHOSPHORUS, DISSOLVED (MG/L AS P)	<	0.01	
	7 / 21 / 199	98 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2	
	4/14/199	99 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2	
	5/31/200	00 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2	
	5 / 10 / 200	01 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2	
	6/21/200	02 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2	
	4/24/200	03 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2	
	7 / 22 / 200	04 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2	
	6/29/200	05 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2.04	
	10 / 2 /200	06 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	1	
	7 / 21 / 199	98 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		39.4	
	4 / 14 / 199	99 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		38.6	
	5/31/200	00 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		35.9	
	5 / 10 / 200	01 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		38.9	
	6/21/200	02 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		32.8	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value -	+ or -
	4 / 24 / 20	03 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		32.6	
	7 / 22 / 20	04 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		36.4	
	6/29/20	05 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		33.5	
	10 / 2 /20	06 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		38	
	7/21/19	98 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1	
	4/14/19	99 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1	
	5/31/20	00 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1	
	5 / 10 / 20	01 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1	
	6/21/20	02 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1	
	4/24/20	03 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1	
	7 / 22 / 20	04 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1	
	6/29/20	05 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1.02	
	10 / 2 /20	06 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1	
	7 / 21 / 19	98 1	01020	BORON, DISSOLVED (UG/L AS B)		192	
	4/14/19	99 1	01020	BORON, DISSOLVED (UG/L AS B)		221	
	5/31/20	00 1	01020	BORON, DISSOLVED (UG/L AS B)		232	
	5/10/20	01 1	01020	BORON, DISSOLVED (UG/L AS B)		154	
	6/21/20	02 1	01020	BORON, DISSOLVED (UG/L AS B)		327	
	4/24/20	03 1	01020	BORON, DISSOLVED (UG/L AS B)		251	
	7 / 22 / 20	04 1	01020	BORON, DISSOLVED (UG/L AS B)		224	
	6/29/20	05 1	01020	BORON, DISSOLVED (UG/L AS B)		230	
	10 / 2 /20	06 1	01020	BORON, DISSOLVED (UG/L AS B)		193	
	3/18/20	09 1	01020	BORON, DISSOLVED (UG/L AS B)		300	
	7/21/19	98 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1	
	4/14/19	99 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1	
	5/31/20	00 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1	
	5/10/20	01 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1	
	6/21/20	02 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1	
	4/24/20	03 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
	7 / 22 / 20	04 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1	
	6/29/20	05 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1.02	
	10 / 2 /20	06 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1	
	7/21/19	98 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)		2.4	
	4/14/19	99 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)		8.3	
	5/31/20	00 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)	<	1	
	5 / 10 / 20	01 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)	<	1	
	6/21/20	02 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)		3.03	
	4/24/20	03 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)		1.51	
	7 / 22 / 20	04 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)	<	1	
	6/29/20	05 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)		4.08	
	10 / 2 /20	06 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)	<	1	
	7 / 21 / 19	98 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1	
	4 / 14 / 19	99 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1	
	5/31/20	00 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1	
	5 / 10 / 20	01 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1	
	6/21/20	02 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1	
	4/24/20	03 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1	
	7 / 22 / 20	04 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1	
	6/29/20	05 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1.02	
	10 / 2 /20	06 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1	
	7 / 21 / 19	98 1	01040	COPPER, DISSOLVED (UG/L AS CU)		2.1	
	4 / 14 / 19	99 1	01040	COPPER, DISSOLVED (UG/L AS CU)	<	2	
	5/31/20	00 1	01040	COPPER, DISSOLVED (UG/L AS CU)	<	2	
	5 / 10 / 20	01 1	01040	COPPER, DISSOLVED (UG/L AS CU)	<	2	
	6/21/20	02 1	01040	COPPER, DISSOLVED (UG/L AS CU)		1.76	
	4/24/20	03 1	01040	COPPER, DISSOLVED (UG/L AS CU)		1.36	
	7 / 22 / 20	04 1	01040	COPPER, DISSOLVED (UG/L AS CU)	<	1	
	6/29/20	05 1	01040	COPPER, DISSOLVED (UG/L AS CU)	<	1.02	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
	10 / 2 /200	06 1	01040	COPPER, DISSOLVED (UG/L AS CU)	<	1	
	7 / 21 / 199	98 1	01046	IRON, DISSOLVED (UG/L AS FE)		104	
	4/14/199	99 1	01046	IRON, DISSOLVED (UG/L AS FE)		212	
	5/31/200	00 1	01046	IRON, DISSOLVED (UG/L AS FE)		298	
	5 / 10 / 200	01 1	01046	IRON, DISSOLVED (UG/L AS FE)		289	
	6/21/200	02 1	01046	IRON, DISSOLVED (UG/L AS FE)		139	
	4/24/200	03 1	01046	IRON, DISSOLVED (UG/L AS FE)		286	
	7 / 22 / 200	04 1	01046	IRON, DISSOLVED (UG/L AS FE)		373	
	6/29/200	05 1	01046	IRON, DISSOLVED (UG/L AS FE)		138	
	10 / 2 /200	06 1	01046	IRON, DISSOLVED (UG/L AS FE)		299	
	7 / 21 / 199	98 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1	
	4/14/199	99 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1	
	5/31/200	00 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1	
	5 / 10 / 200	01 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1	
	6/21/200	02 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1	
	4/24/200	03 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1	
	7 / 22 / 200	04 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1	
	6/29/200	05 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1.02	
	10 / 2 /200	06 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1	
	7 / 21 / 199	98 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		14.5	
	4/14/199	99 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		19	
	5/31/200	00 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		37.3	
	5 / 10 / 200	01 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		17.2	
	6/21/200	02 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		18.0	
	4/24/200	03 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		37.3	
	7 / 22 / 200	04 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		38.6	
	6/29/200	05 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		17.5	
	10 / 2 /200	06 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		20	
	7/21/199	98 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value + or -
	4 / 14 / 19	99 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1
	5/31/20	00 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1
	5/10/20	01 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1
	6/21/20	02 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1
	4/24/20	03 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1
	7/22/20	04 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1
	6/29/20	05 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1.02
	10 / 2 /20	06 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1
	7/21/19	98 1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1
	4/14/19	99 1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1
	5/31/20	00 1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1
	5/10/20	01 1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1
	6/21/20	02 1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1
	4/24/20	03 1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1
	7/22/20	04 1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1
	6/29/20	05 1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1.02
	10 / 2 /20	06 1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1
	7/21/19	98 1	01065	NICKEL, DISSOLVED (UG/L AS NI)		3.6
	4/14/19	99 1	01065	NICKEL, DISSOLVED (UG/L AS NI)		5.9
	5/31/20	00 1	01065	NICKEL, DISSOLVED (UG/L AS NI)		1.77
	5 / 10 / 20	01 1	01065	NICKEL, DISSOLVED (UG/L AS NI)	<	1
	6/21/20	02 1	01065	NICKEL, DISSOLVED (UG/L AS NI)		1.35
	4/24/20	03 1	01065	NICKEL, DISSOLVED (UG/L AS NI)		1.42
	7 / 22 / 20	04 1	01065	NICKEL, DISSOLVED (UG/L AS NI)	<	1
	7 / 21 / 19	98 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		1570
	4/14/19	99 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		1870
	5/31/20	00 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		1980
	5 / 10 / 20	01 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		1620
	6/21/20	02 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		1730

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
	4 / 24 / 20	03 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		2070	
	7 / 22 / 20	04 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		1980	
	6/29/20	05 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		1670	
	10 / 2 /20	06 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		1610	
	7/21/19	98 1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	1	
	4/14/19	99 1	01085	VANADIUM, DISSOLVED (UG/L AS V)		2.2	
	5/31/20	00 1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	1	
	5 / 10 / 20	01 1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	1	
	6/21/20	02 1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	1	
	4/24/20	03 1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	1	
	7 / 22 / 20	04 1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	1	
	6/29/20	05 1	01085	VANADIUM, DISSOLVED (UG/L AS V)		1.09	
	10 / 2 /20	06 1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	1	
	7 / 21 / 19	98 1	01090	ZINC, DISSOLVED (UG/L AS ZN)		4.4	
	4/14/19	99 1	01090	ZINC, DISSOLVED (UG/L AS ZN)	<	4	
	5/31/20	00 1	01090	ZINC, DISSOLVED (UG/L AS ZN)		6.54	
	5/10/20	01 1	01090	ZINC, DISSOLVED (UG/L AS ZN)	<	4	
	6/21/20	02 1	01090	ZINC, DISSOLVED (UG/L AS ZN)		4.46	
	4/24/20	03 1	01090	ZINC, DISSOLVED (UG/L AS ZN)		7.97	
	7 / 22 / 20	04 1	01090	ZINC, DISSOLVED (UG/L AS ZN)		5.59	
	6/29/20	05 1	01090	ZINC, DISSOLVED (UG/L AS ZN)		6.11	
	10 / 2 /20	06 1	01090	ZINC, DISSOLVED (UG/L AS ZN)		2	
	7 / 21 / 19	98 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1	
	4/14/19	99 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1	
	5/31/20	00 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1	
	5 / 10 / 20	01 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1	
	6/21/20	02 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1	
	4/24/20	03 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1	
	7/22/20	04 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value + or -
	6/29/200	05 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1.02
	10 / 2 /200	06 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1
	7 / 21 / 199	98 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	4
	4/14/199	99 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	4
	5/31/200	00 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)		7.92
	5 / 10 / 200	01 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	4
	6/21/200)2 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	4
	4/24/200)3 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	4
	7 / 22 / 200	04 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	4
	6/29/200)5 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	4.08
	10 / 2 /200	06 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)		2
	7 / 21 / 199	98 1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		84.9
	4 / 14 / 199	99 1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		90.8
	5/31/200	00 1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		112
	5 / 10 / 200	01 1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		78.3
	6/21/200)2 1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		83.8
	4 / 24 / 200	03 1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		110
	7 / 22 / 200	04 1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		103
	6/29/200)5 1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		84.4
	10 / 2 /200	06 1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		72
	7 / 21 / 199	98 1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	4
	4 / 14 / 199	99 1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	4
	5/31/200	00 1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	4
	5 / 10 / 200	01 1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	4
	6/21/200)2 1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	4
	4 / 24 / 200)3 1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	4
	7 / 22 / 200)4 1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	4
	6/29/200)5 1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	4.08
	10 / 2 /200	06 1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	1

tate Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
	6/29/20	05 1	04241	GROSS ALPHA RADIATION, TOTAL, PRODUCED WATER(pCi/L)		0.7	2
	6/29/20	05 1	04242	GROSS BETA RADIATION, TOTAL, PRODUCED WATER(pCi/L)		6.7	1.6
	7/21/19	98 1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		175.0	
	4/14/19	99 1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		175.0	
	5/31/20	00 1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		182.0	
	5/10/20	01 1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		182	
	6/21/20	02 1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		182	
	4/24/20	03 1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		186	
	7/22/20	04 1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		186	
	6/29/20	05 1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		186	
	7/21/19	98 1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)	<	0.1	
	4/14/19	99 1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.33	
	5/31/20	00 1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.230	
	5 / 10 / 20	01 1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.352	
	6/21/20	02 1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.198	
	4/24/20	03 1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.244	
	7 / 22 / 20	04 1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.650	
	6/29/20	05 1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.205	
	10 / 2 /20	06 1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)	<	0.50	
	4/24/20	03 1	82244	ALKALINITY PHENOLPHTHALEIN FIELD DATA (MG/L)		4	
	7 / 22 / 20	04 1	82244	ALKALINITY PHENOLPHTHALEIN FIELD DATA (MG/L)		4	
6722507							
	7/22/20	02 1	00010	TEMPERATURE, WATER (CELSIUS)		26.9	
	5 / 22 / 20	03 1	00010	TEMPERATURE, WATER (CELSIUS)		26.8	
	7 / 22 / 20	02 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)		0.0341	
	5 / 22 / 20	03 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.02	
	7 / 22 / 20	02 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2	
	5 / 22 / 20	03 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2	
	7 / 22 / 20	02 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		30.7	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value + or
	5 / 22 / 200	03 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		41.1
	7 / 22 / 200)2 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1
	5 / 22 / 200	03 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1
	7/22/200)2 1	01020	BORON, DISSOLVED (UG/L AS B)		317
	5 / 22 / 200)3 1	01020	BORON, DISSOLVED (UG/L AS B)		278
	7 / 22 / 200)2 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1
	5 / 22 / 200	03 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1
	7 / 22 / 200)2 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)	<	1
	5 / 22 / 200	03 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)		2.66
	7 / 22 / 200)2 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1
	5 / 22 / 200	03 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1
	7 / 22 / 200)2 1	01040	COPPER, DISSOLVED (UG/L AS CU)	<	1
	5 / 22 / 200	03 1	01040	COPPER, DISSOLVED (UG/L AS CU)		1.69
	7 / 22 / 200)2 1	01046	IRON, DISSOLVED (UG/L AS FE)		183
	5 / 22 / 200	03 1	01046	IRON, DISSOLVED (UG/L AS FE)		128
	7 / 22 / 200)2 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1
	5 / 22 / 200	03 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1
	7 / 22 / 200)2 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		24.3
	5 / 22 / 200)3 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		25.3
	7 / 22 / 200)2 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1
	5 / 22 / 200)3 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1
	7 / 22 / 200)2 1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1
	5 / 22 / 200)3 1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1
	7 / 22 / 200)2 1	01065	NICKEL, DISSOLVED (UG/L AS NI)	<	1
	5 / 22 / 200)3 1	01065	NICKEL, DISSOLVED (UG/L AS NI)		1.77
	7 / 22 / 200)2 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		1900
	5 / 22 / 200)3 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		1940
	7 / 22 / 200)2 1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	1
	5 / 22 / 200)3 1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	1

State Well Number	Date Sa	mple#	Storet Code	Description	Flag	Value + or
	7 / 22 / 2002	1	01090	ZINC, DISSOLVED (UG/L AS ZN)	<	4
	5 / 22 / 2003	1	01090	ZINC, DISSOLVED (UG/L AS ZN)		23.7
	7 / 22 / 2002	1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1
	5 / 22 / 2003	1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1
	7 / 22 / 2002	1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	4
	5 / 22 / 2003	1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	4
	7 / 22 / 2002	1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		82.2
	5 / 22 / 2003	1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		89.5
	7 / 22 / 2002	1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	4
	5 / 22 / 2003	1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	4
	7 / 22 / 2002	1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		174
	5 / 22 / 2003	1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		172
	7 / 22 / 2002	1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.222
	5 / 22 / 2003	1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.240
6722602						
	3 / 14 / 1994	1	00010	TEMPERATURE, WATER (CELSIUS)		25.0
	3 / 14 / 1994	1	00090	OXIDATION REDUCTION POTENTIAL (ORP), MILLIVOLTS		125.7
	3 / 14 / 1994	1	00608	NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)		0.25
	3 / 14 / 1994	1	00613	NITRITE NITROGEN, DISSOLVED (MG/L AS N)		0.17
	3 / 14 / 1994	1	00618	NITRATE NITROGEN, DISSOLVED (MG/L AS N)		0.59
	3 / 14 / 1994	1	00623	NITROGEN, KJELDAHL, DISSOLVED (MG/L AS N)		0.7
	3 / 14 / 1994	1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2.0
	3 / 14 / 1994	1	01005	BARIUM, DISSOLVED (UG/L AS BA)	<	4.0
	3 / 14 / 1994	1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	2.0
	3 / 14 / 1994	1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)	<	4.0
	3 / 14 / 1994	1	01040	COPPER, DISSOLVED (UG/L AS CU)	<	2.0
	3 / 14 / 1994	1	01046	IRON, DISSOLVED (UG/L AS FE)		18.7
	3 / 14 / 1994	1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	5.0
	3 / 14 / 1994	1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		27.6

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
	3 / 14 / 199	94 1	01075	SILVER, DISSOLVED (UG/L AS AG)	<	10.	
	3 / 14 / 199	94 1	01090	ZINC, DISSOLVED (UG/L AS ZN)		17.4	
	3 / 14 / 199	94 1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	4.0	
	3 / 14 / 199	94 1	01503	ALPHA, DISSOLVED (PC/L)	<	4.0	
	3 / 14 / 199	94 1	03503	BETA, DISSOLVED (PC/L)		8.6	2.1
	3 / 14 / 199	94 1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		272.0	
	3 / 14 / 199	94 1	71890	MERCURY, DISSOLVED (UG/L AS HG)	<	0.13	
6723801							
	7 / 22 / 200)2 1	00010	TEMPERATURE, WATER (CELSIUS)		51.0	
	4/24/200	03 1	00010	TEMPERATURE, WATER (CELSIUS)		51.5	
	7 / 22 / 200)4 1	00010	TEMPERATURE, WATER (CELSIUS)		51.1	
	6/29/200	05 1	00010	TEMPERATURE, WATER (CELSIUS)		51.1	
	10 / 2 /200	06 1	00010	TEMPERATURE, WATER (CELSIUS)		51.9	
	3 / 31 / 200	9 1	00010	TEMPERATURE, WATER (CELSIUS)		49.1	
	8 / 17 / 201	.0 1	00010	TEMPERATURE, WATER (CELSIUS)		48.8	
	6/29/200	05 1	00094	SPECIFIC CONDUCTANCE, FIELD (UMHOS/CM AT 25C)		480	
	7/22/200)2 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)		0.0343	
	4/24/200	03 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.02	
	7 / 22 / 200)4 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.02	
	6/29/200	05 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.02	
	10 / 2 /200	06 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.1	
	3/31/200	9 1	00666	PHOSPHORUS, DISSOLVED (MG/L AS P)		0.72	
	8 / 17 / 201	.0 1	00666	PHOSPHORUS, DISSOLVED (MG/L AS P)		0.02	
	7 / 22 / 200)2 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2	
	4/24/200	03 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2	
	7 / 22 / 200)4 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2	
	6/29/200)5 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2.04	
	10 / 2 /200	06 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	1	
	7/22/200)2 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		11.6	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
	4 / 24 / 20	03 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		11.2	
	7 / 22 / 20	04 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		13.0	
	6/29/20	05 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		10.9	
	10 / 2 /20	06 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		14	
	7 / 22 / 20	02 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1	
	4/24/20	03 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1	
	7 / 22 / 20	04 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1	
	6/29/20	05 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1.02	
	10 / 2 /20	06 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1	
	7/22/20	02 1	01020	BORON, DISSOLVED (UG/L AS B)		263	
	4/24/20	03 1	01020	BORON, DISSOLVED (UG/L AS B)		221	
	7 / 22 / 20	04 1	01020	BORON, DISSOLVED (UG/L AS B)		140	
	6/29/20	05 1	01020	BORON, DISSOLVED (UG/L AS B)		175	
	10 / 2 /20	06 1	01020	BORON, DISSOLVED (UG/L AS B)		124	
	3/31/20	09 1	01020	BORON, DISSOLVED (UG/L AS B)		100	
	8 / 17 / 20	10 1	01020	BORON, DISSOLVED (UG/L AS B)		140	
	7 / 22 / 20	02 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1	
	4/24/20	03 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1	
	7 / 22 / 20	04 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1	
	6/29/20	05 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1.02	
	10 / 2 /20	06 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1	
	7 / 22 / 20	02 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)	<	1	
	4/24/20	03 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)		1.00	
	7 / 22 / 20	04 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)		1.21	
	6/29/20	05 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)		4.74	
	10 / 2 /20	06 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)	<	1	
	7 / 22 / 20	02 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1	
	4/24/20	03 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1	
	7 / 22 / 20	04 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value + or
	6/29/200	05 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1.02
	10 / 2 /200	06 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1
	7/22/200	02 1	01040	COPPER, DISSOLVED (UG/L AS CU)		1.21
	4/24/200	03 1	01040	COPPER, DISSOLVED (UG/L AS CU)	<	1
	7 / 22 / 200	04 1	01040	COPPER, DISSOLVED (UG/L AS CU)		2.82
	6/29/200	05 1	01040	COPPER, DISSOLVED (UG/L AS CU)	<	1.02
	10 / 2 /200	06 1	01040	COPPER, DISSOLVED (UG/L AS CU)	<	1
	7 / 22 / 200	02 1	01046	IRON, DISSOLVED (UG/L AS FE)	<	50
	4/24/200	03 1	01046	IRON, DISSOLVED (UG/L AS FE)	<	50
	7/22/200	04 1	01046	IRON, DISSOLVED (UG/L AS FE)		52.4
	6/29/200	05 1	01046	IRON, DISSOLVED (UG/L AS FE)	<	51
	10 / 2 /200	06 1	01046	IRON, DISSOLVED (UG/L AS FE)	<	30
	7 / 22 / 200	02 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1
	4/24/200	03 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1
	7/22/200	04 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1
	6/29/200	05 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1.02
	10 / 2 /200	06 1	01049	LEAD, DISSOLVED (UG/L AS PB)		3
	7 / 22 / 200	02 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		2.14
	4/24/200	03 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		2.79
	7 / 22 / 200	04 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		2.49
	6/29/200	05 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		2.12
	10 / 2 /200	06 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		2
	7 / 22 / 200	02 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1
	4/24/200	03 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1
	7 / 22 / 200	04 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1
	6/29/200	05 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1.02
	10 / 2 /200	06 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1
	7 / 22 / 200	02 1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1
	4/24/200	03 1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value + o
	7 / 22 / 20	04 1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1
	6/29/20	05 1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1.02
	10 / 2 /20	06 1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1
	7/22/20	02 1	01065	NICKEL, DISSOLVED (UG/L AS NI)	<	1
	4/24/20	03 1	01065	NICKEL, DISSOLVED (UG/L AS NI)	<	1
	7 / 22 / 20	04 1	01065	NICKEL, DISSOLVED (UG/L AS NI)	<	1
	7 / 22 / 20	02 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		54.4
	4/24/20	03 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		61.2
	7 / 22 / 20	04 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		65.4
	6/29/20	05 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		58.1
	10 / 2 /20	06 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		56
	7 / 22 / 20	02 1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	1
	4/24/20	03 1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	1
	7 / 22 / 20	04 1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	1
	6/29/20	05 1	01085	VANADIUM, DISSOLVED (UG/L AS V)		1.29
	10 / 2 /20	06 1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	1
	7 / 22 / 20	02 1	01090	ZINC, DISSOLVED (UG/L AS ZN)	<	4
	4/24/20	03 1	01090	ZINC, DISSOLVED (UG/L AS ZN)	<	4
	7 / 22 / 20	04 1	01090	ZINC, DISSOLVED (UG/L AS ZN)		192
	6/29/20	05 1	01090	ZINC, DISSOLVED (UG/L AS ZN)	<	4.08
	10 / 2 /20	06 1	01090	ZINC, DISSOLVED (UG/L AS ZN)		2
	7 / 22 / 20	02 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1
	4/24/20	03 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1
	7 / 22 / 20	04 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1
	6/29/20	05 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1.02
	10 / 2 /20	06 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1
	7 / 22 / 20	02 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)		27.1
	4/24/20	03 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)		26.4
	7/22/20	04 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)		21.9

tate Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
	6/29/200	05 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)		22.7	
	10 / 2 /200	06 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)		25	
	7/22/200	02 1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		24.7	
	4/24/200	03 1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		26.4	
	7 / 22 / 200	04 1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		24.9	
	6/29/200	05 1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		25.9	
	10 / 2 /200	06 1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		23	
	7 / 22 / 200	02 1	01145	SELENIUM, DISSOLVED (UG/L AS SE)		4.78	
	4/24/200	03 1	01145	SELENIUM, DISSOLVED (UG/L AS SE)		36.2	
	7/22/200	04 1	01145	SELENIUM, DISSOLVED (UG/L AS SE)		41.4	
	6/29/200	05 1	01145	SELENIUM, DISSOLVED (UG/L AS SE)		5.41	
	10 / 2 /200	06 1	01145	SELENIUM, DISSOLVED (UG/L AS SE)		16	
	6/29/200	05 1	04241	GROSS ALPHA RADIATION, TOTAL, PRODUCED WATER (pCi/L)		1.0	1.3
	6/29/200	05 1	04242	GROSS BETA RADIATION, TOTAL, PRODUCED WATER(pCi/L)		0.9	0.7
	7/22/200	02 1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		224	
	4/24/200	03 1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		242	
	7 / 22 / 200	04 1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		242	
	6/29/200	05 1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		242	
	7 / 22 / 200	02 1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.0583	
	4/24/200	03 1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.0236	
	7 / 22 / 200	04 1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.0700	
	6/29/200	05 1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.0650	
	10 / 2 /200	06 1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)	<	0.50	
	7 / 22 / 200	02 1	82244	ALKALINITY PHENOLPHTHALEIN FIELD DATA (MG/L)		9	
	4/24/200	03 1	82244	ALKALINITY PHENOLPHTHALEIN FIELD DATA (MG/L)		10	
	7 / 22 / 200	04 1	82244	ALKALINITY PHENOLPHTHALEIN FIELD DATA (MG/L)		10	
6727606							
	4/25/20	11 1	00010	TEMPERATURE, WATER (CELSIUS)		23.6	
	4 / 25 / 20	11 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.020	

ate Well Number	Date S	Sample#	Storet Code	Description	Flag	Value + or
	4 / 25 / 2011	1 1	00666	PHOSPHORUS, DISSOLVED (MG/L AS P)		0.168
	4 / 25 / 2011	1 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2.0
	4/25/2011	1 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		59.9
	4/25/2011	1 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1.0
	4 / 25 / 2011	1 1	01020	BORON, DISSOLVED (UG/L AS B)	<	51
	4 / 25 / 2011	1 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1.0
	4 / 25 / 2011	1 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)	<	1.0
	4 / 25 / 2011	1 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1.0
	4/25/2011	1 1	01040	COPPER, DISSOLVED (UG/L AS CU)		8.1
	4/25/2011	1 1	01046	IRON, DISSOLVED (UG/L AS FE)		1590
	4 / 25 / 2011	1 1	01049	LEAD, DISSOLVED (UG/L AS PB)		1.8
	4 / 25 / 2011	1 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		124
	4 / 25 / 2011	1 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1.0
	4 / 25 / 2011	1 1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1.0
	4/25/2011	1 1	01075	SILVER, DISSOLVED (UG/L AS AG)	<	1.0
	4 / 25 / 2011	1 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		225
	4 / 25 / 2011	1 1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	1.0
	4 / 25 / 2011	1 1	01090	ZINC, DISSOLVED (UG/L AS ZN)		25.6
	4 / 25 / 2011	1 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1.0
	4 / 25 / 2011	1 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	4.1
	4 / 25 / 2011	1 1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		16.4
	4 / 25 / 2011	1 1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	4.1
	4 / 25 / 2011	1 1	22703	URANIUM, NATURAL, DISSOLVED, UG/L	<	1.0
	4 / 25 / 2011	1 1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		56
	4 / 25 / 2011	1 1	50938	ANION/CATION CHG BAL, PERCENT		-2.06
	4 / 25 / 2011	1 1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.06
	4 / 25 / 2011	1 1	71890	MERCURY, DISSOLVED (UG/L AS HG)	<	0.200
6727701						
	7 / 3 / 1959	9 1	00191	HYDROGEN ION CONCENTRATION, TOTAL (MG/L)		0.595

State Well Number	Date	Sample#	Storet Code	Description	Flag Value + or
	7 / 3 / 195	59 1	01020	BORON, DISSOLVED (UG/L AS B)	< 100.
6727703					
	4/16/198	31 1	01045	IRON, TOTAL (UG/L AS FE)	4000.
6727806					
	9/16/198	31 1	01045	IRON, TOTAL (UG/L AS FE)	70
6727903					
	3 / 16 / 199	3 1	00010	TEMPERATURE, WATER (CELSIUS)	24.4
	7 / 23 / 199	98 1	00010	TEMPERATURE, WATER (CELSIUS)	27.2
	4 / 21 / 199	9 1	00010	TEMPERATURE, WATER (CELSIUS)	25.6
	6/14/200	00 1	00010	TEMPERATURE, WATER (CELSIUS)	25.5
	5 / 23 / 200	01 1	00010	TEMPERATURE, WATER (CELSIUS)	24.3
	6/25/200)2 1	00010	TEMPERATURE, WATER (CELSIUS)	26.1
	5 / 7 /200	03 1	00010	TEMPERATURE, WATER (CELSIUS)	25.2
	7 / 22 / 200)4 1	00010	TEMPERATURE, WATER (CELSIUS)	24.3
	3/31/200	9 1	00010	TEMPERATURE, WATER (CELSIUS)	22.1
	8 / 17 / 201	.0 1	00010	TEMPERATURE, WATER (CELSIUS)	25.2
	4 / 24 / 201	1 1	00010	TEMPERATURE, WATER (CELSIUS)	24.2
	3 / 16 / 199	3 1	00090	OXIDATION REDUCTION POTENTIAL (ORP), MILLIVOLTS	7.8
	7 / 23 / 199	98 1	00090	OXIDATION REDUCTION POTENTIAL (ORP), MILLIVOLTS	-069.0
	4 / 21 / 199	9 1	00090	OXIDATION REDUCTION POTENTIAL (ORP), MILLIVOLTS	-56.0
	3 / 16 / 199	3 1	00608	NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)	0.10
	7 / 23 / 199	98 1	00608	NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)	0.15
	4/21/199	9 1	00608	NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)	0.048
	3 / 16 / 199	03 1	00613	NITRITE NITROGEN, DISSOLVED (MG/L AS N)	< 0.01
	3 / 16 / 199	03 1	00618	NITRATE NITROGEN, DISSOLVED (MG/L AS N)	< 0.01
	3 / 16 / 199	3 1	00623	NITROGEN, KJELDAHL, DISSOLVED (MG/L AS N)	0.2
	7 / 23 / 199	98 1	00623	NITROGEN, KJELDAHL, DISSOLVED (MG/L AS N)	0.18
	4/21/199	9 1	00623	NITROGEN, KJELDAHL, DISSOLVED (MG/L AS N)	0.253
	7 / 23 / 199	98 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	< 0.05

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
	4 / 21 / 199	99 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.02	
	6/14/200	00 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.02	
	5 / 23 / 200	01 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.02	
	6/25/200	02 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.02	
	5 / 7 /200	03 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.02	
	7 / 22 / 200	04 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.02	
	4 / 25 / 201	11 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.020	
	7 / 23 / 199	98 1	00666	PHOSPHORUS, DISSOLVED (MG/L AS P)	<	0.07	
	4/21/199	99 1	00666	PHOSPHORUS, DISSOLVED (MG/L AS P)		0.11	
	3/31/200	09 1	00666	PHOSPHORUS, DISSOLVED (MG/L AS P)		0.52	
	8 / 17 / 201	10 1	00666	PHOSPHORUS, DISSOLVED (MG/L AS P)		0.04	
	4 / 25 / 201	11 1	00666	PHOSPHORUS, DISSOLVED (MG/L AS P)	<	0.020	
	3 / 16 / 199	93 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	1.0	
	7 / 23 / 199	98 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2	
	4/21/199	99 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2	
	6 / 14 / 200	00 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2	
	5 / 23 / 200	01 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2	
	6/25/200	02 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2	
	5 / 7 /200	03 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2	
	7 / 22 / 200	04 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2	
	4 / 25 / 201	11 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2.0	
	3/16/199	93 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		69.2	
	7 / 23 / 199	98 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		75.8	
	4/21/199	99 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		73.8	
	6 / 14 / 200	00 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		70.7	
	5 / 23 / 200	01 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		71.8	
	6/25/200	02 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		73.8	
	5 / 7 /200	03 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		76.5	
	7/22/200	04 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		71.4	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value + or
	4 / 25 / 201	1 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		70.6
	7 / 23 / 199	98 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1
	4/21/199	99 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1
	6/14/200	00 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1
	5 / 23 / 200	01 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1
	6 / 25 / 200)2 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1
	5 / 7 /200	03 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1
	7 / 22 / 200	04 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1
	4 / 25 / 201	1 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1.0
	7 / 23 / 199	98 1	01020	BORON, DISSOLVED (UG/L AS B)		58
	4 / 21 / 199	99 1	01020	BORON, DISSOLVED (UG/L AS B)		57
	6/14/200	00 1	01020	BORON, DISSOLVED (UG/L AS B)		57.8
	5 / 23 / 200	01 1	01020	BORON, DISSOLVED (UG/L AS B)	<	51
	6/25/200)2 1	01020	BORON, DISSOLVED (UG/L AS B)		188
	5 / 7 /200)3 1	01020	BORON, DISSOLVED (UG/L AS B)		80.5
	7 / 22 / 200	04 1	01020	BORON, DISSOLVED (UG/L AS B)		72.4
	3/31/200	9 1	01020	BORON, DISSOLVED (UG/L AS B)		90
	8 / 17 / 201	0 1	01020	BORON, DISSOLVED (UG/L AS B)		50
	4 / 25 / 201	1 1	01020	BORON, DISSOLVED (UG/L AS B)	<	51
	3/16/199	93 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	2.0
	7 / 23 / 199	98 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1
	4/21/199	99 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1
	6/14/200	00 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1
	5 / 23 / 200	01 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1
	6/25/200)2 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1
	5 / 7 /200	03 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1
	7 / 22 / 200)4 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1
	4 / 25 / 201	1 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1.0
	3/16/199	93 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)	<	4.0

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value + or
	7 / 23 / 199	98 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)		1.1
	4/21/199	9 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)		4.8
	6/14/200	00 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)		2.20
	5 / 23 / 200	01 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)	<	1
	6 / 25 / 200)2 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)		1.08
	5 / 7 /200)3 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)		1.03
	7 / 22 / 200	04 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)	<	1
	4 / 25 / 201	1 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)	<	1.0
	7 / 23 / 199	98 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1
	4/21/199	99 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1
	6/14/200	00 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1
	5 / 23 / 200	01 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1
	6/25/200)2 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1
	5 / 7 /200	03 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1
	7/22/200	04 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1
	4 / 25 / 201	1 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1.0
	3 / 16 / 199	93 1	01040	COPPER, DISSOLVED (UG/L AS CU)	<	2.0
	7 / 23 / 199	98 1	01040	COPPER, DISSOLVED (UG/L AS CU)	<	2
	4/21/199	99 1	01040	COPPER, DISSOLVED (UG/L AS CU)	<	2
	6/14/200	00 1	01040	COPPER, DISSOLVED (UG/L AS CU)	<	2
	5 / 23 / 200	01 1	01040	COPPER, DISSOLVED (UG/L AS CU)	<	2
	6/25/200)2 1	01040	COPPER, DISSOLVED (UG/L AS CU)	<	1
	5 / 7 /200)3 1	01040	COPPER, DISSOLVED (UG/L AS CU)	<	1
	7 / 22 / 200	04 1	01040	COPPER, DISSOLVED (UG/L AS CU)	<	1
	4 / 25 / 201	1 1	01040	COPPER, DISSOLVED (UG/L AS CU)		5.2
	3 / 16 / 199	93 1	01046	IRON, DISSOLVED (UG/L AS FE)		104.
	7 / 23 / 199	98 1	01046	IRON, DISSOLVED (UG/L AS FE)		651
	4 / 21 / 199	99 1	01046	IRON, DISSOLVED (UG/L AS FE)		1190
	6/14/200	00 1	01046	IRON, DISSOLVED (UG/L AS FE)		1390

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value + or
	5 / 23 / 200	1	01046	IRON, DISSOLVED (UG/L AS FE)		1850
	6/25/200)2 1	01046	IRON, DISSOLVED (UG/L AS FE)		1110
	5 / 7 /200	03 1	01046	IRON, DISSOLVED (UG/L AS FE)		1850
	7/22/200)4 1	01046	IRON, DISSOLVED (UG/L AS FE)		2040
	4 / 25 / 201	1 1	01046	IRON, DISSOLVED (UG/L AS FE)	<	51
	3/16/199	3 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	20.
	7 / 23 / 199	08 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1
	4/21/199	9 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1
	6/14/200	00 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1
	5 / 23 / 200	1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1
	6 / 25 / 200)2 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1
	5 / 7 /200	03 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1
	7 / 22 / 200)4 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1
	4 / 25 / 201	.1 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1.0
	3 / 16 / 199	93 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		240.
	7 / 23 / 199	98 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		226
	4 / 21 / 199	9 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		210
	6 / 14 / 200	00 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		228
	5 / 23 / 200	01 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		225
	6 / 25 / 200)2 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		223
	5 / 7 /200	03 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		256
	7 / 22 / 200	04 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		217
	4 / 25 / 201	.1 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		36.0
	7 / 23 / 199	98 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1
	4 / 21 / 199	9 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1
	6 / 14 / 200	00 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1
	5 / 23 / 200	01 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1
	6/25/200)2 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1
	5 / 7 /200	03 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value + or
	7 / 22 / 200	4 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1
	4 / 25 / 201	1 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1.0
	7 / 23 / 199	8 1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1
	4/21/199	9 1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1
	6/14/200	0 1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1
	5 / 23 / 200	1 1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1
	6 / 25 / 200	2 1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1
	5 / 7 /200	3 1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1
	7 / 22 / 200	4 1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1
	4 / 25 / 201	1 1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1.0
	7 / 23 / 199	8 1	01065	NICKEL, DISSOLVED (UG/L AS NI)		5.1
	4 / 21 / 199	9 1	01065	NICKEL, DISSOLVED (UG/L AS NI)		7.3
	6/14/200	0 1	01065	NICKEL, DISSOLVED (UG/L AS NI)		1.96
	5 / 23 / 200	1 1	01065	NICKEL, DISSOLVED (UG/L AS NI)	<	1
	6/25/200	2 1	01065	NICKEL, DISSOLVED (UG/L AS NI)		1.20
	5 / 7 /200	3 1	01065	NICKEL, DISSOLVED (UG/L AS NI)		1.77
	7 / 22 / 200	4 1	01065	NICKEL, DISSOLVED (UG/L AS NI)	<	1
	3 / 16 / 199	3 1	01075	SILVER, DISSOLVED (UG/L AS AG)	<	3.0
	4 / 25 / 201	1 1	01075	SILVER, DISSOLVED (UG/L AS AG)	<	1.0
	7 / 23 / 199	8 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		234
	4 / 21 / 199	9 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		205
	6 / 14 / 200	0 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		216
	5 / 23 / 200	1 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		209
	6 / 25 / 200	2 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		231
	5 / 7 /200	3 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		224
	7 / 22 / 200	4 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		226
	4 / 25 / 201	1 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		245
	7 / 23 / 199	8 1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	1
	4/21/199	9 1	01085	VANADIUM, DISSOLVED (UG/L AS V)		1.3

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value + or
	6/14/200	0 1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	1
	5 / 23 / 200	1 1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	1
	6/25/200	2 1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	1
	5 / 7 /200	3 1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	1
	7 / 22 / 200	4 1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	1
	4 / 25 / 201	1 1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	1.0
	3/16/199	3 1	01090	ZINC, DISSOLVED (UG/L AS ZN)		21.6
	7 / 23 / 199	8 1	01090	ZINC, DISSOLVED (UG/L AS ZN)		33.5
	4/21/199	9 1	01090	ZINC, DISSOLVED (UG/L AS ZN)	<	4
	6/14/200	0 1	01090	ZINC, DISSOLVED (UG/L AS ZN)		39.9
	5 / 23 / 200	1 1	01090	ZINC, DISSOLVED (UG/L AS ZN)		28.4
	6/25/200	2 1	01090	ZINC, DISSOLVED (UG/L AS ZN)		5.94
	5 / 7 /200	3 1	01090	ZINC, DISSOLVED (UG/L AS ZN)		10.8
	7 / 22 / 200	4 1	01090	ZINC, DISSOLVED (UG/L AS ZN)		14.6
	4 / 25 / 201	1 1	01090	ZINC, DISSOLVED (UG/L AS ZN)		50.8
	7 / 23 / 199	8 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1
	4/21/199	9 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1
	6/14/200	0 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1
	5 / 23 / 200	1 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1
	6/25/200	2 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1
	5 / 7 /200	3 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1
	7 / 22 / 200	4 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1
	4 / 25 / 201	1 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1.0
	7 / 23 / 199	8 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	4
	4/21/199	9 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	4
	6/14/200	0 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	4
	5 / 23 / 200	1 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	4
	6/25/200	2 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	4
	5 / 7 /200	3 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	4

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
	7 / 22 / 200	4 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	4	
	4 / 25 / 201	1 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	4.1	
	7 / 23 / 199	8 1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		32.1	
	4/21/199	9 1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		36.7	
	6/14/200	0 1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		32.4	
	5 / 23 / 200	1 1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		28.2	
	6/25/200	2 1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		29.9	
	5 / 7 /200	3 1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		29.2	
	7 / 22 / 200	4 1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		27.3	
	4/25/201	1 1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		32.8	
	3 / 16 / 199	3 1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	2.0	
	7 / 23 / 199	8 1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	4	
	4 / 21 / 199	9 1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	4	
	6/14/200	0 1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	4	
	5 / 23 / 200	1 1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	4	
	6/25/200	2 1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	4	
	5 / 7 /200	3 1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	4	
	7 / 22 / 200	4 1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	4	
	4 / 25 / 201	1 1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	4.1	
	3 / 16 / 199	3 1	01503	ALPHA, DISSOLVED (PC/L)		2.9	1.9
	3 / 16 / 199	3 1	03503	BETA, DISSOLVED (PC/L)		11	4
	4 / 25 / 201	1 1	22703	URANIUM, NATURAL, DISSOLVED, UG/L	<	1.0	
	3 / 16 / 199	3 1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		124	
	7 / 23 / 199	8 1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		114.0	
	4/21/199	9 1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		114.4	
	6/14/200	0 1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		98.0	
	5 / 23 / 200	1 1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		90.0	
	6 / 25 / 200	2 1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		123	
	5 / 7 /200	3 1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		124	

tate Well Number	Date Sa	ample#	Storet Code	Description	Flag	Value	+ or
	7 / 22 / 2004	1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		124	
	4/24/2011	1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		118	
	4/25/2011	1	50938	ANION/CATION CHG BAL, PERCENT		0.61	
	7 / 23 / 1998	1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.13	
	4/21/1999	1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.11	
	6/14/2000	1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.120	
	5 / 23 / 2001	1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.0951	
	6 / 25 / 2002	1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.111	
	5 / 7 /2003	1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.0948	
	7 / 22 / 2004	1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.196	
	4 / 25 / 2011	1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.11	
	3 / 16 / 1993	1	71890	MERCURY, DISSOLVED (UG/L AS HG)	<	0.13	
	4 / 25 / 2011	1	71890	MERCURY, DISSOLVED (UG/L AS HG)	<	0.200	
6727905							
	5 / 18 / 1962	1	01046	IRON, DISSOLVED (UG/L AS FE)		50.	
6728107							
	2 / 9 /2007	1	00010	TEMPERATURE, WATER (CELSIUS)		11.5	
	2 / 9 /2007	1	00094	SPECIFIC CONDUCTANCE, FIELD (UMHOS/CM AT 25C)		214	
	2 / 9 /2007	1	00400	PH (STANDARD UNITS), FIELD		6.6	
6728108							
	2 / 9 /2007	1	00010	TEMPERATURE, WATER (CELSIUS)		12	
	2 / 9 /2007	1	00094	SPECIFIC CONDUCTANCE, FIELD (UMHOS/CM AT 25C)		353	
	2 / 9 /2007	3	00094	SPECIFIC CONDUCTANCE, FIELD (UMHOS/CM AT 25C)		807	
	2 / 9 /2007	2	00094	SPECIFIC CONDUCTANCE, FIELD (UMHOS/CM AT 25C)		405	
	2 / 9 /2007	1	00400	PH (STANDARD UNITS), FIELD		7.1	
6728202							
	3 / 18 / 2010	1	00010	TEMPERATURE, WATER (CELSIUS)		34.9	
	3 / 18 / 2010	1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.020	
	4 / 27 / 1962	1	00665	PHOSPHORUS, TOTAL (MG/L AS P)		0.30	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
	3 / 18 / 20	10 1	00666	PHOSPHORUS, DISSOLVED (MG/L AS P)		0.113	
	3 / 18 / 20	10 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2.04	
	3 / 18 / 20	10 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		51.9	
	3 / 18 / 20	10 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1.02	
	4 / 27 / 196	52 1	01020	BORON, DISSOLVED (UG/L AS B)		1600.	
	3 / 18 / 20	10 1	01020	BORON, DISSOLVED (UG/L AS B)		1960	
	3 / 18 / 20	10 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1.02	
	3 / 18 / 20	10 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)	<	1.02	
	3 / 18 / 20	10 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1.02	
	3 / 18 / 20	10 1	01040	COPPER, DISSOLVED (UG/L AS CU)		4.40	
	4 / 27 / 196	52 1	01045	IRON, TOTAL (UG/L AS FE)		70.	
	4 / 27 / 196	52 1	01046	IRON, DISSOLVED (UG/L AS FE)	<	10.	
	3 / 18 / 20	10 1	01046	IRON, DISSOLVED (UG/L AS FE)	<	51	
	3 / 18 / 20	10 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1.02	
	4/27/196	52 1	01055	MANGANESE, TOTAL (UG/L AS MN)		10.	
	3 / 18 / 20	10 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		3.30	
	3 / 18 / 20	10 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1.02	
	3 / 18 / 20	10 1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1.02	
	3 / 18 / 20	10 1	01075	SILVER, DISSOLVED (UG/L AS AG)	<	1.02	
	3 / 18 / 20	10 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		250	
	3 / 18 / 20	10 1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	1.02	
	3 / 18 / 20	10 1	01090	ZINC, DISSOLVED (UG/L AS ZN)	<	4.08	
	3 / 18 / 20	10 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1.02	
	3 / 18 / 20	10 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)		9.67	
	3 / 18 / 20	10 1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		59.5	
	3 / 18 / 20	10 1	01145	SELENIUM, DISSOLVED (UG/L AS SE)		5.97	
	3 / 18 / 20	10 1	01503	ALPHA, DISSOLVED (PC/L)		23.2	6.9
	3 / 18 / 20	10 1	09511	RADIUM 226, DISSOLVED, RADON METHOD, PC/L	<	0.2	0.1
	3 / 18 / 20	10 1	22703	URANIUM, NATURAL, DISSOLVED, UG/L	<	1.02	

State Well Number	Date Sa	ample#	Storet Code	Description	Flag	Value	+ or -
	3 / 18 / 2010	1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		721	
	3 / 18 / 2010	1	50938	ANION/CATION CHG BAL, PERCENT		-3.28	
	3 / 18 / 2010	1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		1.85	
	3 / 18 / 2010	1	71890	MERCURY, DISSOLVED (UG/L AS HG)	<	0.200	
	3 / 18 / 2010	1	81366	RADIUM 228, DISSOLVED (PC/L AS RA-228)	<	1.1	0.7
	3 / 18 / 2010	1	82244	ALKALINITY PHENOLPHTHALEIN FIELD DATA (MG/L)		26	
6728203							
	4 / 25 / 1962	1	00665	PHOSPHORUS, TOTAL (MG/L AS P)		0.13	
	4 / 25 / 1962	1	01020	BORON, DISSOLVED (UG/L AS B)		1600.	
	4 / 25 / 1962	1	01045	IRON, TOTAL (UG/L AS FE)		60.	
	4 / 25 / 1962	1	01046	IRON, DISSOLVED (UG/L AS FE)	<	10.	
	4 / 25 / 1962	1	01055	MANGANESE, TOTAL (UG/L AS MN)		10.	
6728204							
	7 / 28 / 1998	1	00010	TEMPERATURE, WATER (CELSIUS)		26.6	
	4/15/1999	1	00010	TEMPERATURE, WATER (CELSIUS)		24.0	
	6/14/2000	1	00010	TEMPERATURE, WATER (CELSIUS)		26.7	
	5 / 24 / 2001	1	00010	TEMPERATURE, WATER (CELSIUS)		26.1	
	6 / 25 / 2002	1	00010	TEMPERATURE, WATER (CELSIUS)		26.6	
	5 / 7 /2003	1	00010	TEMPERATURE, WATER (CELSIUS)		26.0	
	7 / 29 / 2004	1	00010	TEMPERATURE, WATER (CELSIUS)		26.1	
	6/30/2005	1	00010	TEMPERATURE, WATER (CELSIUS)		26.0	
	10 / 3 /2006	1	00010	TEMPERATURE, WATER (CELSIUS)		26.1	
	3 / 31 / 2009	1	00010	TEMPERATURE, WATER (CELSIUS)		24.9	
	8 / 17 / 2010	1	00010	TEMPERATURE, WATER (CELSIUS)		26.5	
	3 / 17 / 1993	1	00090	OXIDATION REDUCTION POTENTIAL (ORP), MILLIVOLTS		72.6	
	7 / 28 / 1998	1	00090	OXIDATION REDUCTION POTENTIAL (ORP), MILLIVOLTS		718.8	
	4 / 15 / 1999	1	00090	OXIDATION REDUCTION POTENTIAL (ORP), MILLIVOLTS		574	
	6/30/2004	1	00094	SPECIFIC CONDUCTANCE, FIELD (UMHOS/CM AT 25C)		1060	
	3 / 17 / 1993	1	00608	NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)		0.36	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
	7 / 28 / 199	8 1	00608	NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)		0.06	
	4 / 15 / 1999	9 1	00608	NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)	<	0.05	
	3 / 17 / 199	3 1	00613	NITRITE NITROGEN, DISSOLVED (MG/L AS N)	<	0.01	
	3 / 17 / 199	3 1	00618	NITRATE NITROGEN, DISSOLVED (MG/L AS N)	<	0.01	
	3 / 17 / 199	3 1	00623	NITROGEN, KJELDAHL, DISSOLVED (MG/L AS N)		0.5	
	7 / 28 / 199	8 1	00623	NITROGEN, KJELDAHL, DISSOLVED (MG/L AS N)		0.22	
	4 / 15 / 1999	9 1	00623	NITROGEN, KJELDAHL, DISSOLVED (MG/L AS N)		0.383	
	7 / 28 / 199	8 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.05	
	4/15/1999	9 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.05	
	6/14/200	0 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.02	
	5 / 24 / 200	1 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.02	
	6 / 25 / 200	2 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)		0.0248	
	5 / 7 /200	3 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.02	
	7 / 29 / 200	4 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)		0.0325	
	6/30/200	5 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.02	
	10 / 3 /200	6 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.1	
	7 / 28 / 199	8 1	00666	PHOSPHORUS, DISSOLVED (MG/L AS P)		0.17	
	4 / 15 / 1999	9 1	00666	PHOSPHORUS, DISSOLVED (MG/L AS P)	<	0.04	
	3/31/2009	9 1	00666	PHOSPHORUS, DISSOLVED (MG/L AS P)		0.76	
	8 / 17 / 2010	0 1	00666	PHOSPHORUS, DISSOLVED (MG/L AS P)		0.03	
	3 / 17 / 1993	3 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	1.0	
	7 / 28 / 199	8 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2	
	4 / 15 / 1999	9 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2	
	6 / 14 / 200	0 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2	
	5 / 24 / 200	1 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2	
	6 / 25 / 200	2 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2	
	5 / 7 /200	3 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2	
	7 / 29 / 200	4 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2.04	
	6/30/200	5 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2.04	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
	10 / 3 /20	06 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)		1	
	3 / 17 / 19	93 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		114.	
	7/28/19	98 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		130	
	4/15/19	99 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		129	
	6/14/20	00 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		131	
	5 / 24 / 20	01 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		122	
	6/25/20	02 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		117	
	5 / 7 /20	03 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		125	
	7 / 29 / 20	04 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		127	
	6/30/20	05 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		138	
	10 / 3 /20	06 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		474	
	7/28/19	98 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1	
	4/15/19	99 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1	
	6/14/20	00 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1	
	5/24/20	01 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1	
	6/25/20	02 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1	
	5 / 7 /20	03 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1	
	7 / 29 / 20	04 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1.02	
	6/30/20	05 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1.02	
	10 / 3 /20	06 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1	
	7 / 28 / 19	98 1	01020	BORON, DISSOLVED (UG/L AS B)		537	
	4/15/19	99 1	01020	BORON, DISSOLVED (UG/L AS B)		546	
	6/14/20	00 1	01020	BORON, DISSOLVED (UG/L AS B)		517	
	5 / 24 / 20	01 1	01020	BORON, DISSOLVED (UG/L AS B)		504	
	6/25/20	02 1	01020	BORON, DISSOLVED (UG/L AS B)		635	
	5 / 7 /20	03 1	01020	BORON, DISSOLVED (UG/L AS B)		560	
	7 / 29 / 20	04 1	01020	BORON, DISSOLVED (UG/L AS B)		517	
	6/30/20	05 1	01020	BORON, DISSOLVED (UG/L AS B)		530	
	10 / 3 /20	06 1	01020	BORON, DISSOLVED (UG/L AS B)		5750	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value + or
	3 / 31 / 200	9 1	01020	BORON, DISSOLVED (UG/L AS B)		490
	8 / 17 / 201	0 1	01020	BORON, DISSOLVED (UG/L AS B)		540
	3 / 17 / 199	93 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	2.0
	7 / 28 / 199	98 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1
	4 / 15 / 199	99 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1
	6 / 14 / 200	00 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1
	5 / 24 / 200	01 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1
	6 / 25 / 200)2 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1
	5 / 7 /200	03 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1
	7 / 29 / 200	04 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1.02
	6/30/200)5 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1.02
	10 / 3 /200	06 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1
	3 / 17 / 199	93 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)	<	4.0
	7 / 28 / 199	98 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)		3
	4 / 15 / 199	99 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)		9.5
	6 / 14 / 200	00 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)		3.61
	5 / 24 / 200	01 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)	<	1
	6 / 25 / 200)2 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)		2.67
	5 / 7 /200	03 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)		1.72
	7 / 29 / 200	04 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)	<	1.02
	6/30/200)5 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)	<	1.02
	10 / 3 /200	06 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)		5
	7 / 28 / 199	98 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1
	4 / 15 / 199	99 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1
	6 / 14 / 200	00 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1
	5 / 24 / 200	01 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1
	6 / 25 / 200)2 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1
	5 / 7 /200	03 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1
	7 / 29 / 200	04 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1.02

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
	6/30/200	5 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1.02	
	10 / 3 /200	6 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1	
	3 / 17 / 199	3 1	01040	COPPER, DISSOLVED (UG/L AS CU)		3.0	
	7 / 28 / 199	8 1	01040	COPPER, DISSOLVED (UG/L AS CU)		18.7	
	4 / 15 / 199	9 1	01040	COPPER, DISSOLVED (UG/L AS CU)		15.7	
	6/14/200	00 1	01040	COPPER, DISSOLVED (UG/L AS CU)		13.2	
	5 / 24 / 200	1 1	01040	COPPER, DISSOLVED (UG/L AS CU)	<	2	
	6/25/200	2 1	01040	COPPER, DISSOLVED (UG/L AS CU)		1.84	
	5 / 7 /200	3 1	01040	COPPER, DISSOLVED (UG/L AS CU)		1.21	
	7/29/200	1	01040	COPPER, DISSOLVED (UG/L AS CU)		1.53	
	6/30/200	5 1	01040	COPPER, DISSOLVED (UG/L AS CU)		1.41	
	10 / 3 /200	6 1	01040	COPPER, DISSOLVED (UG/L AS CU)		2	
	10 / 18 / 195	66 1	01045	IRON, TOTAL (UG/L AS FE)		80.	
	10/31/196	57 1	01045	IRON, TOTAL (UG/L AS FE)	<	20.	
	8 / 13 / 196	i8 1	01045	IRON, TOTAL (UG/L AS FE)	<	20.	
	7 / 7 / 196	9 1	01045	IRON, TOTAL (UG/L AS FE)	<	20.	
	7 / 15 / 197	0 1	01045	IRON, TOTAL (UG/L AS FE)		40.	
	7 / 18 / 197	2 1	01045	IRON, TOTAL (UG/L AS FE)		60.	
	7 / 18 / 197	3 1	01045	IRON, TOTAL (UG/L AS FE)		100.	
	3 / 17 / 199	3 1	01046	IRON, DISSOLVED (UG/L AS FE)		49.0	
	7 / 28 / 199	8 1	01046	IRON, DISSOLVED (UG/L AS FE)		18	
	4 / 15 / 199	9 1	01046	IRON, DISSOLVED (UG/L AS FE)		51	
	6/14/200	00 1	01046	IRON, DISSOLVED (UG/L AS FE)	<	50	
	5 / 24 / 200	1 1	01046	IRON, DISSOLVED (UG/L AS FE)	<	51	
	6/25/200	2 1	01046	IRON, DISSOLVED (UG/L AS FE)	<	50	
	5 / 7 /200	3 1	01046	IRON, DISSOLVED (UG/L AS FE)	<	50	
	7 / 29 / 200	4 1	01046	IRON, DISSOLVED (UG/L AS FE)	<	51	
	6/30/200	5 1	01046	IRON, DISSOLVED (UG/L AS FE)	<	51	
	10 / 3 /200	6 1	01046	IRON, DISSOLVED (UG/L AS FE)		40	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value + or -
	3 / 17 / 19	93 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	20.
	7/28/19	98 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1
	4/15/19	99 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1
	6/14/20	00 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1
	5 / 24 / 20	01 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1
	6/25/20	02 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1
	5 / 7 /20	03 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1
	7 / 29 / 20	04 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1.02
	6/30/20	05 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1.02
	10 / 3 /20	06 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1
	10 / 18 / 19	56 1	01055	MANGANESE, TOTAL (UG/L AS MN)	<	50.
	10/31/19	67 1	01055	MANGANESE, TOTAL (UG/L AS MN)	<	50.
	8/13/19	68 1	01055	MANGANESE, TOTAL (UG/L AS MN)	<	50.
	7 / 7 / 19	69 1	01055	MANGANESE, TOTAL (UG/L AS MN)	<	50.
	7 / 15 / 19	70 1	01055	MANGANESE, TOTAL (UG/L AS MN)	<	50.
	7 / 18 / 19	72 1	01055	MANGANESE, TOTAL (UG/L AS MN)	<	50.
	7/18/19	73 1	01055	MANGANESE, TOTAL (UG/L AS MN)	<	50.
	3 / 17 / 19	93 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		9.2
	7/28/19	98 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		2.9
	4/15/19	99 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		2.1
	6/14/20	00 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		1.42
	5 / 24 / 20	01 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		4.29
	6/25/20	02 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		6.01
	5 / 7 /20	03 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		5.40
	7 / 29 / 20	04 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		6.77
	6/30/20	05 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		6.19
	10 / 3 /20	06 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		9
	7 / 28 / 19	98 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1
	4/15/19	99 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value + or -
	6 / 14 / 200	00 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1
	5 / 24 / 200	01 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1
	6/25/200	02 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1
	5 / 7 /200	03 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1
	7 / 29 / 200	04 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1.02
	6/30/200	05 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1.02
	10 / 3 /200	06 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1
	7 / 28 / 199	98 1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1
	4/15/199	99 1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1
	6/14/200	00 1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1
	5 / 24 / 200	01 1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1
	6/25/200	02 1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1
	5 / 7 /200	03 1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1
	7 / 29 / 200	04 1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1.02
	6/30/200	05 1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1.02
	10 / 3 /200	06 1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1
	7 / 28 / 199	98 1	01065	NICKEL, DISSOLVED (UG/L AS NI)		1.4
	4 / 15 / 199	99 1	01065	NICKEL, DISSOLVED (UG/L AS NI)		1.8
	6/14/200	00 1	01065	NICKEL, DISSOLVED (UG/L AS NI)	<	1
	5 / 24 / 200	01 1	01065	NICKEL, DISSOLVED (UG/L AS NI)	<	1
	6/25/200	02 1	01065	NICKEL, DISSOLVED (UG/L AS NI)	<	1
	5 / 7 /200	03 1	01065	NICKEL, DISSOLVED (UG/L AS NI)		1.30
	7 / 29 / 200	04 1	01065	NICKEL, DISSOLVED (UG/L AS NI)		3.64
	3 / 17 / 199	93 1	01075	SILVER, DISSOLVED (UG/L AS AG)	<	3.0
	7 / 28 / 199	98 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		427
	4 / 15 / 199	99 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		440
	6 / 14 / 200	00 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		418
	5 / 24 / 200	01 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		417
	6/25/200	02 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		414

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value + or
	5 / 7 /20	03 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		427
	7 / 29 / 20	04 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		455
	6/30/20	05 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		449
	10 / 3 /20	06 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		1320
	7 / 28 / 19	98 1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	1
	4/15/19	99 1	01085	VANADIUM, DISSOLVED (UG/L AS V)		2.1
	6/14/20	00 1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	1
	5 / 24 / 20	01 1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	1
	6/25/20	02 1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	1
	5 / 7 /20	03 1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	1
	7 / 29 / 20	04 1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	1.02
	6/30/20	05 1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	1.02
	10 / 3 /20	06 1	01085	VANADIUM, DISSOLVED (UG/L AS V)		3
	3 / 17 / 19	93 1	01090	ZINC, DISSOLVED (UG/L AS ZN)	<	5.0
	7 / 28 / 19	98 1	01090	ZINC, DISSOLVED (UG/L AS ZN)		85.6
	4 / 15 / 19	99 1	01090	ZINC, DISSOLVED (UG/L AS ZN)		99.4
	6/14/20	00 1	01090	ZINC, DISSOLVED (UG/L AS ZN)		169
	5 / 24 / 20	01 1	01090	ZINC, DISSOLVED (UG/L AS ZN)	<	4
	6/25/20	02 1	01090	ZINC, DISSOLVED (UG/L AS ZN)		4.57
	5 / 7 /20	03 1	01090	ZINC, DISSOLVED (UG/L AS ZN)		5.09
	7 / 29 / 20	04 1	01090	ZINC, DISSOLVED (UG/L AS ZN)		6.97
	6/30/20	05 1	01090	ZINC, DISSOLVED (UG/L AS ZN)		29.5
	10 / 3 /20	06 1	01090	ZINC, DISSOLVED (UG/L AS ZN)		12
	7 / 28 / 19	98 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1
	4/15/19	99 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1
	6/14/20	00 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1
	5 / 24 / 20	01 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1
	6/25/20	02 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1
	5 / 7 /20	03 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value + or
	7 / 29 / 200)4 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1.02
	6/30/200)5 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1.02
	10 / 3 /200	06 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1
	7 / 28 / 199	98 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	4
	4/15/199	99 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	4
	6/14/200	00 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	4
	5 / 24 / 200	01 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	4
	6/25/200)2 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)		26.6
	5 / 7 /200)3 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	4
	7 / 29 / 200	04 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	4.08
	6/30/200)5 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	4.08
	10 / 3 /200	06 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)		6
	7 / 28 / 199	98 1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		55
	4 / 15 / 199	99 1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		59.7
	6/14/200	00 1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		59.6
	5 / 24 / 200	01 1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		52.0
	6/25/200)2 1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		52.4
	5 / 7 /200	03 1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		51.7
	7 / 29 / 200	04 1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		45.7
	6/30/200)5 1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		52.1
	10 / 3 /200	06 1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		199
	3 / 17 / 199	93 1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	2.0
	7 / 28 / 199	98 1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	4
	4 / 15 / 199	99 1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	4
	6/14/200	00 1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	4
	5 / 24 / 200)1 1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	4
	6/25/200)2 1	01145	SELENIUM, DISSOLVED (UG/L AS SE)		30.7
	5 / 7 /200)3 1	01145	SELENIUM, DISSOLVED (UG/L AS SE)		16.0
	7 / 29 / 200	04 1	01145	SELENIUM, DISSOLVED (UG/L AS SE)		18.4

tate Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
	6/30/200	5 1	01145	SELENIUM, DISSOLVED (UG/L AS SE)		7.60	
	10 / 3 /200	6 1	01145	SELENIUM, DISSOLVED (UG/L AS SE)		4	
	3 / 17 / 199	3 1	01503	ALPHA, DISSOLVED (PC/L)		2.2	1.8
	3 / 17 / 199	3 1	03503	BETA, DISSOLVED (PC/L)	<	4.0	
	6/30/200	5 1	04241	GROSS ALPHA RADIATION, TOTAL, PRODUCED WATER(pCi/L)		0.8	2.3
	6/30/200	5 1	04242	GROSS BETA RADIATION, TOTAL, PRODUCED WATER(pCi/L)		7.8	2
	3 / 17 / 199	3 1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		211	
	7 / 28 / 199	8 1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		190.0	
	4/15/199	9 1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		184.0	
	6/14/200	0 1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		182.0	
	5 / 24 / 200	1 1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		216.0	
	6/25/200	2 1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		224	
	5 / 7 /200	3 1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		220	
	7 / 29 / 200	4 1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		220	
	6/30/200	5 1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		220	
	7 / 28 / 199	8 1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.27	
	4 / 15 / 199	9 1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.56	
	6/14/200	0 1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.260	
	5 / 24 / 200	1 1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.723	
	6/25/200	2 1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.843	
	5 / 7 /200	3 1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.749	
	7 / 29 / 200	4 1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		1.15	
	6/30/200	5 1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.775	
	10 / 3 /200	6 1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)	<	0.50	
	3 / 17 / 199	3 1	71890	MERCURY, DISSOLVED (UG/L AS HG)	<	0.13	
6728303							
	3 / 18 / 200	8 1	00010	TEMPERATURE, WATER (CELSIUS)		22.2	
	8 / 17 / 201	0 1	00010	TEMPERATURE, WATER (CELSIUS)		30.1	
	7 / 27 / 199	3 0	00608	NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)		0.31	

tate Well Number	Date S	Sample#	Storet Code	Description	Flag	Value	+ or -
	7 / 27 / 1993	3 0	00613	NITRITE NITROGEN, DISSOLVED (MG/L AS N)		0.01	
	7 / 27 / 1993	3 0	00618	NITRATE NITROGEN, DISSOLVED (MG/L AS N)	<	0.01	
	7 / 27 / 1993	3 1	00623	NITROGEN, KJELDAHL, DISSOLVED (MG/L AS N)		0.4	
	3 / 18 / 2008	8 1	00666	PHOSPHORUS, DISSOLVED (MG/L AS P)		0.17	
	8 / 17 / 2010	0 1	00666	PHOSPHORUS, DISSOLVED (MG/L AS P)		0.02	
	7 / 27 / 1993	3 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)		1.4	
	7 / 27 / 1993	3 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		106.	
	3 / 18 / 2008	8 1	01020	BORON, DISSOLVED (UG/L AS B)		200	
	8 / 17 / 2010	0 1	01020	BORON, DISSOLVED (UG/L AS B)		180	
	7 / 27 / 1993	3 1	01040	COPPER, DISSOLVED (UG/L AS CU)	<	2.0	
	7 / 27 / 1993	3 1	01046	IRON, DISSOLVED (UG/L AS FE)		145.	
	7 / 27 / 1993	3 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	5.0	
	7 / 27 / 1993	3 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		224.	
	7 / 27 / 1993	3 1	01090	ZINC, DISSOLVED (UG/L AS ZN)		8.1	
	7 / 27 / 1993	3 1	01503	ALPHA, DISSOLVED (PC/L)	<	4.0	
	7 / 27 / 1993	3 1	03503	BETA, DISSOLVED (PC/L)		9.1	3.2
6728406							
	5 / 23 / 1969	9 1	01020	BORON, DISSOLVED (UG/L AS B)		100.	
6728501							
	4 / 25 / 1962	2 1	01045	IRON, TOTAL (UG/L AS FE)		20.	
	4 / 25 / 1962	2 1	01046	IRON, DISSOLVED (UG/L AS FE)		10.	
6728502							
	4 / 25 / 1962	2 1	01045	IRON, TOTAL (UG/L AS FE)		90.	
	4 / 25 / 1962	2 1	01046	IRON, DISSOLVED (UG/L AS FE)		30.	
6728503							
	4 / 26 / 1962	2 1	01020	BORON, DISSOLVED (UG/L AS B)		390.	
	4 / 26 / 1962		01045	IRON, TOTAL (UG/L AS FE)		80.	
	4 / 26 / 1962		01046	IRON, DISSOLVED (UG/L AS FE)		10.	
6728704							

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value + or
	10 / 4 /20	06 1	00010	TEMPERATURE, WATER (CELSIUS)		30.9
	4 / 8 /20	09 1	00010	TEMPERATURE, WATER (CELSIUS)		30.0
	8/18/20	10 1	00010	TEMPERATURE, WATER (CELSIUS)		31.1
	10 / 4 /20	06 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.1
	4 / 8 /20	09 1	00666	PHOSPHORUS, DISSOLVED (MG/L AS P)		0.04
	8/18/20	10 1	00666	PHOSPHORUS, DISSOLVED (MG/L AS P)	<	0.01
	10 / 4 /20	06 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	1
	10 / 4 /20	06 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		113
	10 / 4 /20	06 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1
	10 / 4 /20	06 1	01020	BORON, DISSOLVED (UG/L AS B)	<	100
	4 / 8 /20	09 1	01020	BORON, DISSOLVED (UG/L AS B)		80
	8/18/20	10 1	01020	BORON, DISSOLVED (UG/L AS B)		80
	10 / 4 /20	06 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1
	10 / 4 /20	06 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)	<	1
	10 / 4 /20	06 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1
	10 / 4 /20	06 1	01040	COPPER, DISSOLVED (UG/L AS CU)	<	1
	10 / 4 /20	06 1	01046	IRON, DISSOLVED (UG/L AS FE)		812
	10 / 4 /20	06 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1
	10 / 4 /20	06 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		37
	10 / 4 /20	06 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1
	10 / 4 /20	06 1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1
	10 / 4 /20	06 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		295
	10 / 4 /20	06 1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	1
	10 / 4 /20	06 1	01090	ZINC, DISSOLVED (UG/L AS ZN)		7
	10 / 4 /20	06 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1
	10 / 4 /20	06 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	1
	10 / 4 /20	06 1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		26
	10 / 4 /20	06 1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	1
	10 / 4 /20	06 1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)	<	0.50

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value -	+ or -
6728705							
	8 / 17 / 201	0 1	00010	TEMPERATURE, WATER (CELSIUS)		31.1	
	8 / 17 / 201	0 1	00666	PHOSPHORUS, DISSOLVED (MG/L AS P)		1.46	
	8 / 17 / 201	0 1	01020	BORON, DISSOLVED (UG/L AS B)		60	
6728901							
	4 / 27 / 196	52 1	01045	IRON, TOTAL (UG/L AS FE)		220.	
	4 / 27 / 196	52 1	01046	IRON, DISSOLVED (UG/L AS FE)	<	10.	
6729101							
	4 / 27 / 196	52 1	01045	IRON, TOTAL (UG/L AS FE)		420.	
6729203							
	7 / 21 / 199	8 1	00010	TEMPERATURE, WATER (CELSIUS)		26.6	
	4 / 8 / 199	9 1	00010	TEMPERATURE, WATER (CELSIUS)		23.7	
	5 / 31 / 200	0 1	00010	TEMPERATURE, WATER (CELSIUS)		24.1	
	5 / 10 / 200	1 1	00010	TEMPERATURE, WATER (CELSIUS)		24.3	
	6/21/200	2 1	00010	TEMPERATURE, WATER (CELSIUS)		24.7	
	4/23/200	3 1	00010	TEMPERATURE, WATER (CELSIUS)		24.6	
	7 / 29 / 200	4 1	00010	TEMPERATURE, WATER (CELSIUS)		24.6	
	3 / 18 / 200	9 1	00010	TEMPERATURE, WATER (CELSIUS)		24.2	
	8 / 17 / 201	0 1	00010	TEMPERATURE, WATER (CELSIUS)		26.6	
	7 / 21 / 199	8 1	00090	OXIDATION REDUCTION POTENTIAL (ORP), MILLIVOLTS		-112.2	
	4 / 8 / 199	9 1	00090	OXIDATION REDUCTION POTENTIAL (ORP), MILLIVOLTS		-244.7	
	7 / 21 / 199	8 1	00608	NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)		0.39	
	4 / 8 / 199	9 1	00608	NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)		0.216	
	7 / 21 / 199	8 1	00623	NITROGEN, KJELDAHL, DISSOLVED (MG/L AS N)		0.43	
	4 / 8 / 199	9 1	00623	NITROGEN, KJELDAHL, DISSOLVED (MG/L AS N)		0.483	
	7 / 21 / 199	8 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.05	
	4 / 8 / 199	9 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.05	
	5/31/200	00 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.02	
	5 / 10 / 200	1 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.02	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
	6/21/200	2 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.02	
	4/23/200	3 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.02	
	7 / 29 / 200	4 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)		0.0371	
	7 / 21 / 199	8 1	00666	PHOSPHORUS, DISSOLVED (MG/L AS P)		0.07	
	4 / 8 / 199	9 1	00666	PHOSPHORUS, DISSOLVED (MG/L AS P)	<	0.04	
	3 / 18 / 200	9 1	00666	PHOSPHORUS, DISSOLVED (MG/L AS P)	<	0.01	
	8 / 17 / 201	0 1	00666	PHOSPHORUS, DISSOLVED (MG/L AS P)		0.02	
	7 / 21 / 199	8 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2	
	4 / 8 / 199	9 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2	
	5/31/200	0 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2	
	5 / 10 / 200	1 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2	
	6/21/200	2 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2	
	4 / 23 / 200	3 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2	
	7 / 29 / 200	4 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2.04	
	7 / 21 / 199	8 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		39.8	
	4 / 8 / 199	9 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		36.9	
	5 / 31 / 200	0 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		39.7	
	5 / 10 / 200	1 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		37.1	
	6/21/200	2 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		36.3	
	4 / 23 / 200	3 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		37.2	
	7 / 29 / 200	4 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		40.3	
	7 / 21 / 199	8 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1	
	4 / 8 / 199	9 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1	
	5 / 31 / 200	0 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1	
	5 / 10 / 200	1 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1	
	6/21/200	2 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1	
	4 / 23 / 200	3 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1	
	7 / 29 / 200	4 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1.02	
	7 / 21 / 199	8 1	01020	BORON, DISSOLVED (UG/L AS B)		222	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
	4 / 8 / 199	99 1	01020	BORON, DISSOLVED (UG/L AS B)		241	
	5/31/200	00 1	01020	BORON, DISSOLVED (UG/L AS B)		208	
	5 / 10 / 200	01 1	01020	BORON, DISSOLVED (UG/L AS B)		180	
	6/21/200)2 1	01020	BORON, DISSOLVED (UG/L AS B)		340	
	4/23/200)3 1	01020	BORON, DISSOLVED (UG/L AS B)		233	
	7 / 29 / 200)4 1	01020	BORON, DISSOLVED (UG/L AS B)		184	
	3 / 18 / 200	9 1	01020	BORON, DISSOLVED (UG/L AS B)		250	
	8 / 17 / 20	10 1	01020	BORON, DISSOLVED (UG/L AS B)		220	
	7/21/199	98 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1	
	4 / 8 / 199	99 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1	
	5/31/200	00 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1	
	5 / 10 / 200	01 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1	
	6/21/200)2 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1	
	4/23/200)3 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1	
	7 / 29 / 200	04 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1.02	
	7 / 21 / 199	98 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)		2.7	
	4 / 8 / 199	99 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)		6.6	
	5 / 31 / 200	00 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)	<	1	
	5 / 10 / 200	01 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)	<	1	
	6/21/200)2 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)		2.72	
	4/23/200)3 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)		1.28	
	7 / 29 / 200)4 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)	<	1.02	
	7 / 21 / 199	98 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1	
	4 / 8 / 199	99 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1	
	5/31/200	00 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1	
	5 / 10 / 200)1 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1	
	6/21/200)2 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1	
	4 / 23 / 200)3 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1	
	7 / 29 / 200)4 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1.02	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value +	or -
	7 / 21 / 199	98 1	01040	COPPER, DISSOLVED (UG/L AS CU)	<	2	
	4 / 8 / 199	9 1	01040	COPPER, DISSOLVED (UG/L AS CU)	<	2	
	5/31/200	00 1	01040	COPPER, DISSOLVED (UG/L AS CU)	<	2	
	5 / 10 / 200	01 1	01040	COPPER, DISSOLVED (UG/L AS CU)	<	2	
	6/21/200)2 1	01040	COPPER, DISSOLVED (UG/L AS CU)		1.30	
	4 / 23 / 200)3 1	01040	COPPER, DISSOLVED (UG/L AS CU)		4.23	
	7 / 29 / 200)4 1	01040	COPPER, DISSOLVED (UG/L AS CU)		1.86	
	6/16/195	59 1	01045	IRON, TOTAL (UG/L AS FE)		12000.	
	6/16/195	59 1	01046	IRON, DISSOLVED (UG/L AS FE)		110.	
	7 / 21 / 199	98 1	01046	IRON, DISSOLVED (UG/L AS FE)		332	
	4 / 8 / 199	99 1	01046	IRON, DISSOLVED (UG/L AS FE)		2840	
	5 / 31 / 200	00 1	01046	IRON, DISSOLVED (UG/L AS FE)		796	
	5 / 10 / 200	01 1	01046	IRON, DISSOLVED (UG/L AS FE)		571	
	6/21/200)2 1	01046	IRON, DISSOLVED (UG/L AS FE)		276	
	4/23/200	03 1	01046	IRON, DISSOLVED (UG/L AS FE)		418	
	7 / 29 / 200	04 1	01046	IRON, DISSOLVED (UG/L AS FE)		720	
	7 / 21 / 199	98 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1	
	4 / 8 / 199	99 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1	
	5 / 31 / 200	00 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1	
	5 / 10 / 200	01 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1	
	6/21/200)2 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1	
	4 / 23 / 200)3 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1	
	7 / 29 / 200	04 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1.02	
	7 / 21 / 199	98 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		28	
	4 / 8 / 199	99 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		60.9	
	5 / 31 / 200	00 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		35.8	
	5 / 10 / 200)1 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		27.4	
	6/21/200)2 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		27.4	
	4/23/200)3 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		29.4	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value + or -
	7 / 29 / 200)4 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		34.8
	7 / 21 / 199	98 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1
	4 / 8 / 199	99 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1
	5/31/200	00 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1
	5 / 10 / 200	01 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1
	6/21/200)2 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1
	4/23/200)3 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1
	7/29/200	04 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1.02
	7/21/199	98 1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1
	4 / 8 / 199	99 1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1
	5/31/200	00 1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1
	5 / 10 / 200	01 1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1
	6/21/200)2 1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1
	4/23/200)3 1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1
	7/29/200)4 1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1.02
	7 / 21 / 199	98 1	01065	NICKEL, DISSOLVED (UG/L AS NI)		6.4
	4 / 8 / 199	99 1	01065	NICKEL, DISSOLVED (UG/L AS NI)		7.8
	5/31/200	00 1	01065	NICKEL, DISSOLVED (UG/L AS NI)		2.35
	5 / 10 / 200	01 1	01065	NICKEL, DISSOLVED (UG/L AS NI)		1.21
	6/21/200)2 1	01065	NICKEL, DISSOLVED (UG/L AS NI)		1.93
	4/23/200	03 1	01065	NICKEL, DISSOLVED (UG/L AS NI)		1.88
	7 / 29 / 200	04 1	01065	NICKEL, DISSOLVED (UG/L AS NI)		1.67
	7 / 21 / 199	98 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		1810
	4 / 8 / 199	99 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		1740
	5/31/200	00 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		1770
	5 / 10 / 200	01 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		1650
	6/21/200)2 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		1790
	4 / 23 / 200	03 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		1810
	7/29/200)4 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		1720

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value + or -
	7 / 21 / 199	98 1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	1
	4 / 8 / 199	99 1	01085	VANADIUM, DISSOLVED (UG/L AS V)		1.7
	5/31/200	00 1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	1
	5 / 10 / 200	01 1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	1
	6/21/200	02 1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	1
	4 / 23 / 200	03 1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	1
	7 / 29 / 200	04 1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	1.02
	7 / 21 / 199	98 1	01090	ZINC, DISSOLVED (UG/L AS ZN)		28.1
	4 / 8 / 199	99 1	01090	ZINC, DISSOLVED (UG/L AS ZN)		12.7
	5/31/200	00 1	01090	ZINC, DISSOLVED (UG/L AS ZN)		67.1
	5 / 10 / 200	01 1	01090	ZINC, DISSOLVED (UG/L AS ZN)		22.6
	6/21/200	02 1	01090	ZINC, DISSOLVED (UG/L AS ZN)		13.6
	4/23/200	03 1	01090	ZINC, DISSOLVED (UG/L AS ZN)		37.8
	7 / 29 / 200	04 1	01090	ZINC, DISSOLVED (UG/L AS ZN)		48.3
	7/21/199	98 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1
	4 / 8 / 199	99 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1
	5/31/200	00 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1
	5 / 10 / 200	01 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1
	6/21/200	02 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1
	4 / 23 / 200	03 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1
	7 / 29 / 200	04 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1.02
	7 / 21 / 199	98 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	4
	4 / 8 / 199	99 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	4
	5 / 31 / 200	00 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	4
	5 / 10 / 200	01 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	4
	6/21/200	02 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	4
	4/23/200	03 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	4
	7 / 29 / 200	04 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	4.08
	7 / 21 / 199	98 1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		269

tate Well Number	Date S	ample#	Storet Code	Description	Flag	Value + or -
	4 / 8 / 1999	1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		272
	5 / 31 / 2000	1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		293
	5 / 10 / 2001	1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		246
	6/21/2002	1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		250
	4 / 23 / 2003	1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		255
	7 / 29 / 2004	1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		219
	7 / 21 / 1998	1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	4
	4 / 8 / 1999	1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	4
	5/31/2000	1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	4
	5 / 10 / 2001	1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	4
	6/21/2002	1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	4
	4 / 23 / 2003	1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	4
	7 / 29 / 2004	1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	4.08
	7 / 21 / 1998	1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		194.0
	4 / 8 / 1999	1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		194.0
	5 / 31 / 2000	1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		192.0
	5 / 10 / 2001	1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		190
	6/21/2002	1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		190
	4 / 23 / 2003	1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		188
	7 / 29 / 2004	1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		188
	7 / 21 / 1998	1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.25
	4 / 8 / 1999	1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.3
	5 / 31 / 2000	1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.350
	5 / 10 / 2001	1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.239
	6/21/2002	1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.231
	4 / 23 / 2003	1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.271
	7 / 29 / 2004	1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.280
6729303						
	3 / 15 / 1993	1	00010	TEMPERATURE, WATER (CELSIUS)		31.3

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
	6/29/19	998 1	00010	TEMPERATURE, WATER (CELSIUS)		33.0	
	4 / 8 / 19	999 1	00010	TEMPERATURE, WATER (CELSIUS)		32.8	
	5/31/20	000 1	00010	TEMPERATURE, WATER (CELSIUS)		32.6	
	5/10/20	001 1	00010	TEMPERATURE, WATER (CELSIUS)		32.4	
	6/21/20	002 1	00010	TEMPERATURE, WATER (CELSIUS)		33.0	
	4/23/20	003 1	00010	TEMPERATURE, WATER (CELSIUS)		32.3	
	7 / 22 / 20	004 1	00010	TEMPERATURE, WATER (CELSIUS)		28.3	
	6/29/20	005 1	00010	TEMPERATURE, WATER (CELSIUS)		28.3	
	10 / 2 /20	006 1	00010	TEMPERATURE, WATER (CELSIUS)		32.2	
	3/18/20	009 1	00010	TEMPERATURE, WATER (CELSIUS)		31.2	
	8 / 17 / 20	010 1	00010	TEMPERATURE, WATER (CELSIUS)		32.7	
	3 / 15 / 19	993 1	00090	OXIDATION REDUCTION POTENTIAL (ORP), MILLIVOLTS		42.9	
	6/29/19	998 1	00090	OXIDATION REDUCTION POTENTIAL (ORP), MILLIVOLTS		-153.0	
	4 / 8 / 19	999 1	00090	OXIDATION REDUCTION POTENTIAL (ORP), MILLIVOLTS		-96.5	
	3/15/19	993 1	00608	NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)		0.12	
	6/29/19	998 1	00608	NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)		0.26	
	4 / 8 / 19	999 1	00608	NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)		0.076	
	3 / 15 / 19	993 1	00613	NITRITE NITROGEN, DISSOLVED (MG/L AS N)	<	0.01	
	3 / 15 / 19	993 1	00618	NITRATE NITROGEN, DISSOLVED (MG/L AS N)	<	0.01	
	3 / 15 / 19	993 1	00623	NITROGEN, KJELDAHL, DISSOLVED (MG/L AS N)		0.2	
	6/29/19	998 1	00623	NITROGEN, KJELDAHL, DISSOLVED (MG/L AS N)		0.09	
	4 / 8 / 19	999 1	00623	NITROGEN, KJELDAHL, DISSOLVED (MG/L AS N)		0.215	
	6/29/19	998 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.05	
	4 / 8 / 19	999 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.05	
	5/31/20	000 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.02	
	5/10/20	001 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.02	
	6/21/20	002 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)		0.0205	
	4/23/20	003 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)		0.0323	
	7/22/20	004 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.02	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value +	+ or -
	6/29/20	05 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.02	
	10 / 2 /20	06 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.1	
	6/29/19	98 1	00666	PHOSPHORUS, DISSOLVED (MG/L AS P)		0.28	
	4 / 8 / 19	99 1	00666	PHOSPHORUS, DISSOLVED (MG/L AS P)	<	0.04	
	3 / 18 / 20	09 1	00666	PHOSPHORUS, DISSOLVED (MG/L AS P)	<	0.01	
	8 / 17 / 20	10 1	00666	PHOSPHORUS, DISSOLVED (MG/L AS P)		0.01	
	3 / 15 / 19	93 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)		1.5	
	6/29/19	98 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2	
	4 / 8 / 19	99 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2	
	5/31/20	00 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2	
	5 / 10 / 20	01 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2	
	6/21/20	02 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2	
	4/23/20	03 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2	
	7 / 22 / 20	04 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2	
	6/29/20	05 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2.04	
	10 / 2 /20	06 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	1	
	10 / 23 / 19	89 1	01002	ARSENIC, TOTAL (UG/L AS AS)	<	10.	
	3 / 15 / 19	93 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		87.8	
	6/29/19	98 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		96.5	
	4 / 8 / 19	99 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		98.3	
	5/31/20	00 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		91.2	
	5 / 10 / 20	01 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		88.5	
	6/21/20	02 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		84.1	
	4/23/20	03 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		84.6	
	7 / 22 / 20	04 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		83.3	
	6/29/20	05 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		88.2	
	10 / 2 /20	06 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		96	
	6/29/19	98 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1	
	4 / 8 / 19	99 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value + or
	5 / 31 / 20	00 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1
	5/10/20	01 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1
	6/21/20	02 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1
	4/23/20	03 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1
	7/22/20	04 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1
	6/29/20	05 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1.02
	10 / 2 /20	06 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1
	3 / 15 / 19	93 1	01020	BORON, DISSOLVED (UG/L AS B)		150.
	6/29/19	98 1	01020	BORON, DISSOLVED (UG/L AS B)		74
	4 / 8 / 19	99 1	01020	BORON, DISSOLVED (UG/L AS B)		68
	5/31/20	00 1	01020	BORON, DISSOLVED (UG/L AS B)	<	50
	5 / 10 / 20	01 1	01020	BORON, DISSOLVED (UG/L AS B)	<	51
	6/21/20	02 1	01020	BORON, DISSOLVED (UG/L AS B)		269
	4/23/20	03 1	01020	BORON, DISSOLVED (UG/L AS B)		144
	7/22/20	04 1	01020	BORON, DISSOLVED (UG/L AS B)		79.2
	6/29/20	05 1	01020	BORON, DISSOLVED (UG/L AS B)		106
	10 / 2 /20	06 1	01020	BORON, DISSOLVED (UG/L AS B)	<	100
	3/18/20	09 1	01020	BORON, DISSOLVED (UG/L AS B)		80
	8 / 17 / 20	10 1	01020	BORON, DISSOLVED (UG/L AS B)		50
	10 / 9 / 19	89 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1.
	3 / 15 / 19	93 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	2.0
	6/29/19	98 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1
	4 / 8 / 19	99 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1
	5/31/20	00 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1
	5 / 10 / 20	01 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1
	6/21/20	02 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1
	4 / 23 / 20	03 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1
	7 / 22 / 20	04 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1
	6/29/20	05 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1.02

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value + or
	10 / 2 /200	06 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1
	10 / 23 / 198	39 1	01027	CADMIUM, TOTAL (UG/L)	<	5.
	10 / 9 / 198	39 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)	<	20.
	3 / 15 / 199	93 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)	<	4.0
	6/29/199	98 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)		2
	4 / 8 / 199	99 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)		5.3
	5/31/200	00 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)	<	1
	5 / 10 / 200	01 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)	<	1
	6/21/200	02 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)		1.81
	4/23/200	03 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)	<	1
	7 / 22 / 200	04 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)	<	1
	6/29/200	05 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)		3.16
	10 / 2 /200	06 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)	<	1
	10 / 23 / 198	39 1	01034	CHROMIUM, TOTAL (UG/L AS CR)	<	20.
	6/29/199	98 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1
	4 / 8 / 199	99 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1
	5/31/200	00 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1
	5 / 10 / 200	01 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1
	6/21/200	02 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1
	4/23/200	03 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1
	7 / 22 / 200	04 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1
	6/29/200	05 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1.02
	10 / 2 /200	06 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1
	3 / 15 / 199	93 1	01040	COPPER, DISSOLVED (UG/L AS CU)	<	2.0
	6/29/199	98 1	01040	COPPER, DISSOLVED (UG/L AS CU)	<	2
	4 / 8 / 199	99 1	01040	COPPER, DISSOLVED (UG/L AS CU)	<	2
	5/31/200	00 1	01040	COPPER, DISSOLVED (UG/L AS CU)	<	2
	5 / 10 / 200	01 1	01040	COPPER, DISSOLVED (UG/L AS CU)	<	2
	6/21/200	02 1	01040	COPPER, DISSOLVED (UG/L AS CU)		3.61

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value + or -
	4/23/200	03 1	01040	COPPER, DISSOLVED (UG/L AS CU)	<	1
	7 / 22 / 200	04 1	01040	COPPER, DISSOLVED (UG/L AS CU)		1.65
	6/29/200	05 1	01040	COPPER, DISSOLVED (UG/L AS CU)	<	1.02
	10 / 2 /200	06 1	01040	COPPER, DISSOLVED (UG/L AS CU)	<	1
	10 / 9 / 198	89 1	01042	COPPER, TOTAL (UG/L AS CU)	<	1.
	10 / 23 / 198	89 1	01042	COPPER, TOTAL (UG/L AS CU)	<	20.
	10 / 9 / 198	89 1	01045	IRON, TOTAL (UG/L AS FE)		281.
	10 / 23 / 198	89 1	01045	IRON, TOTAL (UG/L AS FE)		260.
	3 / 15 / 199	93 1	01046	IRON, DISSOLVED (UG/L AS FE)		208.
	6/29/199	98 1	01046	IRON, DISSOLVED (UG/L AS FE)		164
	4 / 8 / 199	99 1	01046	IRON, DISSOLVED (UG/L AS FE)		345
	5/31/200	00 1	01046	IRON, DISSOLVED (UG/L AS FE)		193
	5 / 10 / 200	01 1	01046	IRON, DISSOLVED (UG/L AS FE)		171
	6/21/200	02 1	01046	IRON, DISSOLVED (UG/L AS FE)		186
	4/23/200	03 1	01046	IRON, DISSOLVED (UG/L AS FE)		342
	7 / 22 / 200	04 1	01046	IRON, DISSOLVED (UG/L AS FE)		180
	6/29/200	05 1	01046	IRON, DISSOLVED (UG/L AS FE)		384
	10 / 2 /200	06 1	01046	IRON, DISSOLVED (UG/L AS FE)		160
	3 / 15 / 199	93 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	20.
	6/29/199	98 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1
	4 / 8 / 199	99 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1
	5/31/200	00 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1
	5 / 10 / 200	01 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1
	6/21/200	02 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1
	4/23/200	03 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1
	7 / 22 / 200	04 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1
	6/29/200	05 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1.02
	10 / 2 /200	06 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1
	10 / 23 / 198	89 1	01051	LEAD, TOTAL (UG/L AS PB)	<	20.

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
	10 / 9 / 19	89 1	01055	MANGANESE, TOTAL (UG/L AS MN)		308.	
	10 / 23 / 19	89 1	01055	MANGANESE, TOTAL (UG/L AS MN)		340.	
	3 / 15 / 19	93 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		334.	
	6/29/19	98 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		309	
	4 / 8 / 19	99 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		335	
	5/31/20	00 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		363	
	5 / 10 / 20	01 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		308	
	6/21/20	02 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		342	
	4/23/20	03 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		344	
	7/22/20	04 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		272	
	6/29/20	05 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		373	
	10 / 2 /20	06 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		330	
	6/29/19	98 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1	
	4 / 8 / 19	99 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1	
	5/31/20	00 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1	
	5 / 10 / 20	01 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1	
	6/21/20	02 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1	
	4/23/20	03 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1	
	7 / 22 / 20	04 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1	
	6/29/20	05 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1.02	
	10 / 2 /20	06 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1	
	6/29/19	98 1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1	
	4 / 8 / 19	99 1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1	
	5/31/20	00 1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1	
	5 / 10 / 20	01 1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1	
	6/21/20	02 1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1	
	4/23/20	03 1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1	
	7 / 22 / 20	04 1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1	
	6/29/20	05 1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1.02	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value + or
	10 / 2 /200	06 1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1
	6/29/199	98 1	01065	NICKEL, DISSOLVED (UG/L AS NI)		1.3
	4 / 8 / 199	99 1	01065	NICKEL, DISSOLVED (UG/L AS NI)		5.4
	5/31/200	00 1	01065	NICKEL, DISSOLVED (UG/L AS NI)		1.35
	5/10/200	01 1	01065	NICKEL, DISSOLVED (UG/L AS NI)	<	1
	6/21/200	02 1	01065	NICKEL, DISSOLVED (UG/L AS NI)		1.28
	4/23/200	03 1	01065	NICKEL, DISSOLVED (UG/L AS NI)		1.05
	7 / 22 / 200	04 1	01065	NICKEL, DISSOLVED (UG/L AS NI)	<	1
	3 / 15 / 199	93 1	01075	SILVER, DISSOLVED (UG/L AS AG)	<	3.0
	10 / 23 / 198	89 1	01077	SILVER, TOTAL (UG/L AS AG)	<	10.
	6/29/199	98 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		209
	4 / 8 / 199	99 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		219
	5/31/200	00 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		208
	5 / 10 / 200	01 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		173
	6/21/200	02 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		192
	4/23/200	03 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		215
	7 / 22 / 200	04 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		208
	6/29/200	05 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		210
	10 / 2 /200	06 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		201
	6/29/199	98 1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	1
	4 / 8 / 199	99 1	01085	VANADIUM, DISSOLVED (UG/L AS V)		1.4
	5/31/200	00 1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	1
	5 / 10 / 200	01 1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	1
	6/21/200	02 1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	1
	4/23/200	03 1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	1
	7 / 22 / 200	04 1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	1
	6/29/200	05 1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	1.02
	10 / 2 /200	06 1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	1
	3 / 15 / 199	93 1	01090	ZINC, DISSOLVED (UG/L AS ZN)	<	5.0

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value + or
	6 / 29 / 19	98 1	01090	ZINC, DISSOLVED (UG/L AS ZN)		4.4
	4 / 8 / 19	99 1	01090	ZINC, DISSOLVED (UG/L AS ZN)	<	4
	5/31/20	00 1	01090	ZINC, DISSOLVED (UG/L AS ZN)	<	4
	5/10/20	01 1	01090	ZINC, DISSOLVED (UG/L AS ZN)	<	4
	6/21/20	02 1	01090	ZINC, DISSOLVED (UG/L AS ZN)	<	4
	4/23/20	03 1	01090	ZINC, DISSOLVED (UG/L AS ZN)		4.67
	7 / 22 / 20	04 1	01090	ZINC, DISSOLVED (UG/L AS ZN)		4.58
	6/29/20	05 1	01090	ZINC, DISSOLVED (UG/L AS ZN)	<	4.08
	10 / 2 /20	06 1	01090	ZINC, DISSOLVED (UG/L AS ZN)		10
	10 / 9 / 19	89 1	01092	ZINC, TOTAL (UG/L AS ZN)	<	1.
	10 / 23 / 19	89 1	01092	ZINC, TOTAL (UG/L AS ZN)	<	20.
	6/29/19	98 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1
	4 / 8 / 19	99 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1
	5/31/20	00 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1
	5/10/20	01 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1
	6/21/20	02 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1
	4/23/20	03 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1
	7 / 22 / 20	04 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1
	6/29/20	05 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1.02
	10 / 2 /20	06 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1
	6/29/19	98 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	4
	4 / 8 / 19	99 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	4
	5/31/20	00 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	4
	5/10/20	01 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	4
	6/21/20	02 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	4
	4/23/20	03 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	4
	7 / 22 / 20	04 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	4
	6/29/20	05 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	4.08
	10 / 2 /20	06 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)		2

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
	6/29/19	98 1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		28	
	4 / 8 / 19	99 1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		30.9	
	5/31/20	00 1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		36.5	
	5/10/20	01 1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		28.7	
	6/21/20	02 1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		28.3	
	4/23/20	03 1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		29.3	
	7 / 22 / 20	04 1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		27.7	
	6/29/20	05 1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		29.9	
	10 / 2 /20	06 1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		26	
	3 / 15 / 19	93 1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	2.0	
	6/29/19	98 1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	4	
	4 / 8 / 19	99 1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	4	
	5/31/20	00 1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	4	
	5 / 10 / 20	01 1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	4	
	6/21/20	02 1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	4	
	4/23/20	03 1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	4	
	7 / 22 / 20	04 1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	4	
	6/29/20	05 1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	4.08	
	10 / 2 /20	06 1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	1	
	10 / 23 / 19	89 1	01147	SELENIUM, TOTAL (UG/L)	<	2.	
	3 / 15 / 19	93 1	01503	ALPHA, DISSOLVED (PC/L)		3.1	2.4
	3 / 15 / 19	93 1	03503	BETA, DISSOLVED (PC/L)		7.8	2.9
	6/29/20	05 1	04241	GROSS ALPHA RADIATION, TOTAL, PRODUCED WATER(pCi/L)		1.7	1.1
	6/29/20	05 1	04242	GROSS BETA RADIATION, TOTAL, PRODUCED WATER(pCi/L)		11	1
	6/29/19	98 1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		127.0	
	4 / 8 / 19	99 1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		126.0	
	5/31/20	00 1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		124.0	
	5 / 10 / 20	01 1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		126	
	6/21/20	02 1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		130	

State Well Number	Date S	Sample#	Storet Code	Description	Flag	Value	+ or -
	4 / 23 / 2003	3 1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		128	
	7 / 22 / 2004	4 1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		128	
	6/29/2005	5 1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		128	
	3 / 15 / 1993	3 1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		.11	
	6/29/1998	3 1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)	<	0.02	
	4 / 8 / 1999	9 1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.08	
	5/31/2000) 1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.0800	
	5 / 10 / 200	1 1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.0961	
	6/21/2002	2 1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.0838	
	4/23/2003	3 1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.0629	
	7 / 22 / 2004	4 1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.222	
	6/29/2005	5 1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.0810	
	10 / 2 /2006	5 1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)	<	0.50	
	10 / 9 / 1989) 1	71890	MERCURY, DISSOLVED (UG/L AS HG)		2.	
	10 / 23 / 1989) 1	71890	MERCURY, DISSOLVED (UG/L AS HG)	<	.2	
	3 / 15 / 1993	3 1	71890	MERCURY, DISSOLVED (UG/L AS HG)	<	0.13	
6729501							
	3 / 14 / 1994	4 1	00010	TEMPERATURE, WATER (CELSIUS)		27.8	
	7 / 29 / 1998	3 1	00010	TEMPERATURE, WATER (CELSIUS)		28.5	
	4/21/1999	9 1	00010	TEMPERATURE, WATER (CELSIUS)		25.6	
	5/31/2000) 1	00010	TEMPERATURE, WATER (CELSIUS)		28.2	
	5 / 23 / 200	1 1	00010	TEMPERATURE, WATER (CELSIUS)		22.9	
	6/24/2002	2 1	00010	TEMPERATURE, WATER (CELSIUS)		26.5	
	4 / 23 / 2003	3 1	00010	TEMPERATURE, WATER (CELSIUS)		26.3	
	3 / 18 / 2009	9 1	00010	TEMPERATURE, WATER (CELSIUS)		25.6	
	3 / 14 / 1994	4 1	00090	OXIDATION REDUCTION POTENTIAL (ORP), MILLIVOLTS		-245.3	
	7 / 29 / 1998	3 1	00090	OXIDATION REDUCTION POTENTIAL (ORP), MILLIVOLTS		-110.8	
	4/21/1999	9 1	00090	OXIDATION REDUCTION POTENTIAL (ORP), MILLIVOLTS		-56.0	
	3 / 14 / 1994	4 1	00608	NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)		1.00	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
	7 / 29 / 199	98 1	00608	NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)		1.38	
	4/21/199	99 1	00608	NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)		0.046	
	3 / 14 / 199	94 1	00613	NITRITE NITROGEN, DISSOLVED (MG/L AS N)	<	0.01	
	3 / 14 / 199	94 1	00618	NITRATE NITROGEN, DISSOLVED (MG/L AS N)	<	0.01	
	3 / 14 / 199	94 1	00623	NITROGEN, KJELDAHL, DISSOLVED (MG/L AS N)		1.4	
	7 / 29 / 199	98 1	00623	NITROGEN, KJELDAHL, DISSOLVED (MG/L AS N)		1.83	
	4/21/199	99 1	00623	NITROGEN, KJELDAHL, DISSOLVED (MG/L AS N)		1.64	
	7 / 29 / 199	98 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.05	
	4/21/199	99 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.02	
	5/31/200	00 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.02	
	5 / 23 / 200	01 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)		0.0271	
	6/24/200)2 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)		0.0707	
	4 / 23 / 200	03 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)		0.0472	
	7 / 29 / 199	98 1	00666	PHOSPHORUS, DISSOLVED (MG/L AS P)		0.32	
	4/21/199	99 1	00666	PHOSPHORUS, DISSOLVED (MG/L AS P)		0.101	
	3 / 18 / 200)9 1	00666	PHOSPHORUS, DISSOLVED (MG/L AS P)		0.06	
	3 / 14 / 199	94 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2.0	
	7 / 29 / 199	98 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2	
	4/21/199	99 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2	
	5 / 31 / 200	00 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2	
	5 / 23 / 200	01 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2	
	6/24/200)2 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	4	
	4 / 23 / 200)3 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2	
	3 / 14 / 199	94 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		17.9	
	7 / 29 / 199	98 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		42.6	
	4/21/199	99 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		41.9	
	5 / 31 / 200	00 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		57.2	
	5 / 23 / 200	01 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		37.8	
	6 / 24 / 200)2 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		53.5	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value + or
	4 / 23 / 200	03 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		31.3
	7 / 29 / 199	98 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1
	4/21/199	99 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1
	5/31/200	00 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1
	5 / 23 / 200	01 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1
	6/24/200)2 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	2
	4 / 23 / 200	03 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1
	7 / 29 / 199	98 1	01020	BORON, DISSOLVED (UG/L AS B)		587
	4/21/199	99 1	01020	BORON, DISSOLVED (UG/L AS B)		573
	5/31/200	00 1	01020	BORON, DISSOLVED (UG/L AS B)		1270
	5 / 23 / 200	01 1	01020	BORON, DISSOLVED (UG/L AS B)		909
	6/24/200)2 1	01020	BORON, DISSOLVED (UG/L AS B)		1440
	4 / 23 / 200	03 1	01020	BORON, DISSOLVED (UG/L AS B)		966
	3 / 18 / 200	9 1	01020	BORON, DISSOLVED (UG/L AS B)		0.68
	3 / 14 / 199	94 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	2.0
	7 / 29 / 199	98 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1
	4 / 21 / 199	99 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1
	5/31/200	00 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1
	5 / 23 / 200	01 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1
	6/24/200)2 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	2
	4 / 23 / 200)3 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1
	3 / 14 / 199	94 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)	<	4.0
	7 / 29 / 199	98 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)		1.5
	4/21/199	99 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)		5.2
	5 / 31 / 200	00 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)		1.62
	5 / 23 / 200	01 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)	<	1
	6/24/200)2 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)	<	2
	4 / 23 / 200	03 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)	<	1
	7 / 29 / 199	98 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value + or
	4 / 21 / 199	99 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1
	5 / 31 / 200	00 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1
	5 / 23 / 200	01 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1
	6/24/200)2 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	2
	4/23/200)3 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1
	3 / 14 / 199	94 1	01040	COPPER, DISSOLVED (UG/L AS CU)	<	2.0
	7 / 29 / 199	98 1	01040	COPPER, DISSOLVED (UG/L AS CU)		3.4
	4/21/199	9 1	01040	COPPER, DISSOLVED (UG/L AS CU)	<	2
	5/31/200	00 1	01040	COPPER, DISSOLVED (UG/L AS CU)	<	2
	5 / 23 / 200	01 1	01040	COPPER, DISSOLVED (UG/L AS CU)	<	2
	6/24/200)2 1	01040	COPPER, DISSOLVED (UG/L AS CU)		2.49
	4 / 23 / 200	03 1	01040	COPPER, DISSOLVED (UG/L AS CU)		2.63
	3 / 14 / 199	94 1	01046	IRON, DISSOLVED (UG/L AS FE)		1.41
	7 / 29 / 199	98 1	01046	IRON, DISSOLVED (UG/L AS FE)		523
	4/21/199	99 1	01046	IRON, DISSOLVED (UG/L AS FE)		613
	5 / 31 / 200	00 1	01046	IRON, DISSOLVED (UG/L AS FE)		4260
	5 / 23 / 200	01 1	01046	IRON, DISSOLVED (UG/L AS FE)		1780
	6/24/200)2 1	01046	IRON, DISSOLVED (UG/L AS FE)		4260
	4 / 23 / 200	03 1	01046	IRON, DISSOLVED (UG/L AS FE)		3020
	3 / 14 / 199	94 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	5.0
	7 / 29 / 199	98 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1
	4/21/199	99 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1
	5 / 31 / 200	00 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1
	5 / 23 / 200	01 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1
	6/24/200)2 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	2
	4/23/200)3 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1
	3 / 14 / 199	94 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		48.0
	7 / 29 / 199	98 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		31.1
	4/21/199	99 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		31.9

State Well Number	Date S	Sample#	Storet Code	Description	Flag	Value	+ or -
	5 / 31 / 2000	0 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		107	
	5 / 23 / 200	1 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		82.0	
	6 / 24 / 2002	2 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		96.5	
	4/23/2003	3 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		85.6	
	7 / 29 / 1998	8 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1	
	4/21/1999	9 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1	
	5 / 31 / 2000	0 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1	
	5 / 23 / 200	1 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1	
	6/24/2002	2 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	2	
	4/23/2003	3 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1	
	7 / 29 / 1998	8 1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1	
	4/21/1999	9 1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1	
	5 / 31 / 2000	0 1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1	
	5 / 23 / 200	1 1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1	
	6/24/2002	2 1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	2	
	4 / 23 / 2003	3 1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1	
	7 / 29 / 1998	8 1	01065	NICKEL, DISSOLVED (UG/L AS NI)		1.8	
	4/21/1999	9 1	01065	NICKEL, DISSOLVED (UG/L AS NI)		2.9	
	5 / 31 / 2000	0 1	01065	NICKEL, DISSOLVED (UG/L AS NI)		1.51	
	5 / 23 / 200	1 1	01065	NICKEL, DISSOLVED (UG/L AS NI)	<	1	
	6 / 24 / 2002	2 1	01065	NICKEL, DISSOLVED (UG/L AS NI)	<	2	
	4 / 23 / 2003	3 1	01065	NICKEL, DISSOLVED (UG/L AS NI)		1.06	
	3 / 14 / 1994	4 1	01075	SILVER, DISSOLVED (UG/L AS AG)	<	10.	
	7 / 29 / 1998	8 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		601	
	4/21/1999	9 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		571	
	5 / 31 / 2000	0 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		1860	
	5 / 23 / 200	1 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		1210	
	6 / 24 / 2002	2 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		1900	
	4/23/2003	3 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		1180	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value + or
	7 / 29 / 19	98 1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	1
	4/21/199	99 1	01085	VANADIUM, DISSOLVED (UG/L AS V)		1.2
	5/31/200	00 1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	1
	5 / 23 / 200	01 1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	1
	6/24/200	02 1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	2
	4/23/200	03 1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	1
	3 / 14 / 199	94 1	01090	ZINC, DISSOLVED (UG/L AS ZN)	<	5.0
	7 / 29 / 199	98 1	01090	ZINC, DISSOLVED (UG/L AS ZN)	<	4
	4/21/199	99 1	01090	ZINC, DISSOLVED (UG/L AS ZN)		6.8
	5/31/200	00 1	01090	ZINC, DISSOLVED (UG/L AS ZN)		72.3
	5 / 23 / 200	01 1	01090	ZINC, DISSOLVED (UG/L AS ZN)		25.0
	6/24/200	02 1	01090	ZINC, DISSOLVED (UG/L AS ZN)	<	8
	4/23/200	03 1	01090	ZINC, DISSOLVED (UG/L AS ZN)		8.54
	7 / 29 / 199	98 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1
	4/21/199	99 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1
	5/31/200	00 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1
	5 / 23 / 200	01 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1
	6/24/200	02 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	2
	4 / 23 / 200	03 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1
	7 / 29 / 19	98 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	4
	4/21/199	99 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	4
	5/31/200	00 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	4
	5 / 23 / 200	01 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	4
	6/24/200	02 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	8
	4 / 23 / 200	03 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	4
	7 / 29 / 199	98 1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		158
	4/21/199	99 1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		172
	5/31/200	00 1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		195
	5 / 23 / 200	01 1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		142

tate Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
	6 / 24 / 2002	2 1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		136	
	4/23/2003	3 1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		157	
	3 / 14 / 1994	4 1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	4.0	
	7 / 29 / 1998	8 1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	4	
	4/21/1999	9 1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	4	
	5/31/2000	0 1	01145	SELENIUM, DISSOLVED (UG/L AS SE)		6.69	
	5 / 23 / 200	1 1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	4	
	6 / 24 / 2002	2 1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	8	
	4/23/2003	3 1	01145	SELENIUM, DISSOLVED (UG/L AS SE)		4.37	
	3 / 14 / 1994	4 1	01503	ALPHA, DISSOLVED (PC/L)	<	3.0	
	3 / 14 / 1994	4 1	03503	BETA, DISSOLVED (PC/L)		5.6	1.2
	3 / 14 / 1994	4 1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		166	
	7 / 29 / 1998	8 1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		123.0	
	4/21/1999	9 1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		122.0	
	5/31/2000	0 1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		135.0	
	5 / 23 / 200	1 1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		134.0	
	6 / 24 / 2002	2 1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		140	
	4/23/2003	3 1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		150	
	3 / 14 / 1994	4 1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.65	
	7 / 29 / 1998	8 1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.63	
	4/21/1999	9 1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.64	
	5/31/2000	0 1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		2.05	
	5 / 23 / 200	1 1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		1.27	
	6 / 24 / 2002	2 1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		2.72	
	4/23/2003	3 1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		12.4	
	3 / 14 / 1994	4 1	71890	MERCURY, DISSOLVED (UG/L AS HG)	<	0.13	
6729603							
	10 / 26 / 1989	9 1	00400	PH (STANDARD UNITS), FIELD		8.5	
	10 / 19 / 1989	9 3	01045	IRON, TOTAL (UG/L AS FE)		16000	

tate Well Number	Date S	Sample#	Storet Code	Description	Flag	Value + or
	10 / 19 / 1989	9 2	01045	IRON, TOTAL (UG/L AS FE)		14000
	10 / 19 / 1989	9 1	01045	IRON, TOTAL (UG/L AS FE)		7300
	10 / 26 / 1989	9 2	01045	IRON, TOTAL (UG/L AS FE)		3900
	10 / 26 / 1989	9 1	01045	IRON, TOTAL (UG/L AS FE)		1300
	10 / 26 / 1989	9 2	01046	IRON, DISSOLVED (UG/L AS FE)		395
	10 / 26 / 1989	9 1	01046	IRON, DISSOLVED (UG/L AS FE)		590
	10 / 19 / 1989	9 3	01055	MANGANESE, TOTAL (UG/L AS MN)		90
	10 / 19 / 1989	9 1	01055	MANGANESE, TOTAL (UG/L AS MN)		70
	10 / 19 / 1989	9 2	01055	MANGANESE, TOTAL (UG/L AS MN)		70
	10 / 26 / 1989	9 1	01055	MANGANESE, TOTAL (UG/L AS MN)		30
	10 / 26 / 1989	9 2	01055	MANGANESE, TOTAL (UG/L AS MN)		10
	10 / 26 / 1989	9 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)	<	10
	10 / 26 / 1989	9 2	01056	MANGANESE, DISSOLVED (UG/L AS MN)	<	30
6729701						
	4 / 25 / 1962	2 1	01045	IRON, TOTAL (UG/L AS FE)		770.
	4 / 25 / 1962	2 1	01046	IRON, DISSOLVED (UG/L AS FE)		110.
6729702						
	4 / 25 / 1962	2 1	01020	BORON, DISSOLVED (UG/L AS B)		1000.
	4 / 25 / 1962	2 1	01045	IRON, TOTAL (UG/L AS FE)		190.
	4 / 25 / 1962	2 1	01046	IRON, DISSOLVED (UG/L AS FE)	<	5.
6729804						
	7 / 17 / 2002	2 1	00010	TEMPERATURE, WATER (CELSIUS)		24.3
	5 / 7 /2003	3 1	00010	TEMPERATURE, WATER (CELSIUS)		24.5
	7 / 17 / 2002	2 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.02
	5 / 7 /2003	3 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.02
	7 / 17 / 2002	2 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	10
	5 / 7 /2003	3 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)		2.24
	7 / 17 / 2002	2 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		11.8
	5 / 7 /2003	3 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		15.5

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value + or
	7 / 17 / 200	2 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	5
	5 / 7 /200	3 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1
	7 / 17 / 200	2 1	01020	BORON, DISSOLVED (UG/L AS B)		3970
	5 / 7 /200	3 1	01020	BORON, DISSOLVED (UG/L AS B)		3720
	7 / 17 / 200	2 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	5
	5 / 7 /200	3 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1
	7 / 17 / 200	2 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)	<	5
	5 / 7 /200	3 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)		2.93
	7 / 17 / 200	2 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	5
	5 / 7 /200	3 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1
	7 / 17 / 200	2 1	01040	COPPER, DISSOLVED (UG/L AS CU)	<	5
	5 / 7 /200	3 1	01040	COPPER, DISSOLVED (UG/L AS CU)		3.06
	7 / 17 / 200	2 1	01046	IRON, DISSOLVED (UG/L AS FE)	<	50
	5 / 7 /200	3 1	01046	IRON, DISSOLVED (UG/L AS FE)	<	50
	7 / 17 / 200	2 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	5
	5 / 7 /200	3 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1
	7 / 17 / 200	2 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)	<	5
	5 / 7 /200	3 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		5.07
	7 / 17 / 200	2 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	5
	5 / 7 /200	3 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1
	7 / 17 / 200	2 1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	5
	5 / 7 /200	3 1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1
	7 / 17 / 200	2 1	01065	NICKEL, DISSOLVED (UG/L AS NI)	<	5
	5 / 7 /200	3 1	01065	NICKEL, DISSOLVED (UG/L AS NI)	<	1
	7 / 17 / 200	2 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		791
	5 / 7 /200	3 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		719
	7 / 17 / 200	2 1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	5
	5 / 7 /200	3 1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	1
	7/17/200	2 1	01090	ZINC, DISSOLVED (UG/L AS ZN)	<	20

ate Well Number	Date	Sample#	Storet Code	Description	Flag	Value + or
	5 / 7 /200	3 1	01090	ZINC, DISSOLVED (UG/L AS ZN)		5.50
	7 / 17 / 200	2 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	5
	5 / 7 /200	3 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1
	7 / 17 / 200	2 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	20
	5 / 7 /200	3 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	4
	7 / 17 / 200	2 1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		83.5
	5 / 7 /200	3 1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		78.1
	7 / 17 / 200	2 1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	20
	5 / 7 /200	3 1	01145	SELENIUM, DISSOLVED (UG/L AS SE)		8.95
	7 / 17 / 200	2 1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		298
	5 / 7 /200	3 1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		290
	7 / 17 / 200	2 1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		2.70
	5 / 7 /200	3 1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		2.65
6729805						
	3 / 18 / 200	9 1	00010	TEMPERATURE, WATER (CELSIUS)		29.2
	8 / 16 / 201	0 1	00010	TEMPERATURE, WATER (CELSIUS)		36.4
	3 / 18 / 200	9 1	00666	PHOSPHORUS, DISSOLVED (MG/L AS P)		0.03
	8 / 16 / 201	0 1	00666	PHOSPHORUS, DISSOLVED (MG/L AS P)		0.06
	3 / 18 / 200	9 1	01020	BORON, DISSOLVED (UG/L AS B)		210
	8 / 16 / 201	0 1	01020	BORON, DISSOLVED (UG/L AS B)		240
6730106						
	8 / 16 / 201	0 1	00010	TEMPERATURE, WATER (CELSIUS)		27.6
	4/26/201	1 1	00010	TEMPERATURE, WATER (CELSIUS)		28.4
	4/26/201	1 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.020
	8/16/201	0 1	00666	PHOSPHORUS, DISSOLVED (MG/L AS P)	<	0.01
	4/26/201	1 1	00666	PHOSPHORUS, DISSOLVED (MG/L AS P)	<	0.020
	4/26/201	1 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2.0
	4/26/201	1 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		36.7
	4/26/201	1 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1.0

ate Well Number	Date	Sample#	Storet Code	Description	Flag	Value + or
	8 / 16 / 201	0 1	01020	BORON, DISSOLVED (UG/L AS B)		100
	4/26/201	1 1	01020	BORON, DISSOLVED (UG/L AS B)	<	51
	4/26/201	1 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1.0
	4/26/201	1 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)	<	1.0
	4/26/201	1 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1.0
	4/26/201	1 1	01040	COPPER, DISSOLVED (UG/L AS CU)		2.4
	4/26/201	1 1	01046	IRON, DISSOLVED (UG/L AS FE)	<	51
	4/26/201	1 1	01049	LEAD, DISSOLVED (UG/L AS PB)		4.4
	4/26/201	1 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		20.8
	4/26/201	1 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1.0
	4/26/201	1 1	01060	MOLYBDENUM, DISSOLVED, UG/L		11.8
	4/26/201	1 1	01075	SILVER, DISSOLVED (UG/L AS AG)	<	1.0
	4 / 26 / 201	1 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		236
	4/26/201	1 1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	1.0
	4/26/201	1 1	01090	ZINC, DISSOLVED (UG/L AS ZN)	<	4.1
	4/26/201	1 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1.0
	4/26/201	1 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	4.1
	4/26/201	1 1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		25.1
	4/26/201	1 1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	4.1
	4 / 26 / 201	1 1	22703	URANIUM, NATURAL, DISSOLVED, UG/L	<	1.0
	4/26/201	1 1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		114
	4/26/201	1 1	50938	ANION/CATION CHG BAL, PERCENT		1.68
	4/26/201	1 1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.07
	4 / 26 / 201	1 1	71890	MERCURY, DISSOLVED (UG/L AS HG)	<	0.200
6730401						
	5 / 13 / 196	9 1	01020	BORON, DISSOLVED (UG/L AS B)		100.
6730404						
	7/17/200	2 1	00010	TEMPERATURE, WATER (CELSIUS)		23.9
	4/23/200	3 1	00010	TEMPERATURE, WATER (CELSIUS)		24.0

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
	4 / 1 /200)9 1	00010	TEMPERATURE, WATER (CELSIUS)		22.8	
	7 / 17 / 200)2 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.02	
	4/23/200	03 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)		0.0320	
	4 / 1 /200	9 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.02	
	7 / 17 / 200)2 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2	
	4 / 23 / 200)3 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2	
	4 / 1 /200	9 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2.04	
	7 / 17 / 200)2 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		38.4	
	4/23/200	03 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		40.9	
	4 / 1 /200)9 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		42.6	
	7 / 17 / 200)2 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1	
	4 / 23 / 200	03 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1	
	4 / 1 /200)9 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1.02	
	7 / 17 / 200)2 1	01020	BORON, DISSOLVED (UG/L AS B)		611	
	4/23/200)3 1	01020	BORON, DISSOLVED (UG/L AS B)		510	
	4 / 1 /200)9 1	01020	BORON, DISSOLVED (UG/L AS B)		464	
	7 / 17 / 200)2 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1	
	4 / 23 / 200)3 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1	
	4 / 1 /200)9 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1.02	
	7 / 17 / 200)2 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)	<	1	
	4/23/200	03 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)	<	1	
	4 / 1 /200)9 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)	<	1.02	
	7 / 17 / 200)2 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1	
	4 / 23 / 200	03 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1	
	4 / 1 /200	9 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1.02	
	7 / 17 / 200)2 1	01040	COPPER, DISSOLVED (UG/L AS CU)		1.44	
	4 / 23 / 200	03 1	01040	COPPER, DISSOLVED (UG/L AS CU)		2.55	
	4 / 1 /200)9 1	01040	COPPER, DISSOLVED (UG/L AS CU)		2.36	
	7 / 17 / 200)2 1	01046	IRON, DISSOLVED (UG/L AS FE)		264	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value + or
	4 / 23 / 200	03 1	01046	IRON, DISSOLVED (UG/L AS FE)		289
	4 / 1 /200	09 1	01046	IRON, DISSOLVED (UG/L AS FE)		427
	7 / 17 / 200	02 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1
	4/23/200	03 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1
	4 / 1 /200	09 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1.02
	7 / 17 / 200	02 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		143
	4 / 23 / 200	03 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		161
	4 / 1 /200	09 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		164
	7 / 17 / 200	02 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1
	4/23/200	03 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1
	4 / 1 /200	09 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1.02
	7 / 17 / 200	02 1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1
	4 / 23 / 200	03 1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1
	4 / 1 /200	09 1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1.02
	7 / 17 / 200	02 1	01065	NICKEL, DISSOLVED (UG/L AS NI)	<	1
	4/23/200	03 1	01065	NICKEL, DISSOLVED (UG/L AS NI)		1.16
	4 / 1 /200	09 1	01075	SILVER, DISSOLVED (UG/L AS AG)	<	1.02
	7 / 17 / 200	02 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		350
	4/23/200	03 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		362
	4 / 1 /200	09 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		353
	7 / 17 / 200	02 1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	1
	4/23/200	03 1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	1
	4 / 1 /200	09 1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	1.02
	7 / 17 / 200	02 1	01090	ZINC, DISSOLVED (UG/L AS ZN)		9.34
	4/23/200	03 1	01090	ZINC, DISSOLVED (UG/L AS ZN)		52.7
	4 / 1 /200	09 1	01090	ZINC, DISSOLVED (UG/L AS ZN)		57.9
	7 / 17 / 200	02 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1
	4/23/200	03 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1
	4 / 1 /200	09 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1.02

ate Well Number	Date S	ample#	Storet Code	Description	Flag	Value	+ or -
	7 / 17 / 2002	1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	4	
	4 / 23 / 2003	1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	4	
	4 / 1 /2009	1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	4.08	
	7 / 17 / 2002	1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		111	
	4/23/2003	1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		118	
	4 / 1 /2009	1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		133	
	7 / 17 / 2002	1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	4	
	4 / 23 / 2003	1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	4	
	4 / 1 /2009	1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	4.08	
	4 / 1 /2009	1	01503	ALPHA, DISSOLVED (PC/L)	<	0.1	2.2
	4 / 1 /2009	1	09511	RADIUM 226, DISSOLVED, RADON METHOD, PC/L		0.2	0.1
	4 / 1 /2009	1	22703	URANIUM, NATURAL, DISSOLVED, UG/L	<	1.02	
	7 / 17 / 2002	1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		177	
	4 / 23 / 2003	1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		184	
	4 / 1 /2009	1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		186	
	4 / 1 /2009	1	50938	ANION/CATION CHG BAL, PERCENT		0.76	
	7 / 17 / 2002	1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.367	
	4 / 23 / 2003	1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.368	
	4 / 1 /2009	1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.39	
	4 / 1 /2009	1	71890	MERCURY, DISSOLVED (UG/L AS HG)	<	0.200	
	4 / 1 /2009	1	81366	RADIUM 228, DISSOLVED (PC/L AS RA-228)	<	0.1	0.1
6730504							
	5 / 13 / 1969	1	01020	BORON, DISSOLVED (UG/L AS B)		200.	
6730507							
	8 / 6 / 1998	1	00010	TEMPERATURE, WATER (CELSIUS)		42.9	
	4 / 14 / 1999	1	00010	TEMPERATURE, WATER (CELSIUS)		43.0	
	5/31/2000	1	00010	TEMPERATURE, WATER (CELSIUS)		45.3	
	5 / 10 / 2001	1	00010	TEMPERATURE, WATER (CELSIUS)		46.6	
	6/21/2002	1	00010	TEMPERATURE, WATER (CELSIUS)		43.0	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
	4 / 22 / 20	03 1	00010	TEMPERATURE, WATER (CELSIUS)		47.5	
	7 / 22 / 20	04 1	00010	TEMPERATURE, WATER (CELSIUS)		46.9	
	6/29/20	05 1	00010	TEMPERATURE, WATER (CELSIUS)		46.9	
	10/20/20	06 1	00010	TEMPERATURE, WATER (CELSIUS)		48.0	
	3/31/20	09 1	00010	TEMPERATURE, WATER (CELSIUS)		47.2	
	8 / 17 / 20	10 1	00010	TEMPERATURE, WATER (CELSIUS)		47.8	
	8 / 6 / 19	98 1	00090	OXIDATION REDUCTION POTENTIAL (ORP), MILLIVOLTS		-265.3	
	4/14/19	99 1	00090	OXIDATION REDUCTION POTENTIAL (ORP), MILLIVOLTS		-240.3	
	6/29/20	05 1	00094	SPECIFIC CONDUCTANCE, FIELD (UMHOS/CM AT 25C)		1002	
	8 / 6 / 19	98 1	00608	NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)		0.88	
	4/14/19	99 1	00608	NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)		0.666	
	8 / 6 / 19	98 1	00623	NITROGEN, KJELDAHL, DISSOLVED (MG/L AS N)		1.05	
	4 / 14 / 19	99 1	00623	NITROGEN, KJELDAHL, DISSOLVED (MG/L AS N)		0.977	
	8 / 6 / 19	98 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.05	
	4/14/19	99 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.05	
	5/31/20	00 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.02	
	5 / 10 / 20	01 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.02	
	6/21/20	02 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.02	
	4/22/20	03 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)		0.0444	
	7 / 22 / 20	04 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.02	
	6/29/20	05 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.02	
	10 / 2 /20	06 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.1	
	8 / 6 / 19	98 1	00666	PHOSPHORUS, DISSOLVED (MG/L AS P)		0.1	
	4/14/19	99 1	00666	PHOSPHORUS, DISSOLVED (MG/L AS P)	<	0.04	
	3/31/20	09 1	00666	PHOSPHORUS, DISSOLVED (MG/L AS P)		0.04	
	8 / 17 / 20	10 1	00666	PHOSPHORUS, DISSOLVED (MG/L AS P)		0.01	
	8 / 6 / 19	98 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2	
	4/14/19	99 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2	
	5/31/20	00 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value + or -
	5 / 10 / 200	01 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2
	6/21/200	02 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2
	4/22/200	03 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2
	7/22/200	04 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2
	6/29/200	05 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2.04
	10 / 2 /200	06 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	1
	8 / 6 / 199	98 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		37.2
	4/14/199	99 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		38.3
	5/31/200	00 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		50.4
	5/10/200	01 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		47.0
	6/21/200	02 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		40.8
	4/22/200	03 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		42.2
	7 / 22 / 200	04 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		43.8
	6/29/200	05 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		50.3
	10 / 2 /200	06 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		51
	8 / 6 / 199	98 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1
	4/14/199	99 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1
	5/31/200	00 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1
	5 / 10 / 200	01 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1
	6/21/200	02 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1
	4/22/200	03 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1
	7 / 22 / 200	04 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1
	6/29/200	05 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1.02
	10 / 2 /200	06 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1
	8 / 6 / 199	98 1	01020	BORON, DISSOLVED (UG/L AS B)		313
	4 / 14 / 199	99 1	01020	BORON, DISSOLVED (UG/L AS B)		331
	5/31/200	00 1	01020	BORON, DISSOLVED (UG/L AS B)		299
	5 / 10 / 200	01 1	01020	BORON, DISSOLVED (UG/L AS B)		297
	6/21/200	02 1	01020	BORON, DISSOLVED (UG/L AS B)		458

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
	4/22/20	03 1	01020	BORON, DISSOLVED (UG/L AS B)		387	
	7 / 22 / 20	04 1	01020	BORON, DISSOLVED (UG/L AS B)		316	
	6/29/20	05 1	01020	BORON, DISSOLVED (UG/L AS B)		330	
	10 / 2 /20	06 1	01020	BORON, DISSOLVED (UG/L AS B)		301	
	3/31/20	09 1	01020	BORON, DISSOLVED (UG/L AS B)		260	
	8 / 17 / 20	10 1	01020	BORON, DISSOLVED (UG/L AS B)		320	
	8 / 6 / 19	98 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1	
	4/14/19	99 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1	
	5/31/20	00 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1	
	5/10/20	01 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1	
	6/21/20	02 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1	
	4/22/20	03 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1	
	7 / 22 / 20	04 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1	
	6/29/20	05 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1.02	
	10 / 2 /20	06 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1	
	8 / 6 / 19	98 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)		6.9	
	4/14/19	99 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)		13.3	
	5/31/20	00 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)	<	1	
	5 / 10 / 20	01 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)	<	1	
	6/21/20	02 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)		4.25	
	4/22/20	03 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)		1.79	
	7 / 22 / 20	04 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)		1.54	
	6/29/20	05 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)		7.15	
	10 / 2 /20	06 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)		3	
	8 / 6 / 19	98 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1	
	4/14/19	99 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1	
	5/31/20	00 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1	
	5 / 10 / 20	01 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1	
	6/21/20	02 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value + or -
	4/22/20	03 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1
	7 / 22 / 20	04 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1
	6/29/20	05 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1.02
	10 / 2 /20	06 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1
	8 / 6 / 19	98 1	01040	COPPER, DISSOLVED (UG/L AS CU)		14.9
	4/14/19	99 1	01040	COPPER, DISSOLVED (UG/L AS CU)		2.2
	5/31/20	00 1	01040	COPPER, DISSOLVED (UG/L AS CU)		4.29
	5/10/20	01 1	01040	COPPER, DISSOLVED (UG/L AS CU)	<	2
	6/21/20	02 1	01040	COPPER, DISSOLVED (UG/L AS CU)		1.58
	4/22/20	03 1	01040	COPPER, DISSOLVED (UG/L AS CU)		1.83
	7 / 22 / 20	04 1	01040	COPPER, DISSOLVED (UG/L AS CU)		1.77
	6/29/20	05 1	01040	COPPER, DISSOLVED (UG/L AS CU)		1.09
	10 / 2 /20	06 1	01040	COPPER, DISSOLVED (UG/L AS CU)	<	1
	8 / 6 / 19	98 1	01046	IRON, DISSOLVED (UG/L AS FE)		52
	4/14/19	99 1	01046	IRON, DISSOLVED (UG/L AS FE)		204
	5/31/20	00 1	01046	IRON, DISSOLVED (UG/L AS FE)		606
	5 / 10 / 20	01 1	01046	IRON, DISSOLVED (UG/L AS FE)	<	51
	6/21/20	02 1	01046	IRON, DISSOLVED (UG/L AS FE)	<	50
	4/22/20	03 1	01046	IRON, DISSOLVED (UG/L AS FE)	<	50
	7 / 22 / 20	04 1	01046	IRON, DISSOLVED (UG/L AS FE)	<	50
	6/29/20	05 1	01046	IRON, DISSOLVED (UG/L AS FE)	<	51
	10 / 2 /20	06 1	01046	IRON, DISSOLVED (UG/L AS FE)	<	30
	8 / 6 / 19	98 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1
	4/14/19	99 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1
	5/31/20	00 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1
	5 / 10 / 20	01 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1
	6/21/20	02 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1
	4/22/20	03 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1
	7/22/20	04 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value +	⊦ or -
	6/29/200	05 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1.02	
	10 / 2 /200	06 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1	
	8 / 6 / 199	98 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		3.3	
	4/14/199	99 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		17.7	
	5/31/200	00 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		4.23	
	5/10/200	01 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		1.62	
	6/21/200	02 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		2.15	
	4/22/200	03 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		2.45	
	7/22/200	04 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		3.38	
	6/29/200	05 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		3.86	
	10 / 2 /200	06 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		2	
	8 / 6 / 199	98 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1	
	4 / 14 / 199	99 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1	
	5/31/200	00 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1	
	5/10/200	01 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1	
	6/21/200	02 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1	
	4/22/200	03 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1	
	7 / 22 / 200	04 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1	
	6/29/200	05 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1.02	
	10 / 2 /200	06 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1	
	8 / 6 / 199	98 1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1	
	4/14/199	99 1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1	
	5/31/200	00 1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1	
	5 / 10 / 200	01 1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1	
	6/21/200	02 1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1	
	4/22/200	03 1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1	
	7 / 22 / 200	04 1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1	
	6/29/200	05 1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1.02	
	10 / 2 /200	06 1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value + or -
	8 / 6 / 199	98 1	01065	NICKEL, DISSOLVED (UG/L AS NI)	<	1
	4/14/199	99 1	01065	NICKEL, DISSOLVED (UG/L AS NI)	<	1
	5/31/200	00 1	01065	NICKEL, DISSOLVED (UG/L AS NI)	<	1
	5 / 10 / 200	01 1	01065	NICKEL, DISSOLVED (UG/L AS NI)	<	1
	6/21/200	02 1	01065	NICKEL, DISSOLVED (UG/L AS NI)	<	1
	4/22/200	03 1	01065	NICKEL, DISSOLVED (UG/L AS NI)	<	1
	7 / 22 / 200	04 1	01065	NICKEL, DISSOLVED (UG/L AS NI)	<	1
	8 / 6 / 199	98 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		164
	4/14/199	99 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		193
	5/31/200	00 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		197
	5 / 10 / 200	01 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		148
	6/21/200	02 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		154
	4/22/200	03 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		175
	7 / 22 / 200	04 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		179
	6/29/200	05 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		198
	10 / 2 /200	06 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		176
	8 / 6 / 199	98 1	01085	VANADIUM, DISSOLVED (UG/L AS V)		1.6
	4 / 14 / 199	99 1	01085	VANADIUM, DISSOLVED (UG/L AS V)		3.5
	5/31/200	00 1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	1
	5 / 10 / 200	01 1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	1
	6/21/200	02 1	01085	VANADIUM, DISSOLVED (UG/L AS V)		1.38
	4/22/200	03 1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	1
	7 / 22 / 200	04 1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	1
	6/29/200	05 1	01085	VANADIUM, DISSOLVED (UG/L AS V)		1.85
	10 / 2 /200	06 1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	1
	8 / 6 / 199	98 1	01090	ZINC, DISSOLVED (UG/L AS ZN)	<	4
	4/14/199	99 1	01090	ZINC, DISSOLVED (UG/L AS ZN)	<	4
	5/31/200	00 1	01090	ZINC, DISSOLVED (UG/L AS ZN)		8.87
	5 / 10 / 200	01 1	01090	ZINC, DISSOLVED (UG/L AS ZN)	<	4

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value + or
	6/21/200	02 1	01090	ZINC, DISSOLVED (UG/L AS ZN)	<	4
	4/22/200	03 1	01090	ZINC, DISSOLVED (UG/L AS ZN)		7.06
	7/22/200	04 1	01090	ZINC, DISSOLVED (UG/L AS ZN)		27.6
	6/29/200	05 1	01090	ZINC, DISSOLVED (UG/L AS ZN)	<	4.08
	10 / 2 / 200	06 1	01090	ZINC, DISSOLVED (UG/L AS ZN)		3
	8 / 6 / 199	98 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1
	4/14/199	99 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1
	5/31/200	00 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1
	5/10/200	01 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1
	6/21/200	02 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1
	4/22/200	03 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1
	7 / 22 / 200	04 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1
	6/29/200	05 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1.02
	10 / 2 /200	06 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1
	8 / 6 / 199	98 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)		10.3
	4/14/199	99 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	4
	5/31/200	00 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)		11.1
	5/10/200	01 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)		9.78
	6/21/200	02 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)		12.2
	4/22/200	03 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)		14.0
	7 / 22 / 200	04 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)		8.51
	6/29/200	05 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)		7.06
	10 / 2 /200	06 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)		13
	8 / 6 / 199	98 1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		39.4
	4/14/199	99 1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		45.2
	5/31/200	00 1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		46.8
	5/10/200	01 1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		39.6
	6/21/200	02 1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		38.6
	4/22/200	03 1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		38.2

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
	7 / 22 / 20	04 1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		39.3	
	6/29/20	05 1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		42.6	
	10 / 2 /20	06 1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		36	
	8 / 6 / 19	98 1	01145	SELENIUM, DISSOLVED (UG/L AS SE)		7.2	
	4/14/19	99 1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	4	
	5/31/20	00 1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	4	
	5/10/20	01 1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	4	
	6/21/20	02 1	01145	SELENIUM, DISSOLVED (UG/L AS SE)		26.5	
	4/22/20	03 1	01145	SELENIUM, DISSOLVED (UG/L AS SE)		11.7	
	7/22/20	04 1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	4	
	6/29/20	05 1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	4.08	
	10 / 2 /20	06 1	01145	SELENIUM, DISSOLVED (UG/L AS SE)		4	
	6/29/20	05 1	04241	GROSS ALPHA RADIATION, TOTAL, PRODUCED WATER(pCi/L)		2.6	2.4
	6/29/20	05 1	04242	GROSS BETA RADIATION, TOTAL, PRODUCED WATER(pCi/L)		4.3	1.7
	8 / 6 / 19	98 1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		283	
	4/14/19	99 1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		282.0	
	5/31/20	00 1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		276.0	
	5 / 10 / 20	01 1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		280	
	6/21/20	02 1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		282	
	4/22/20	03 1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		290	
	7 / 22 / 20	04 1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		290	
	6/29/20	05 1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		290	
	8 / 6 / 19	98 1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.39	
	4 / 14 / 19	99 1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.76	
	5/31/20	00 1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.530	
	5 / 10 / 20	01 1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.630	
	6/21/20	02 1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.419	
	4/22/20	03 1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.368	
	7 / 22 / 20	04 1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.690	

State Well Number	Date S	ample#	Storet Code	Description	Flag	Value + o
	6 / 29 / 2005	1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.555
	10 / 2 /2006	1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)	<	0.50
	4/22/2003	1	82244	ALKALINITY PHENOLPHTHALEIN FIELD DATA (MG/L)		4
	7 / 22 / 2004	1	82244	ALKALINITY PHENOLPHTHALEIN FIELD DATA (MG/L)		4
	6 / 29 / 2005	1	82244	ALKALINITY PHENOLPHTHALEIN FIELD DATA (MG/L)		4
6730603						
	4 / 8 /2009	1	00010	TEMPERATURE, WATER (CELSIUS)		37.9
	8 / 17 / 2010	1	00010	TEMPERATURE, WATER (CELSIUS)		33.0
	4/19/2011	1	00010	TEMPERATURE, WATER (CELSIUS)		46.8
	4/19/2011	1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.020
	4 / 8 /2009	1	00666	PHOSPHORUS, DISSOLVED (MG/L AS P)	<	0.01
	8 / 17 / 2010	1	00666	PHOSPHORUS, DISSOLVED (MG/L AS P)	<	0.01
	4/19/2011	1	00666	PHOSPHORUS, DISSOLVED (MG/L AS P)	<	0.020
	4/19/2011	1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2.0
	4/19/2011	1	01005	BARIUM, DISSOLVED (UG/L AS BA)		27.1
	4/19/2011	1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1.0
	4 / 8 /2009	1	01020	BORON, DISSOLVED (UG/L AS B)		310
	8 / 17 / 2010	1	01020	BORON, DISSOLVED (UG/L AS B)		300
	4/19/2011	1	01020	BORON, DISSOLVED (UG/L AS B)		299
	4/19/2011	1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1.0
	4/19/2011	1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)		6.1
	4/19/2011	1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1.0
	4/19/2011	1	01040	COPPER, DISSOLVED (UG/L AS CU)		8.6
	4/19/2011	1	01046	IRON, DISSOLVED (UG/L AS FE)	<	51
	4/19/2011	1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1.0
	4/19/2011	1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		4.4
	4/19/2011	1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1.0
	4/19/2011	1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1.0
	4/19/2011	1	01075	SILVER, DISSOLVED (UG/L AS AG)	<	1.0

tate Well Number	Date S	Sample#	Storet Code	Description	Flag	Value -	+ or -
	4 / 19 / 2011	1 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		99	
	4/19/2011	1 1	01085	VANADIUM, DISSOLVED (UG/L AS V)		1.6	
	4/19/2011	1 1	01090	ZINC, DISSOLVED (UG/L AS ZN)		10.6	
	4/19/2011	1 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1.0	
	4 / 19 / 2011	1 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)		12.7	
	4 / 19 / 2011	1 1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		32.7	
	4 / 19 / 2011	1 1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	4.1	
	4 / 19 / 2011	1 1	22703	URANIUM, NATURAL, DISSOLVED, UG/L	<	1.0	
	4/19/2011	1 1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		338	
	4/19/2011	1 1	50938	ANION/CATION CHG BAL, PERCENT		3.53	
	4 / 19 / 2011	1 1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.11	
	4 / 19 / 2011	1 1	71890	MERCURY, DISSOLVED (UG/L AS HG)	<	0.200	
6731406							
	6 / 9 / 1988	3 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	10.	
	6 / 9 / 1988	3 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		54.	
	6 / 9 / 1988	3 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	10.	
	6 / 9 / 1988	3 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)	<	20.	
	6 / 9 / 1988	3 1	01040	COPPER, DISSOLVED (UG/L AS CU)	<	20.	
	6 / 9 / 1988	3 1	01046	IRON, DISSOLVED (UG/L AS FE)		1640.	
	6 / 9 / 1988	3 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	50.	
	6 / 9 / 1988	3 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		950.	
	6 / 9 / 1988	3 1	01075	SILVER, DISSOLVED (UG/L AS AG)	<	10.	
	6 / 9 / 1988	3 1	01090	ZINC, DISSOLVED (UG/L AS ZN)		110.	
	6 / 9 / 1988	3 1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	2.	
	6 / 9 / 1988	3 1	71890	MERCURY, DISSOLVED (UG/L AS HG)		0.9	
6731503							
	7 / 17 / 1997	7 1	00010	TEMPERATURE, WATER (CELSIUS)		24.2	
	7 / 17 / 1997	7 1	00090	OXIDATION REDUCTION POTENTIAL (ORP), MILLIVOLTS		-156.0	
	7 / 17 / 1997	7 1	00608	NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)	<	0.1	

ate Well Number	Date Sa	ample#	Storet Code	Description	Flag	Value + or
	7 / 17 / 1997	1	00623	NITROGEN, KJELDAHL, DISSOLVED (MG/L AS N)	<	0.5
	7 / 17 / 1997	1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)		1.99
	7 / 17 / 1997	1	01000	ARSENIC, DISSOLVED (UG/L AS AS)		4.7
	7 / 17 / 1997	1	01005	BARIUM, DISSOLVED (UG/L AS BA)		295
	7 / 17 / 1997	1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1
	7 / 17 / 1997	1	01020	BORON, DISSOLVED (UG/L AS B)		76.2
	7 / 17 / 1997	1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1
	7 / 17 / 1997	1	01040	COPPER, DISSOLVED (UG/L AS CU)		18.9
	7 / 17 / 1997	1	01046	IRON, DISSOLVED (UG/L AS FE)	<	15
	7 / 17 / 1997	1	01049	LEAD, DISSOLVED (UG/L AS PB)		7.9
	7 / 17 / 1997	1	01056	MANGANESE, DISSOLVED (UG/L AS MN)	<	1
	7 / 17 / 1997	1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1
	7 / 17 / 1997	1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1
	7 / 17 / 1997	1	01065	NICKEL, DISSOLVED (UG/L AS NI)		2.5
	7 / 17 / 1997	1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		231
	7 / 17 / 1997	1	01085	VANADIUM, DISSOLVED (UG/L AS V)		1.3
	7 / 17 / 1997	1	01090	ZINC, DISSOLVED (UG/L AS ZN)		40
	7 / 17 / 1997	1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1
	7 / 17 / 1997	1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	1.5
	7 / 17 / 1997	1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		4.8
	7 / 17 / 1997	1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	6
	7 / 17 / 1997	1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		252
	7 / 17 / 1997	1	71865	IODIDE (MG/L AS I)	<	0.15
	7 / 17 / 1997	1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		1.22
6734502						
	4/18/1963	1	01045	IRON, TOTAL (UG/L AS FE)		16000.
6734601						
	4 / 23 / 2009	1	00010	TEMPERATURE, WATER (CELSIUS)		23.6
	8 / 17 / 2010	1	00010	TEMPERATURE, WATER (CELSIUS)		24.3

tate Well Number	Date	Sample#	Storet Code	Description	Flag	Value + or
	4 / 23 / 200	9 1	00666	PHOSPHORUS, DISSOLVED (MG/L AS P)		0.16
	8 / 17 / 201	0 1	00666	PHOSPHORUS, DISSOLVED (MG/L AS P)		0.05
	4/23/200	9 1	01020	BORON, DISSOLVED (UG/L AS B)		90
	8 / 17 / 201	0 1	01020	BORON, DISSOLVED (UG/L AS B)		40
6734803						
	7 / 27 / 199	3 1	00010	TEMPERATURE, WATER (CELSIUS)		24.3
	7 / 27 / 199	3 1	00608	NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)	<	0.02
	7 / 27 / 199	3 1	00613	NITRITE NITROGEN, DISSOLVED (MG/L AS N)	<	0.01
	7 / 27 / 199	3 1	00618	NITRATE NITROGEN, DISSOLVED (MG/L AS N)		0.09
	7 / 27 / 199	3 1	00623	NITROGEN, KJELDAHL, DISSOLVED (MG/L AS N)	<	0.1
	7 / 27 / 199	3 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)		2.0
	7 / 27 / 199	3 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		40.4
	7 / 27 / 199	3 1	01040	COPPER, DISSOLVED (UG/L AS CU)		2.5
	7 / 27 / 199	3 1	01046	IRON, DISSOLVED (UG/L AS FE)		13.2
	7 / 27 / 199	3 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	5.0
	7 / 27 / 199	3 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		11.2
	7 / 27 / 199	3 1	01090	ZINC, DISSOLVED (UG/L AS ZN)		59.8
	7 / 27 / 199	3 1	01503	ALPHA, DISSOLVED (PC/L)	<	4.0
	7 / 27 / 199	3 1	03503	BETA, DISSOLVED (PC/L)	<	5.0
	7 / 27 / 199	3 1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		180
6734804						
	5 / 20 / 196	9 1	01020	BORON, DISSOLVED (UG/L AS B)	<	100.
6734806						
	8 / 18 / 201	0 1	00010	TEMPERATURE, WATER (CELSIUS)		25.9
	8 / 18 / 201	0 1	00666	PHOSPHORUS, DISSOLVED (MG/L AS P)		0.02
	8 / 18 / 201	0 1	01020	BORON, DISSOLVED (UG/L AS B)		140
6734902						
	3 / 13 / 196	3 1	01045	IRON, TOTAL (UG/L AS FE)		14000.
	3 / 13 / 196	3 1	01046	IRON, DISSOLVED (UG/L AS FE)		20.

State Well Number	Date S	Sample#	Storet Code	Description	Flag	Value -	+ or
6734904							
	8 / 19 / 1969	1	01020	BORON, DISSOLVED (UG/L AS B)		100.	
6735102							
	4 / 18 / 1963	1	01045	IRON, TOTAL (UG/L AS FE)		67000.	
	4 / 18 / 1963	1	01046	IRON, DISSOLVED (UG/L AS FE)	<	10.	
6735103							
	4 / 18 / 1963	1	01045	IRON, TOTAL (UG/L AS FE)		2300.	
	4 / 18 / 1963	1	01046	IRON, DISSOLVED (UG/L AS FE)		20.	
6735201							
	7 / 2 / 1959	1	01020	BORON, DISSOLVED (UG/L AS B)		50.	
6735401							
	7 / 2 / 1959	1	01020	BORON, DISSOLVED (UG/L AS B)		40.	
6735405							
	6 / 19 / 1959	1	00900	HARDNESS, TOTAL (MG/L AS CACO3)		23	
	6 / 19 / 1959	1	01045	IRON, TOTAL (UG/L AS FE)		3100.	
	6 / 19 / 1959	1	01046	IRON, DISSOLVED (UG/L AS FE)		60.	
6735601							
	3 / 15 / 1963	1	01045	IRON, TOTAL (UG/L AS FE)		4900.	
	3 / 15 / 1963	1	01046	IRON, DISSOLVED (UG/L AS FE)		10.	
6735701							
	3 / 16 / 1993	1	00010	TEMPERATURE, WATER (CELSIUS)		19.6	
	3 / 16 / 1993	1	00090	OXIDATION REDUCTION POTENTIAL (ORP), MILLIVOLTS		39.1	
	3 / 16 / 1993	1	00608	NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)		0.08	
	3 / 16 / 1993	1	00613	NITRITE NITROGEN, DISSOLVED (MG/L AS N)	<	0.01	
	3 / 16 / 1993	1	00618	NITRATE NITROGEN, DISSOLVED (MG/L AS N)	<	0.01	
	3 / 16 / 1993	1	00623	NITROGEN, KJELDAHL, DISSOLVED (MG/L AS N)		0.1	
	3 / 16 / 1993	1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	1.0	
	3 / 16 / 1993	1	01005	BARIUM, DISSOLVED (UG/L AS BA)		77.1	

tate Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
	3 / 16 / 19	93 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	2.0	
	3/16/19	93 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)	<	4.0	
	3/16/19	93 1	01040	COPPER, DISSOLVED (UG/L AS CU)	<	2.0	
	3/16/19	93 1	01046	IRON, DISSOLVED (UG/L AS FE)		8130.	
	3 / 16 / 19	93 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	20.	
	3 / 16 / 19	93 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		201.	
	3/16/19	93 1	01075	SILVER, DISSOLVED (UG/L AS AG)	<	3.0	
	3/16/19	93 1	01090	ZINC, DISSOLVED (UG/L AS ZN)		7.5	
	3/16/19	93 1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	2.0	
	3/16/19	93 1	01503	ALPHA, DISSOLVED (PC/L)	<	3.0	
	3 / 16 / 19	93 1	03503	BETA, DISSOLVED (PC/L)		8.4	2.9
	3 / 16 / 19	93 1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		87	
	3 / 16 / 19	93 1	71890	MERCURY, DISSOLVED (UG/L AS HG)	<	0.13	
6735803							
	10 / 11 / 19	62 1	01045	IRON, TOTAL (UG/L AS FE)		15000.	
	10 / 11 / 19	62 1	01046	IRON, DISSOLVED (UG/L AS FE)	<	10.	
6735901							
	5 / 1 /19	62 1	01020	BORON, DISSOLVED (UG/L AS B)		650.	
	5 / 1 /19	62 1	01045	IRON, TOTAL (UG/L AS FE)		70.	
	5 / 1 /19	62 1	01046	IRON, DISSOLVED (UG/L AS FE)		60.	
6735903							
	6/29/19	98 1	00010	TEMPERATURE, WATER (CELSIUS)		32.3	
	4/22/19	99 1	00010	TEMPERATURE, WATER (CELSIUS)		31.7	
	6/14/20	00 1	00010	TEMPERATURE, WATER (CELSIUS)		31.4	
	6 / 8 / 20	01 1	00010	TEMPERATURE, WATER (CELSIUS)		31.2	
	6/26/20	02 1	00010	TEMPERATURE, WATER (CELSIUS)		31.8	
	5 / 5 /20	03 1	00010	TEMPERATURE, WATER (CELSIUS)		32.0	
	7/22/20	04 1	00010	TEMPERATURE, WATER (CELSIUS)		31.7	
	6/30/20	05 1	00010	TEMPERATURE, WATER (CELSIUS)		31.7	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
	10 / 4 /20	06 1	00010	TEMPERATURE, WATER (CELSIUS)		31.7	
	3 / 18 / 20	09 1	00010	TEMPERATURE, WATER (CELSIUS)		30.6	
	8/16/20	10 1	00010	TEMPERATURE, WATER (CELSIUS)		32.3	
	6/29/19	98 1	00090	OXIDATION REDUCTION POTENTIAL (ORP), MILLIVOLTS		-137.8	
	4/22/19	99 1	00090	OXIDATION REDUCTION POTENTIAL (ORP), MILLIVOLTS		-12.5	
	6/30/20	05 1	00094	SPECIFIC CONDUCTANCE, FIELD (UMHOS/CM AT 25C)		366	
	6/29/19	98 1	00608	NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)		0.26	
	4/22/19	99 1	00608	NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)	<	0.04	
	6/29/19	98 1	00623	NITROGEN, KJELDAHL, DISSOLVED (MG/L AS N)		0.12	
	4/22/19	99 1	00623	NITROGEN, KJELDAHL, DISSOLVED (MG/L AS N)		0.184	
	6/29/19	98 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.05	
	4/22/19	99 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.02	
	6/14/20	00 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.02	
	6 / 8 / 20	01 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.02	
	6/26/20	02 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.02	
	5 / 5 / 20	03 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.02	
	7 / 22 / 20	04 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.02	
	6/30/20	05 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)		0.0260	
	10 / 4 /20	06 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.1	
	6/29/19	98 1	00666	PHOSPHORUS, DISSOLVED (MG/L AS P)		0.19	
	4/22/19	99 1	00666	PHOSPHORUS, DISSOLVED (MG/L AS P)	<	0.04	
	3/18/20	09 1	00666	PHOSPHORUS, DISSOLVED (MG/L AS P)	<	0.01	
	8/16/20	10 1	00666	PHOSPHORUS, DISSOLVED (MG/L AS P)		0.06	
	6/29/19	98 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2	
	4/22/19	99 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2	
	6/14/20	00 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2	
	6 / 8 / 20	01 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2	
	6/26/20	02 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2	
	5 / 5 / 20	03 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
	7 / 22 / 20	04 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2	
	6/30/20	05 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2.04	
	10 / 4 /20	06 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	1	
	6/29/19	98 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		113	
	4/22/19	99 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		103	
	6/14/20	00 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		108	
	6 / 8 / 20	01 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		104	
	6/26/20	02 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		106	
	5 / 5 / 20	03 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		109	
	7/22/20	04 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		97.1	
	6/30/20	05 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		128	
	10 / 4 /20	06 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		115	
	6/29/19	98 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1	
	4/22/19	99 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1	
	6/14/20	00 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1	
	6 / 8 / 20	01 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1	
	6/26/20	02 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1	
	5 / 5 / 20	03 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1	
	7 / 22 / 20	04 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1	
	6/30/20	05 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1.02	
	10 / 4 /20	06 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1	
	6/29/19	98 1	01020	BORON, DISSOLVED (UG/L AS B)		68	
	4/22/19	99 1	01020	BORON, DISSOLVED (UG/L AS B)		51	
	6/14/20	00 1	01020	BORON, DISSOLVED (UG/L AS B)		69.7	
	6 / 8 / 20	01 1	01020	BORON, DISSOLVED (UG/L AS B)	<	51	
	6/26/20	02 1	01020	BORON, DISSOLVED (UG/L AS B)		204	
	5 / 5 /20	03 1	01020	BORON, DISSOLVED (UG/L AS B)		87.1	
	7 / 22 / 20	04 1	01020	BORON, DISSOLVED (UG/L AS B)		60.4	
	6/30/20	05 1	01020	BORON, DISSOLVED (UG/L AS B)		93.6	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value + or
	10 / 4 /20	06 1	01020	BORON, DISSOLVED (UG/L AS B)	<	100
	3 / 18 / 20	09 1	01020	BORON, DISSOLVED (UG/L AS B)		0.07
	8/16/20	10 1	01020	BORON, DISSOLVED (UG/L AS B)		80
	6/29/19	98 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1
	4/22/19	99 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1
	6/14/20	00 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1
	6 / 8 / 20	01 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1
	6/26/20	02 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1
	5 / 5 /20	03 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1
	7/22/20	04 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1
	6/30/20	05 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1.02
	10 / 4 /20	06 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1
	6/29/19	98 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)		1.5
	4/22/19	99 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)		4.1
	6/14/20	00 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)		2.80
	6 / 8 / 20	01 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)	<	1
	6/26/20	02 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)	<	1
	5 / 5 /20	03 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)		1.29
	7 / 22 / 20	04 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)	<	1
	6/30/20	05 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)	<	1.02
	10 / 4 / 20	06 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)	<	1
	6/29/19	98 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1
	4/22/19	99 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1
	6/14/20	00 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1
	6 / 8 / 20	01 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1
	6/26/20	02 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1
	5 / 5 /20	03 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1
	7 / 22 / 20	04 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1
	6/30/20	05 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1.02

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value + or -
	10 / 4 /20	06 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1
	6/29/19	98 1	01040	COPPER, DISSOLVED (UG/L AS CU)	<	2
	4/22/19	99 1	01040	COPPER, DISSOLVED (UG/L AS CU)	<	2
	6/14/20	00 1	01040	COPPER, DISSOLVED (UG/L AS CU)	<	2
	6 / 8 / 20	01 1	01040	COPPER, DISSOLVED (UG/L AS CU)	<	2
	6/26/20	02 1	01040	COPPER, DISSOLVED (UG/L AS CU)	<	1
	5 / 5 /20	03 1	01040	COPPER, DISSOLVED (UG/L AS CU)	<	1
	7 / 22 / 20	04 1	01040	COPPER, DISSOLVED (UG/L AS CU)	<	1
	6/30/20	05 1	01040	COPPER, DISSOLVED (UG/L AS CU)	<	1.02
	10 / 4 /20	06 1	01040	COPPER, DISSOLVED (UG/L AS CU)		1
	6/29/19	98 1	01046	IRON, DISSOLVED (UG/L AS FE)		669
	4/22/19	99 1	01046	IRON, DISSOLVED (UG/L AS FE)		425
	6/14/20	00 1	01046	IRON, DISSOLVED (UG/L AS FE)		855
	6 / 8 / 20	01 1	01046	IRON, DISSOLVED (UG/L AS FE)		863
	6/26/20	02 1	01046	IRON, DISSOLVED (UG/L AS FE)		827
	5 / 5 /20	03 1	01046	IRON, DISSOLVED (UG/L AS FE)		855
	7 / 22 / 20	04 1	01046	IRON, DISSOLVED (UG/L AS FE)		952
	6/30/20	05 1	01046	IRON, DISSOLVED (UG/L AS FE)	<	51
	10 / 4 /20	06 1	01046	IRON, DISSOLVED (UG/L AS FE)		809
	6/29/19	98 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1
	4/22/19	99 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1
	6/14/20	00 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1
	6 / 8 / 20	01 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1
	6/26/20	02 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1
	5 / 5 /20	03 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1
	7 / 22 / 20	04 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1
	6/30/20	05 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1.02
	10 / 4 /20	06 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1
	6/29/19	98 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		138

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value +	· or -
	4 / 22 / 19	99 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		119	
	6/14/20	00 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		133	
	6 / 8 / 20	01 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		141	
	6/26/20	02 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		137	
	5 / 5 / 20	03 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		140	
	7 / 22 / 20	04 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		127	
	6/30/20	05 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		153	
	10 / 4 /20	06 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		147	
	6/29/19	98 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1	
	4/22/19	99 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1	
	6 / 14 / 20	00 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1	
	6 / 8 / 20	01 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1	
	6/26/20	02 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1	
	5 / 5 / 20	03 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1	
	7/22/20	04 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1	
	6/30/20	05 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1.02	
	10 / 4 /20	06 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1	
	6/29/19	98 1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1	
	4/22/19	99 1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1	
	6/14/20	00 1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1	
	6 / 8 / 20	01 1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1	
	6/26/20	02 1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1	
	5 / 5 /20	03 1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1	
	7 / 22 / 20	04 1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1	
	6/30/20	05 1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1.02	
	10 / 4 /20	06 1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1	
	6/29/19	98 1	01065	NICKEL, DISSOLVED (UG/L AS NI)		1.4	
	4/22/19	99 1	01065	NICKEL, DISSOLVED (UG/L AS NI)		6.3	
	6/14/20	00 1	01065	NICKEL, DISSOLVED (UG/L AS NI)		1.00	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value + o	or -
	6 / 8 /20	01 1	01065	NICKEL, DISSOLVED (UG/L AS NI)	<	1	
	6/26/20	02 1	01065	NICKEL, DISSOLVED (UG/L AS NI)		1.03	
	5 / 5 / 20	03 1	01065	NICKEL, DISSOLVED (UG/L AS NI)		1.19	
	7/22/20	04 1	01065	NICKEL, DISSOLVED (UG/L AS NI)	<	1	
	6/29/19	98 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		188	
	4/22/19	99 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		173	
	6/14/20	00 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		186	
	6 / 8 / 20	01 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		166	
	6/26/20	02 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		198	
	5 / 5 /20	03 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		195	
	7 / 22 / 20	04 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		183	
	6/30/20	05 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		208	
	10 / 4 /20	06 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		186	
	6/29/19	98 1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	1	
	4/22/19	99 1	01085	VANADIUM, DISSOLVED (UG/L AS V)		1.2	
	6/14/20	00 1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	1	
	6 / 8 / 20	01 1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	1	
	6/26/20	02 1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	1	
	5 / 5 / 20	03 1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	1	
	7 / 22 / 20	04 1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	1	
	6/30/20	05 1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	1.02	
	10 / 4 / 20	06 1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	1	
	6/29/19	98 1	01090	ZINC, DISSOLVED (UG/L AS ZN)		11.6	
	4/22/19	99 1	01090	ZINC, DISSOLVED (UG/L AS ZN)		11.2	
	6/14/20	00 1	01090	ZINC, DISSOLVED (UG/L AS ZN)	<	4	
	6 / 8 / 20	01 1	01090	ZINC, DISSOLVED (UG/L AS ZN)	<	4	
	6/26/20	02 1	01090	ZINC, DISSOLVED (UG/L AS ZN)		4.97	
	5 / 5 /20	03 1	01090	ZINC, DISSOLVED (UG/L AS ZN)		6.40	
	7/22/20	04 1	01090	ZINC, DISSOLVED (UG/L AS ZN)		9.45	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value + or -
	6/30/20	05 1	01090	ZINC, DISSOLVED (UG/L AS ZN)		15.0
	10 / 4 /20	06 1	01090	ZINC, DISSOLVED (UG/L AS ZN)		8
	6/29/19	98 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1
	4/22/19	99 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1
	6/14/20	00 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1
	6 / 8 / 20	01 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1
	6/26/20	02 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1
	5 / 5 /20	03 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1
	7/22/20	04 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1
	6/30/20	05 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1.02
	10 / 4 /20	06 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1
	6/29/19	98 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	4
	4/22/19	99 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	4
	6/14/20	00 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	4
	6 / 8 / 20	01 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	4
	6/26/20	02 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	4
	5 / 5 /20	03 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	4
	7 / 22 / 20	04 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	4
	6/30/20	05 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	4.08
	10 / 4 /20	06 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	1
	6/29/19	98 1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		20.2
	4/22/19	99 1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		24.3
	6/14/20	00 1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		23.5
	6 / 8 / 20	01 1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		22.2
	6/26/20	02 1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		21.6
	5 / 5 /20	03 1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		20.9
	7 / 22 / 20	04 1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		19.4
	6/30/20	05 1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		18.8
	10 / 4 /20	06 1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		22

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
	6/29/19	98 1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	4	
	4/22/19	99 1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	4	
	6/14/20	000 1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	4	
	6 / 8 / 20	001 1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	4	
	6/26/20	002 1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	4	
	5 / 5 /20	003 1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	4	
	7/22/20	004 1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	4	
	6/30/20	005 1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	4.08	
	10 / 4 /20	006 1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	1	
	6/30/20	005 1	04241	GROSS ALPHA RADIATION, TOTAL, PRODUCED WATER(pCi/L)		1.7	1.2
	6/30/20	005 1	04242	GROSS BETA RADIATION, TOTAL, PRODUCED WATER(pCi/L)		11	1
	3/18/20	009 1	32101	BROMODICHLOROMETHANE, TOTAL, UG/L		0.7	
	3/18/20	009 1	32104	BROMOFORM, TOTAL, UG/L		0.5	
	3/18/20	009 1	32105	DIBROMOCHLOROMETHANE, TOTAL, UG/L		1.0	
	6/29/19	98 1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		108.6	
	4/22/19	99 1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		107.0	
	6/14/20	000 1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		100.0	
	6 / 8 / 20	001 1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		90	
	6/26/20	002 1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		109	
	5 / 5 /20	003 1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		108	
	7/22/20	004 1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		108	
	6/30/20	005 1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		108	
	6/29/19	98 1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.06	
	4/22/19	99 1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.12	
	6/14/20	000 1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.200	
	6 / 8 / 20	001 1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.116	
	6/26/20	002 1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.118	
	5 / 5 /20	003 1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.0837	
	7/22/20	004 1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.199	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
	6/30/200	05 1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.100	
	10 / 4 /200	06 1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)	<	0.50	
6735905							
	6/29/200	00 1	00010	TEMPERATURE, WATER (CELSIUS)		28.2	
	6 / 7 / 200	01 1	00010	TEMPERATURE, WATER (CELSIUS)		28.0	
	7 / 11 / 200	02 1	00010	TEMPERATURE, WATER (CELSIUS)		25.3	
	5 / 22 / 200	03 1	00010	TEMPERATURE, WATER (CELSIUS)		25.5	
	7 / 29 / 20	04 1	00010	TEMPERATURE, WATER (CELSIUS)		25.1	
	10 / 4 /200	06 1	00010	TEMPERATURE, WATER (CELSIUS)		25.1	
	4/23/200	09 1	00010	TEMPERATURE, WATER (CELSIUS)		23.6	
	6/29/200	00 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.02	
	6 / 7 /200	01 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.02	
	7/11/200	02 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.02	
	5 / 22 / 200	03 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.02	
	7 / 29 / 200	04 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)		0.0422	
	10 / 4 /200	06 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.1	
	4/23/200	09 1	00666	PHOSPHORUS, DISSOLVED (MG/L AS P)		0.03	
	6/29/200	00 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2	
	6 / 7 / 200	01 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2	
	7/11/200	02 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2	
	5 / 22 / 200	03 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2	
	7/29/200	04 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2.04	
	10 / 4 /200	06 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	1	
	6/29/200	00 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		94.2	
	6 / 7 / 200	01 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		32.2	
	7/11/200	02 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		37.6	
	5 / 22 / 200	03 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		39.4	
	7 / 29 / 200	04 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		38.0	
	10 / 4 /200	06 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		40	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
	6/29/20	00 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1	
	6 / 7 /20	01 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1	
	7/11/20	02 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1	
	5/22/20	03 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1	
	7 / 29 / 20	04 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1.02	
	10 / 4 /20	06 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1	
	6/29/20	00 1	01020	BORON, DISSOLVED (UG/L AS B)	<	50	
	6 / 7 /20	01 1	01020	BORON, DISSOLVED (UG/L AS B)		708	
	7/11/20	02 1	01020	BORON, DISSOLVED (UG/L AS B)		848	
	5/22/20	03 1	01020	BORON, DISSOLVED (UG/L AS B)		743	
	7 / 29 / 20	04 1	01020	BORON, DISSOLVED (UG/L AS B)		665	
	10 / 4 /20	06 1	01020	BORON, DISSOLVED (UG/L AS B)		752	
	4/23/20	09 1	01020	BORON, DISSOLVED (UG/L AS B)		760	
	6/29/20	00 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1	
	6 / 7 /20	01 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1	
	7 / 11 / 20	02 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1	
	5 / 22 / 20	03 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1	
	7 / 29 / 20	04 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1.02	
	10 / 4 /20	06 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1	
	6/29/20	00 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)		2.75	
	6 / 7 /20	01 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)		3.68	
	7 / 11 / 20	02 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)		2.93	
	5 / 22 / 20	03 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)		3.38	
	7 / 29 / 20	04 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)	<	1.02	
	10 / 4 /20	06 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)		2	
	6/29/20	00 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1	
	6 / 7 /20	01 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1	
	7/11/20	02 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1	
	5 / 22 / 20	03 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
	7 / 29 / 20	04 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1.02	
	10 / 4 /20	06 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1	
	6/29/20	00 1	01040	COPPER, DISSOLVED (UG/L AS CU)		12.9	
	6 / 7 / 20	01 1	01040	COPPER, DISSOLVED (UG/L AS CU)		22.1	
	7/11/20	02 1	01040	COPPER, DISSOLVED (UG/L AS CU)		1.81	
	5 / 22 / 20	03 1	01040	COPPER, DISSOLVED (UG/L AS CU)		2.70	
	7 / 29 / 20	04 1	01040	COPPER, DISSOLVED (UG/L AS CU)		1.83	
	10 / 4 /20	06 1	01040	COPPER, DISSOLVED (UG/L AS CU)		1	
	6/29/20	00 1	01046	IRON, DISSOLVED (UG/L AS FE)	<	50	
	6 / 7 /20	01 1	01046	IRON, DISSOLVED (UG/L AS FE)	<	51	
	7/11/20	02 1	01046	IRON, DISSOLVED (UG/L AS FE)	<	50	
	5 / 22 / 20	03 1	01046	IRON, DISSOLVED (UG/L AS FE)	<	50	
	7 / 29 / 20	04 1	01046	IRON, DISSOLVED (UG/L AS FE)	<	51	
	10 / 4 / 20	06 1	01046	IRON, DISSOLVED (UG/L AS FE)	<	30	
	6/29/20	00 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1	
	6 / 7 / 20	01 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1	
	7/11/20	02 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1	
	5 / 22 / 20	03 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1	
	7 / 29 / 20	04 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1.02	
	10 / 4 /20	06 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1	
	6/29/20	00 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)	<	1	
	6 / 7 /20	01 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		10.8	
	7 / 11 / 20	02 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		11.5	
	5 / 22 / 20	03 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		11.2	
	7 / 29 / 20	04 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		10.0	
	10 / 4 /20	06 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		10	
	6/29/20	00 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1	
	6 / 7 /20	01 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1	
	7/11/20	02 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value + or
	5 / 22 / 200	03 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1
	7 / 29 / 200	04 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1.02
	10 / 4 /200	06 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1
	6/29/200	00 1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1
	6 / 7 /200	01 1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1
	7/11/200	02 1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1
	5 / 22 / 200	03 1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1
	7 / 29 / 200	04 1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1.02
	10 / 4 /200	06 1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1
	6/29/200	00 1	01065	NICKEL, DISSOLVED (UG/L AS NI)	<	1
	6 / 7 /200	01 1	01065	NICKEL, DISSOLVED (UG/L AS NI)	<	1
	7/11/200	02 1	01065	NICKEL, DISSOLVED (UG/L AS NI)	<	1
	5 / 22 / 200	03 1	01065	NICKEL, DISSOLVED (UG/L AS NI)	<	1
	7 / 29 / 200	04 1	01065	NICKEL, DISSOLVED (UG/L AS NI)	<	1.02
	6/29/200	00 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		217
	6 / 7 /200	01 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		1070
	7/11/200	02 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		1200
	5 / 22 / 200	03 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		1080
	7 / 29 / 200	04 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		1340
	10 / 4 /200	06 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		1040
	6/29/200	00 1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	1
	6 / 7 /200	01 1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	1
	7/11/200	02 1	01085	VANADIUM, DISSOLVED (UG/L AS V)		1.16
	5 / 22 / 200	03 1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	1
	7 / 29 / 200	04 1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	1.02
	10 / 4 /200	06 1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	1
	6/29/200	00 1	01090	ZINC, DISSOLVED (UG/L AS ZN)		29.1
	6 / 7 /200	01 1	01090	ZINC, DISSOLVED (UG/L AS ZN)		10.3
	7 / 11 / 200	02 1	01090	ZINC, DISSOLVED (UG/L AS ZN)		5.23

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value + o
	5 / 22 / 200	03 1	01090	ZINC, DISSOLVED (UG/L AS ZN)		13.4
	7 / 29 / 200	04 1	01090	ZINC, DISSOLVED (UG/L AS ZN)		7.46
	10 / 4 /200	06 1	01090	ZINC, DISSOLVED (UG/L AS ZN)		5
	6/29/200	00 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1
	6 / 7 / 200	01 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1
	7/11/200	02 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1
	5 / 22 / 200	03 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1
	7 / 29 / 200	04 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1.02
	10 / 4 /200	06 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1
	6/29/200	00 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	4
	6 / 7 /200	01 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	4
	7/11/200	02 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	4
	5 / 22 / 200	03 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	4
	7 / 29 / 200	04 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	4.08
	10 / 4 /200	06 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)		2
	6/29/200	00 1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		26.5
	6 / 7 /200	01 1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		79.6
	7/11/200	02 1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		72.2
	5 / 22 / 200	03 1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		72.7
	7 / 29 / 200	04 1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		84.5
	10 / 4 /200	06 1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		66
	6/29/200	00 1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	4
	6 / 7 /200	01 1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	4
	7 / 11 / 200	02 1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	4
	5 / 22 / 200	03 1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	4
	7 / 29 / 200	04 1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	4.08
	10 / 4 /200	06 1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	1
	6/29/200	00 1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		100
	6 / 7 / 200	01 1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		276

tate Well Number	Date S	ample#	Storet Code	Description	Flag Value + or -
	7 / 11 / 2002	1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3	274
	5 / 22 / 2003	1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3	272
	7 / 29 / 2004	1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3	272
	6/29/2000	1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)	0.0400
	6 / 7 /2001	1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)	0.467
	7 / 11 / 2002	1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)	0.567
	5 / 22 / 2003	1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)	0.415
	7 / 29 / 2004	1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)	0.895
	10 / 4 /2006	1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)	< 0.50
6736105					
	4 / 7 /2009	1	00010	TEMPERATURE, WATER (CELSIUS)	30.9
	4 / 7 /2009	1	00666	PHOSPHORUS, DISSOLVED (MG/L AS P)	< 0.01
	4 / 7 /2009	1	01020	BORON, DISSOLVED (UG/L AS B)	0.33
6736106					
	8 / 18 / 2010	1	00010	TEMPERATURE, WATER (CELSIUS)	31.6
	8 / 18 / 2010	1	00666	PHOSPHORUS, DISSOLVED (MG/L AS P)	0.05
	8 / 18 / 2010	1	01020	BORON, DISSOLVED (UG/L AS B)	800
6736501					
	4 / 13 / 1959	1	01020	BORON, DISSOLVED (UG/L AS B)	100.
6736502					
	3 / 30 / 1962	1	01020	BORON, DISSOLVED (UG/L AS B)	1300.
	3 / 30 / 1962	1	01045	IRON, TOTAL (UG/L AS FE)	17000.
	3 / 30 / 1962	1	01046	IRON, DISSOLVED (UG/L AS FE)	330.
6736503					
	10 / 11 / 1962	1	01045	IRON, TOTAL (UG/L AS FE)	2800.
	10 / 11 / 1962	1	01046	IRON, DISSOLVED (UG/L AS FE)	20.
6736505	, ,				
	5 / 15 / 1969	1	01020	BORON, DISSOLVED (UG/L AS B)	700.
6736601	- 10 1707	•	01020	,	

ate Well Number	Date S	ample#	Storet Code	Description	Flag	Value + o	or -
	3 / 15 / 1994	1	00010	TEMPERATURE, WATER (CELSIUS)		22.3	
	3 / 15 / 1994	1	00090	OXIDATION REDUCTION POTENTIAL (ORP), MILLIVOLTS		-234.6	
	3 / 15 / 1994	1	00608	NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)		1.88	
	3 / 15 / 1994	1	00613	NITRITE NITROGEN, DISSOLVED (MG/L AS N)	<	0.01	
	3 / 15 / 1994	1	00618	NITRATE NITROGEN, DISSOLVED (MG/L AS N)	<	0.01	
	3 / 15 / 1994	1	00623	NITROGEN, KJELDAHL, DISSOLVED (MG/L AS N)		2.8	
	3 / 15 / 1994	1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2.0	
	3 / 15 / 1994	1	01005	BARIUM, DISSOLVED (UG/L AS BA)		55.3	
	3 / 15 / 1994	1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	2.0	
	3 / 15 / 1994	1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)	<	4.0	
	3 / 15 / 1994	1	01040	COPPER, DISSOLVED (UG/L AS CU)	<	2.0	
	3 / 15 / 1994	1	01046	IRON, DISSOLVED (UG/L AS FE)		179.	
	3 / 15 / 1994	1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	5.0	
	3 / 15 / 1994	1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		11.4	
	3 / 15 / 1994	1	01075	SILVER, DISSOLVED (UG/L AS AG)	<	10.	
	3 / 15 / 1994	1	01090	ZINC, DISSOLVED (UG/L AS ZN)	<	5.0	
	3 / 15 / 1994	1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	4.0	
	3 / 15 / 1994	1	01503	ALPHA, DISSOLVED (PC/L)	<	4.0	
	3 / 15 / 1994	1	03503	BETA, DISSOLVED (PC/L)	<	10	
	3 / 15 / 1994	1	71890	MERCURY, DISSOLVED (UG/L AS HG)	<	0.13	
	3 / 15 / 1994	1	82244	ALKALINITY PHENOLPHTHALEIN FIELD DATA (MG/L)		40.0	
6736604							
	4/3/1959	1	01020	BORON, DISSOLVED (UG/L AS B)		920.	
6736606							
	8 / 6 /1998	1	00010	TEMPERATURE, WATER (CELSIUS)		27.9	
	4 / 22 / 1999	1	00010	TEMPERATURE, WATER (CELSIUS)		30.2	
	6/29/2000	1	00010	TEMPERATURE, WATER (CELSIUS)		31.2	
	6 / 8 /2001	1	00010	TEMPERATURE, WATER (CELSIUS)		31.3	
	7 / 11 / 2002	1	00010	TEMPERATURE, WATER (CELSIUS)		29.7	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
	5 / 22 / 200	03 1	00010	TEMPERATURE, WATER (CELSIUS)		29.8	
	4 / 1 /200	09 1	00010	TEMPERATURE, WATER (CELSIUS)		21.9	
	8/16/20	10 1	00010	TEMPERATURE, WATER (CELSIUS)		32.5	
	8 / 6 / 199	98 1	00090	OXIDATION REDUCTION POTENTIAL (ORP), MILLIVOLTS		-341.2	
	4 / 22 / 199	99 1	00090	OXIDATION REDUCTION POTENTIAL (ORP), MILLIVOLTS		-308.3	
	4 / 1 /200	09 1	00300	OXYGEN, DISSOLVED (MG/L)		1.3	
	8 / 6 / 199	98 1	00608	NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)		1.39	
	4 / 22 / 199	99 1	00608	NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)		1.192	
	8 / 6 / 199	98 1	00623	NITROGEN, KJELDAHL, DISSOLVED (MG/L AS N)		1.68	
	4/22/199	99 1	00623	NITROGEN, KJELDAHL, DISSOLVED (MG/L AS N)		1.62	
	8 / 6 / 199	98 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.05	
	4/22/199	99 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.02	
	6/29/200	00 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.02	
	6 / 8 / 200	01 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.02	
	7/11/200	02 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.02	
	5 / 22 / 200	03 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.02	
	4 / 1 /200	09 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.02	
	8 / 6 / 199	98 1	00666	PHOSPHORUS, DISSOLVED (MG/L AS P)		0.13	
	4 / 22 / 199	99 1	00666	PHOSPHORUS, DISSOLVED (MG/L AS P)		0.061	
	8 / 16 / 20	10 1	00666	PHOSPHORUS, DISSOLVED (MG/L AS P)		0.10	
	8 / 6 / 199	98 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	4	
	4 / 22 / 199	99 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2	
	6/29/200	00 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2	
	6 / 8 / 200	01 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2	
	7 / 11 / 200	02 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)		3.44	
	5 / 22 / 200	03 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)		4.98	
	4 / 1 /200	09 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2.04	
	8 / 6 / 199	98 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		7.9	
	4/22/199	99 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		8.2	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value + or
	6/29/200	00 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		7.77
	6 / 8 / 200	01 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		6.92
	7 / 11 / 200)2 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		8.28
	5 / 22 / 200	03 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		8.42
	4 / 1 /200)9 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		8.68
	8 / 6 / 199	98 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	2
	4 / 22 / 199	99 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1
	6/29/200	00 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1
	6 / 8 /200	01 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1
	7/11/200)2 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1
	5 / 22 / 200	03 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1
	4 / 1 /200	9 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1.02
	8 / 6 / 199	98 1	01020	BORON, DISSOLVED (UG/L AS B)		1430
	4 / 22 / 199	99 1	01020	BORON, DISSOLVED (UG/L AS B)		1490
	6/29/200	00 1	01020	BORON, DISSOLVED (UG/L AS B)		1530
	6 / 8 / 200	01 1	01020	BORON, DISSOLVED (UG/L AS B)		1430
	7 / 11 / 200)2 1	01020	BORON, DISSOLVED (UG/L AS B)		1540
	5 / 22 / 200)3 1	01020	BORON, DISSOLVED (UG/L AS B)		1370
	4 / 1 /200	9 1	01020	BORON, DISSOLVED (UG/L AS B)		1530
	8 / 16 / 201	0 1	01020	BORON, DISSOLVED (UG/L AS B)		1530
	8 / 6 / 199	98 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	2
	4 / 22 / 199	99 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1
	6/29/200	00 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1
	6 / 8 / 200	01 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1
	7 / 11 / 200)2 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1
	5 / 22 / 200)3 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1
	4 / 1 /200	9 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1.02
	8 / 6 / 199	98 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)		5.7
	4/22/199	99 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)		18.3

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
	6 / 29 / 200	00 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)		7.41	
	6 / 8 /200	01 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)		4.16	
	7 / 11 / 200)2 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)		3.01	
	5 / 22 / 200	03 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)		3.88	
	4 / 1 /200)9 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)	<	1.02	
	8 / 6 / 199	98 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	2	
	4 / 22 / 199	99 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1	
	6/29/200	00 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1	
	6 / 8 /200	01 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1	
	7 / 11 / 200)2 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1	
	5 / 22 / 200	03 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1	
	4 / 1 /200)9 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1.02	
	8 / 6 / 199	98 1	01040	COPPER, DISSOLVED (UG/L AS CU)		33.5	
	4 / 22 / 199	99 1	01040	COPPER, DISSOLVED (UG/L AS CU)		6.5	
	6/29/200	00 1	01040	COPPER, DISSOLVED (UG/L AS CU)	<	2	
	6 / 8 / 200	01 1	01040	COPPER, DISSOLVED (UG/L AS CU)		3.01	
	7 / 11 / 200)2 1	01040	COPPER, DISSOLVED (UG/L AS CU)		2.59	
	5 / 22 / 200)3 1	01040	COPPER, DISSOLVED (UG/L AS CU)		2.48	
	4 / 1 /200)9 1	01040	COPPER, DISSOLVED (UG/L AS CU)		9.66	
	8 / 6 / 199	98 1	01046	IRON, DISSOLVED (UG/L AS FE)		55	
	4/22/199	99 1	01046	IRON, DISSOLVED (UG/L AS FE)	<	50	
	6/29/200	00 1	01046	IRON, DISSOLVED (UG/L AS FE)	<	50	
	6 / 8 /200	01 1	01046	IRON, DISSOLVED (UG/L AS FE)	<	51	
	7 / 11 / 200)2 1	01046	IRON, DISSOLVED (UG/L AS FE)	<	50	
	5 / 22 / 200	03 1	01046	IRON, DISSOLVED (UG/L AS FE)		51.3	
	4 / 1 /200	09 1	01046	IRON, DISSOLVED (UG/L AS FE)	<	51	
	8 / 6 / 199	98 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	2	
	4 / 22 / 199	99 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1	
	6/29/200	00 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value +	+ or -
	6 / 8 /200	01 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1	
	7 / 11 / 200)2 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1	
	5 / 22 / 200	03 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1	
	4 / 1 /200	9 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1.02	
	8 / 6 / 199	98 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		9.8	
	4 / 22 / 199	99 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		2.6	
	6/29/200	00 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		4.29	
	6 / 8 /200	01 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		1.64	
	7 / 11 / 200)2 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		8.18	
	5 / 22 / 200	03 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		6.98	
	4 / 1 /200	9 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		9.36	
	8 / 6 / 199	98 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	2	
	4 / 22 / 199	99 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1	
	6/29/200	00 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1	
	6 / 8 / 200	01 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1	
	7/11/200)2 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1	
	5 / 22 / 200	03 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1	
	4 / 1 /200	9 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1.02	
	8 / 6 / 199	98 1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	2	
	4 / 22 / 199	99 1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1	
	6/29/200	00 1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1	
	6 / 8 / 200	01 1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1	
	7/11/200)2 1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1	
	5 / 22 / 200)3 1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1	
	4 / 1 /200	9 1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1.02	
	8 / 6 / 199	98 1	01065	NICKEL, DISSOLVED (UG/L AS NI)	<	2	
	4 / 22 / 199	9 1	01065	NICKEL, DISSOLVED (UG/L AS NI)	<	1	
	6/29/200	00 1	01065	NICKEL, DISSOLVED (UG/L AS NI)	<	1	
	6 / 8 / 200	01 1	01065	NICKEL, DISSOLVED (UG/L AS NI)	<	1	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value +	or -
	7 / 11 / 200	2 1	01065	NICKEL, DISSOLVED (UG/L AS NI)	<	1	
	5 / 22 / 200	3 1	01065	NICKEL, DISSOLVED (UG/L AS NI)	<	1	
	4 / 1 /200	9 1	01075	SILVER, DISSOLVED (UG/L AS AG)	<	1.02	
	8 / 6 / 199	8 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		87.5	
	4/22/199	9 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		72	
	6/29/200	0 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		96.2	
	6 / 8 /200	1 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		63.6	
	7 / 11 / 200	2 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		90.3	
	5 / 22 / 200	3 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		82.0	
	4 / 1 /200	9 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		103	
	8 / 6 / 199	8 1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	2	
	4 / 22 / 199	9 1	01085	VANADIUM, DISSOLVED (UG/L AS V)		4.8	
	6/29/200	0 1	01085	VANADIUM, DISSOLVED (UG/L AS V)		2.02	
	6 / 8 /200	1 1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	1	
	7 / 11 / 200	2 1	01085	VANADIUM, DISSOLVED (UG/L AS V)		1.24	
	5 / 22 / 200	3 1	01085	VANADIUM, DISSOLVED (UG/L AS V)		1.01	
	4 / 1 /200	9 1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	1.02	
	8 / 6 / 199	8 1	01090	ZINC, DISSOLVED (UG/L AS ZN)	<	8	
	4 / 22 / 199	9 1	01090	ZINC, DISSOLVED (UG/L AS ZN)	<	4	
	6/29/200	0 1	01090	ZINC, DISSOLVED (UG/L AS ZN)	<	4	
	6 / 8 /200	1 1	01090	ZINC, DISSOLVED (UG/L AS ZN)	<	4	
	7 / 11 / 200	2 1	01090	ZINC, DISSOLVED (UG/L AS ZN)	<	4	
	5 / 22 / 200	3 1	01090	ZINC, DISSOLVED (UG/L AS ZN)		5.33	
	4 / 1 /200	9 1	01090	ZINC, DISSOLVED (UG/L AS ZN)		5.35	
	8 / 6 / 199	8 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	2	
	4 / 22 / 199	9 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1	
	6/29/200	0 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1	
	6 / 8 /200	1 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1	
	7/11/200	2 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1	

State Well Number	Date	Sample#	Storet Code	Description	Flag Value + or -
	5 / 22 / 200	03 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	< 1
	4 / 1 /200	9 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	< 1.02
	8 / 6 / 199	08 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	8.3
	4/22/199	9 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	8.1
	6/29/200	00 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	8.08
	6 / 8 /200)1 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	6.80
	7 / 11 / 200)2 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	11.2
	5 / 22 / 200	03 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	8.17
	4 / 1 /200	9 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	11.1
	8 / 6 / 199	98 1	01130	LITHIUM, DISSOLVED (UG/L AS LI)	19.4
	4 / 22 / 199	9 1	01130	LITHIUM, DISSOLVED (UG/L AS LI)	22.2
	6/29/200	00 1	01130	LITHIUM, DISSOLVED (UG/L AS LI)	25.3
	6 / 8 /200	01 1	01130	LITHIUM, DISSOLVED (UG/L AS LI)	19.9
	7 / 11 / 200)2 1	01130	LITHIUM, DISSOLVED (UG/L AS LI)	20.4
	5 / 22 / 200	03 1	01130	LITHIUM, DISSOLVED (UG/L AS LI)	21.2
	4 / 1 /200	9 1	01130	LITHIUM, DISSOLVED (UG/L AS LI)	22.7
	8 / 6 / 199	98 1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	15.2
	4 / 22 / 199	9 1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	14.4
	6/29/200	00 1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	15.3
	6 / 8 / 200	01 1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	89.3
	7/11/200)2 1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	74.3
	5 / 22 / 200	03 1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	127
	4 / 1 /200	9 1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	< 4.08
	4 / 1 /200	9 1	22703	URANIUM, NATURAL, DISSOLVED, UG/L	< 1.02
	8 / 6 / 199	98 1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3	320
	4 / 22 / 199	9 1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3	318.0
	6/29/200	00 1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3	316
	6 / 8 / 200	1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3	318
	7/11/200)2 1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3	314

State Well Number	Date Sa	mple#	Storet Code	Description	Flag	Value +	or -
	5 / 22 / 2003	1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		328	
	4 / 1 /2009	1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		286	
	4 / 1 /2009	1	50938	ANION/CATION CHG BAL, PERCENT		2.13	
	8 / 6 / 1998	1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		1.38	
	4/22/1999	1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		1.34	
	6/29/2000	1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		1.40	
	6 / 8 /2001	1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		1.01	
	7 / 11 / 2002	1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		1.70	
	5 / 22 / 2003	1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		1.14	
	4 / 1 /2009	1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		1.29	
	4 / 1 /2009	1	71890	MERCURY, DISSOLVED (UG/L AS HG)	<	0.200	
	4 / 22 / 1999	1	82244	ALKALINITY PHENOLPHTHALEIN FIELD DATA (MG/L)		14.0	
	6/29/2000	1	82244	ALKALINITY PHENOLPHTHALEIN FIELD DATA (MG/L)		14	
	6 / 8 /2001	1	82244	ALKALINITY PHENOLPHTHALEIN FIELD DATA (MG/L)		14.0	
	5 / 22 / 2003	1	82244	ALKALINITY PHENOLPHTHALEIN FIELD DATA (MG/L)		14	
	4 / 1 /2009	1	82244	ALKALINITY PHENOLPHTHALEIN FIELD DATA (MG/L)		12	
6736802							
	4 / 7 /2009	1	00010	TEMPERATURE, WATER (CELSIUS)		39.6	
	8/16/2010	1	00010	TEMPERATURE, WATER (CELSIUS)		41.5	
	4/26/2011	1	00010	TEMPERATURE, WATER (CELSIUS)		40.7	
	4/26/2011	1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.020	
	4 / 7 /2009	1	00666	PHOSPHORUS, DISSOLVED (MG/L AS P)	<	0.01	
	8/16/2010	1	00666	PHOSPHORUS, DISSOLVED (MG/L AS P)		0.06	
	4/26/2011	1	00666	PHOSPHORUS, DISSOLVED (MG/L AS P)		0.030	
	4/26/2011	1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2.0	
	4/26/2011	1	01005	BARIUM, DISSOLVED (UG/L AS BA)		51.5	
	4/26/2011	1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1.0	
	4 / 7 /2009	1	01020	BORON, DISSOLVED (UG/L AS B)		0.26	
	8/16/2010	1	01020	BORON, DISSOLVED (UG/L AS B)		0.29	

ate Well Number	Date	Sample#	Storet Code	Description	Flag	Value + or
	4 / 26 / 201	1 1	01020	BORON, DISSOLVED (UG/L AS B)		245
	4 / 26 / 201	1 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1.0
	4/26/201	1 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)	<	1.0
	4/26/201	1 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1.0
	4/26/201	1 1	01040	COPPER, DISSOLVED (UG/L AS CU)		2.0
	4/26/201	1 1	01046	IRON, DISSOLVED (UG/L AS FE)	<	51
	4 / 26 / 201	1 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1.0
	4 / 26 / 201	1 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		4.0
	4/26/201	1 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1.0
	4/26/201	1 1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1.0
	4 / 26 / 201	1 1	01075	SILVER, DISSOLVED (UG/L AS AG)	<	1.0
	4 / 26 / 201	1 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		250
	4 / 26 / 201	1 1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	1.0
	4 / 26 / 201	1 1	01090	ZINC, DISSOLVED (UG/L AS ZN)	<	4.1
	4/26/201	1 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1.0
	4 / 26 / 201	1 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)		9.9
	4 / 26 / 201	1 1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		32.4
	4 / 26 / 201	1 1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	4.1
	4 / 26 / 201	1 1	22703	URANIUM, NATURAL, DISSOLVED, UG/L	<	1.0
	4 / 26 / 201	1 1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		220
	4 / 26 / 201	1 1	50938	ANION/CATION CHG BAL, PERCENT		3.22
	4 / 26 / 201	1 1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.08
	4 / 26 / 201	1 1	71890	MERCURY, DISSOLVED (UG/L AS HG)	<	0.200
6736803						
	4 / 26 / 196	52 1	01045	IRON, TOTAL (UG/L AS FE)		80.
	4 / 26 / 196	52 1	01046	IRON, DISSOLVED (UG/L AS FE)		10.
6736806						
	8 / 16 / 201	0 1	00010	TEMPERATURE, WATER (CELSIUS)		43.5
	8 / 16 / 201	0 1	00666	PHOSPHORUS, DISSOLVED (MG/L AS P)		1.26

State Well Number	Date	Sample#	Storet Code	Description	Flag Value + o
	8 / 16 / 201	0 1	01020	BORON, DISSOLVED (UG/L AS B)	150
6737201					
	3 / 17 / 199	3 1	00010	TEMPERATURE, WATER (CELSIUS)	43.6
	6/30/199	98 1	00010	TEMPERATURE, WATER (CELSIUS)	41.8
	4 / 15 / 199	9 1	00010	TEMPERATURE, WATER (CELSIUS)	41.3
	5 / 10 / 200	00 1	00010	TEMPERATURE, WATER (CELSIUS)	41.9
	5 / 24 / 200	1	00010	TEMPERATURE, WATER (CELSIUS)	42.3
	6 / 24 / 200)2 1	00010	TEMPERATURE, WATER (CELSIUS)	42.8
	5 / 5 /200	03 1	00010	TEMPERATURE, WATER (CELSIUS)	42.8
	7 / 22 / 200)4 1	00010	TEMPERATURE, WATER (CELSIUS)	33.0
	6/29/200	5 1	00010	TEMPERATURE, WATER (CELSIUS)	33.0
	10 / 3 /200	06 1	00010	TEMPERATURE, WATER (CELSIUS)	41.6
	3 / 18 / 200	9 1	00010	TEMPERATURE, WATER (CELSIUS)	41.2
	8/16/201	.0 1	00010	TEMPERATURE, WATER (CELSIUS)	42.5
	3 / 17 / 199	3 1	00090	OXIDATION REDUCTION POTENTIAL (ORP), MILLIVOLTS	77.9
	6/30/199	08 1	00090	OXIDATION REDUCTION POTENTIAL (ORP), MILLIVOLTS	-138.1
	4/15/199	9 1	00090	OXIDATION REDUCTION POTENTIAL (ORP), MILLIVOLTS	-77.3
	6/29/200	5 1	00094	SPECIFIC CONDUCTANCE, FIELD (UMHOS/CM AT 25C)	3190
	3 / 17 / 199	3 1	00608	NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)	1.74
	6/30/199	08 1	00608	NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)	2.11
	4 / 15 / 199	9 1	00608	NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)	2.148
	3 / 17 / 199	3 1	00613	NITRITE NITROGEN, DISSOLVED (MG/L AS N)	< 0.01
	3 / 17 / 199	3 1	00618	NITRATE NITROGEN, DISSOLVED (MG/L AS N)	< 0.01
	3 / 17 / 199	3 1	00623	NITROGEN, KJELDAHL, DISSOLVED (MG/L AS N)	2.1
	6/30/199	08 1	00623	NITROGEN, KJELDAHL, DISSOLVED (MG/L AS N)	2.24
	4 / 15 / 199	9 1	00623	NITROGEN, KJELDAHL, DISSOLVED (MG/L AS N)	2.191
	6/30/199	98 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	< 0.05
	4 / 15 / 199	9 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	< 0.05
	5 / 10 / 200	00 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	< 0.02

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
	5 / 24 / 20	01 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.02	
	6/24/20	02 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.02	
	5 / 5 /20	03 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.02	
	7 / 22 / 20	04 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)		0.0305	
	6/30/20	05 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.02	
	10 / 3 /20	06 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.1	
	6/30/19	98 1	00666	PHOSPHORUS, DISSOLVED (MG/L AS P)		0.23	
	4 / 15 / 19	99 1	00666	PHOSPHORUS, DISSOLVED (MG/L AS P)	<	0.04	
	3/18/20	09 1	00666	PHOSPHORUS, DISSOLVED (MG/L AS P)		0.07	
	8/16/20	10 1	00666	PHOSPHORUS, DISSOLVED (MG/L AS P)		0.10	
	3 / 17 / 19	93 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	1.0	
	6/30/19	98 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	10	
	4/15/19	99 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2	
	5/10/20	00 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2	
	5 / 24 / 20	01 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2	
	6/24/20	02 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	4	
	5 / 5 /20	03 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2	
	7 / 22 / 20	04 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2	
	6/30/20	05 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)		2.70	
	10 / 3 /20	06 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	1	
	3 / 17 / 19	93 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		145.	
	6/30/19	98 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		158	
	4/15/19	99 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		169	
	5 / 10 / 20	00 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		154	
	5 / 24 / 20	01 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		160	
	6/24/20	02 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		151	
	5 / 5 /20	03 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		150	
	7 / 22 / 20	04 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		141	
	6/30/20	05 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		166	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value + or
	10 / 3 /20	06 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		164
	6/30/19	98 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	5
	4/15/19	99 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1
	5/10/20	00 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1
	5 / 24 / 20	01 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1
	6/24/20	02 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	2
	5 / 5 /20	03 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1
	7 / 22 / 20	04 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1
	6/30/20	05 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1.02
	10 / 3 /20	06 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1
	6/30/19	98 1	01020	BORON, DISSOLVED (UG/L AS B)		4020
	4 / 15 / 19	99 1	01020	BORON, DISSOLVED (UG/L AS B)		4170
	5/10/20	00 1	01020	BORON, DISSOLVED (UG/L AS B)		4210
	5 / 24 / 20	01 1	01020	BORON, DISSOLVED (UG/L AS B)		4300
	6/24/20	02 1	01020	BORON, DISSOLVED (UG/L AS B)		4100
	5 / 5 /20	03 1	01020	BORON, DISSOLVED (UG/L AS B)		3940
	7/22/20	04 1	01020	BORON, DISSOLVED (UG/L AS B)		3890
	6/30/20	05 1	01020	BORON, DISSOLVED (UG/L AS B)		3960
	10 / 3 /20	06 1	01020	BORON, DISSOLVED (UG/L AS B)		3960
	3/18/20	09 1	01020	BORON, DISSOLVED (UG/L AS B)		4160
	8/16/20	10 1	01020	BORON, DISSOLVED (UG/L AS B)		4310
	3 / 17 / 19	93 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	2.0
	6/30/19	98 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	5
	4/15/19	99 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1
	5 / 10 / 20	00 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1
	5 / 24 / 20	01 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1
	6/24/20	02 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	2
	5 / 5 /20	03 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1
	7/22/20	04 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
	6/30/200	05 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1.02	
	10 / 3 /200	06 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1	
	3 / 17 / 199	93 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)	<	4.0	
	6/30/199	98 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)		12.9	
	4 / 15 / 199	99 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)		58.6	
	5 / 10 / 200	00 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)		16.4	
	5 / 24 / 200	01 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)	<	1	
	6/24/200	02 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)		6.31	
	5 / 5 /200	03 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)		11.3	
	7/22/200	04 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)		2.39	
	6/30/200	05 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)		1.11	
	10 / 3 /200	06 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)		4	
	6/30/199	98 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	5	
	4/15/199	99 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1	
	5 / 10 / 200	00 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1	
	5 / 24 / 200	01 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1	
	6/24/200	02 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	2	
	5 / 5 /200	03 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1	
	7 / 22 / 200	04 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1	
	6/30/200	05 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1.02	
	10 / 3 /200	06 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1	
	3 / 17 / 199	93 1	01040	COPPER, DISSOLVED (UG/L AS CU)	<	2.0	
	6/30/199	98 1	01040	COPPER, DISSOLVED (UG/L AS CU)		15.2	
	4 / 15 / 199	99 1	01040	COPPER, DISSOLVED (UG/L AS CU)		17.2	
	5 / 10 / 200	00 1	01040	COPPER, DISSOLVED (UG/L AS CU)		3.56	
	5 / 24 / 200	01 1	01040	COPPER, DISSOLVED (UG/L AS CU)		5.30	
	6/24/200	02 1	01040	COPPER, DISSOLVED (UG/L AS CU)		7.01	
	5 / 5 /200	03 1	01040	COPPER, DISSOLVED (UG/L AS CU)		7.80	
	7 / 22 / 200	04 1	01040	COPPER, DISSOLVED (UG/L AS CU)		19.5	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value + or
	6/30/200	5 1	01040	COPPER, DISSOLVED (UG/L AS CU)		4.43
	10 / 3 /200	6 1	01040	COPPER, DISSOLVED (UG/L AS CU)		43
	3 / 17 / 199	3 1	01046	IRON, DISSOLVED (UG/L AS FE)		14.8
	6/30/199	8 1	01046	IRON, DISSOLVED (UG/L AS FE)		73
	4 / 15 / 199	9 1	01046	IRON, DISSOLVED (UG/L AS FE)		59
	5 / 10 / 200	00 1	01046	IRON, DISSOLVED (UG/L AS FE)	<	50
	5 / 24 / 200	1 1	01046	IRON, DISSOLVED (UG/L AS FE)	<	51
	6/24/200	2 1	01046	IRON, DISSOLVED (UG/L AS FE)	<	50
	5 / 5 /200	3 1	01046	IRON, DISSOLVED (UG/L AS FE)	<	50
	7/22/200	1	01046	IRON, DISSOLVED (UG/L AS FE)	<	50
	6/30/200	5 1	01046	IRON, DISSOLVED (UG/L AS FE)	<	51
	10 / 3 /200	6 1	01046	IRON, DISSOLVED (UG/L AS FE)		45
	3 / 17 / 199	3 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	20.
	6/30/199	8 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	5
	4/15/199	9 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1
	5 / 10 / 200	00 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1
	5 / 24 / 200	1 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1
	6/24/200	2 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	2
	5 / 5 /200	3 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1
	7 / 22 / 200	1	01049	LEAD, DISSOLVED (UG/L AS PB)		1.25
	6/30/200	5 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1.02
	10 / 3 /200	06 1	01049	LEAD, DISSOLVED (UG/L AS PB)		3
	3 / 17 / 199	3 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		9.5
	6/30/199	8 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		8.7
	4 / 15 / 199	9 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		6.8
	5 / 10 / 200	0 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		7.68
	5 / 24 / 200	1 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		7.87
	6/24/200	2 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		8.72
	5 / 5 /200	3 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		7.68

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value + or
	7 / 22 / 200	04 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		9.61
	6/30/200	05 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		8.58
	10 / 3 /200	06 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		8
	6/30/199	98 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	5
	4/15/199	99 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1
	5/10/200	00 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1
	5 / 24 / 200	01 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1
	6/24/200	02 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	2
	5 / 5 / 200	03 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1
	7/22/200	04 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1
	6/30/200	05 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1.02
	10 / 3 /200	06 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1
	6/30/199	98 1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	5
	4/15/199	99 1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1
	5/10/200	00 1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1
	5 / 24 / 200	01 1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1
	6/24/200	02 1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	2
	5 / 5 / 200	03 1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1
	7 / 22 / 200	04 1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1
	6/30/200	05 1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1.02
	10 / 3 /200	06 1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1
	6/30/199	98 1	01065	NICKEL, DISSOLVED (UG/L AS NI)	<	5
	4/15/199	99 1	01065	NICKEL, DISSOLVED (UG/L AS NI)	<	1
	5 / 10 / 200	00 1	01065	NICKEL, DISSOLVED (UG/L AS NI)	<	1
	5 / 24 / 200	01 1	01065	NICKEL, DISSOLVED (UG/L AS NI)	<	1
	6/24/200	02 1	01065	NICKEL, DISSOLVED (UG/L AS NI)	<	2
	5 / 5 /200	03 1	01065	NICKEL, DISSOLVED (UG/L AS NI)	<	1
	7 / 22 / 200	04 1	01065	NICKEL, DISSOLVED (UG/L AS NI)	<	1
	3 / 17 / 199	93 1	01075	SILVER, DISSOLVED (UG/L AS AG)	<	3.0

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
	6/30/19	98 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		576	
	4/15/19	99 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		631	
	5/10/20	00 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		595	
	5 / 24 / 20	01 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		593	
	6/24/20	02 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		582	
	5 / 5 /20	03 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		518	
	7 / 22 / 20	04 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		545	
	6/30/20	05 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		559	
	10 / 3 /20	06 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		538	
	6/30/19	98 1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	5	
	4 / 15 / 19	99 1	01085	VANADIUM, DISSOLVED (UG/L AS V)		16	
	5/10/20	00 1	01085	VANADIUM, DISSOLVED (UG/L AS V)		1.38	
	5 / 24 / 20	01 1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	1	
	6/24/20	02 1	01085	VANADIUM, DISSOLVED (UG/L AS V)		2.00	
	5 / 5 /20	03 1	01085	VANADIUM, DISSOLVED (UG/L AS V)		2.99	
	7 / 22 / 20	04 1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	1	
	6/30/20	05 1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	1.02	
	10 / 3 /20	06 1	01085	VANADIUM, DISSOLVED (UG/L AS V)		6	
	3 / 17 / 19	93 1	01090	ZINC, DISSOLVED (UG/L AS ZN)		6.3	
	6/30/19	98 1	01090	ZINC, DISSOLVED (UG/L AS ZN)	<	20	
	4/15/19	99 1	01090	ZINC, DISSOLVED (UG/L AS ZN)		18.3	
	5/10/20	00 1	01090	ZINC, DISSOLVED (UG/L AS ZN)		13.0	
	5 / 24 / 20	01 1	01090	ZINC, DISSOLVED (UG/L AS ZN)		19.5	
	6/24/20	02 1	01090	ZINC, DISSOLVED (UG/L AS ZN)	<	8	
	5 / 5 /20	03 1	01090	ZINC, DISSOLVED (UG/L AS ZN)		6.70	
	7 / 22 / 20	04 1	01090	ZINC, DISSOLVED (UG/L AS ZN)		22.7	
	6/30/20	05 1	01090	ZINC, DISSOLVED (UG/L AS ZN)		4.48	
	10 / 3 /20	06 1	01090	ZINC, DISSOLVED (UG/L AS ZN)		17	
	6/30/19	98 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	5	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value + or
	4 / 15 / 199	99 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1
	5 / 10 / 200	00 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1
	5 / 24 / 200	01 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1
	6/24/200	02 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	2
	5 / 5 / 200	03 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1
	7 / 22 / 200	04 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1
	6/30/200	05 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1.02
	10 / 3 /200	06 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1
	6/30/199	98 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	20
	4/15/199	99 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	4
	5 / 10 / 200	00 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	4
	5 / 24 / 200	01 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)		4.71
	6/24/200	02 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)		8.89
	5 / 5 / 200	03 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)		5.57
	7/22/200	04 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)		4.92
	6/30/200	05 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)		4.44
	10 / 3 /200	06 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)		13
	6/30/199	98 1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		122
	4/15/199	99 1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		140
	5 / 10 / 200	00 1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		140
	5 / 24 / 200	01 1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		119
	6/24/200	02 1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		125
	5 / 5 /200	03 1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		111
	7 / 22 / 200	04 1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		106
	6/30/200	05 1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		109
	10 / 3 /200	06 1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		115
	3 / 17 / 199	93 1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	2.0
	6/30/199	98 1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	20
	4 / 15 / 199	99 1	01145	SELENIUM, DISSOLVED (UG/L AS SE)		9.6

State Well Number	Date S	ample#	Storet Code	Description	Flag	Value	+ or -
	5 / 10 / 2000	1	01145	SELENIUM, DISSOLVED (UG/L AS SE)		4.57	
	5 / 24 / 2001	1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	4	
	6/24/2002	1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	8	
	5 / 5 /2003	1	01145	SELENIUM, DISSOLVED (UG/L AS SE)		4.13	
	7 / 22 / 2004	1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	4	
	6/30/2005	1	01145	SELENIUM, DISSOLVED (UG/L AS SE)		4.84	
	10 / 3 /2006	1	01145	SELENIUM, DISSOLVED (UG/L AS SE)		2	
	3 / 17 / 1993	1	01503	ALPHA, DISSOLVED (PC/L)	<	5.0	
	3 / 17 / 1993	1	03503	BETA, DISSOLVED (PC/L)	<	8.0	
	6/30/2005	1	04241	GROSS ALPHA RADIATION, TOTAL, PRODUCED WATER(pCi/L)		6.4	9
	6/30/2005	1	04242	GROSS BETA RADIATION, TOTAL, PRODUCED WATER(pCi/L)		6.1	6.5
	6/30/1998	1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		1243.0	
	4 / 15 / 1999	1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		1191.0	
	5 / 10 / 2000	1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		1223.0	
	5 / 24 / 2001	1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		1180.0	
	6/24/2002	1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		1200	
	5 / 5 /2003	1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		1220	
	7 / 22 / 2004	1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		1220	
	6/30/1998	1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)	<	0.02	
	4 / 15 / 1999	1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		1.22	
	5 / 10 / 2000	1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		1.29	
	5 / 24 / 2001	1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		1.23	
	6/24/2002	1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		1.29	
	5 / 5 /2003	1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		1.32	
	7 / 22 / 2004	1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		2.66	
	6/30/2005	1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		1.30	
	10 / 3 /2006	1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)	<	1.2	
	3 / 17 / 1993	1	71890	MERCURY, DISSOLVED (UG/L AS HG)	<	0.13	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
	7 / 25 / 195	57 1	00900	HARDNESS, TOTAL (MG/L AS CACO3)		24	
6737206							
	1/24/196	53 1	01045	IRON, TOTAL (UG/L AS FE)		2800.	
	1/24/196	53 1	01046	IRON, DISSOLVED (UG/L AS FE)		10.	
6737602							
	7 / 18 / 200)2 1	00010	TEMPERATURE, WATER (CELSIUS)		23.8	
	7 / 18 / 200)2 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.02	
	7 / 18 / 200)2 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2	
	7/18/200)2 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		29.8	
	7/18/200)2 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	4	
	7 / 18 / 200)2 1	01020	BORON, DISSOLVED (UG/L AS B)		763	
	7 / 18 / 200)2 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1	
	7 / 18 / 200)2 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)	<	4	
	7 / 18 / 200)2 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1	
	7/18/200)2 1	01040	COPPER, DISSOLVED (UG/L AS CU)		3.40	
	7/18/200)2 1	01046	IRON, DISSOLVED (UG/L AS FE)		2890	
	7 / 18 / 200)2 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1	
	7 / 18 / 200)2 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		730	
	7 / 18 / 200)2 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1	
	7 / 18 / 200)2 1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1	
	7/18/200)2 1	01065	NICKEL, DISSOLVED (UG/L AS NI)		3.29	
	7 / 18 / 200)2 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		1660	
	7 / 18 / 200)2 1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	4	
	7 / 18 / 200)2 1	01090	ZINC, DISSOLVED (UG/L AS ZN)		29.4	
	7 / 18 / 200)2 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1	
	7/18/200)2 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	16	
	7 / 18 / 200)2 1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		142	
	7 / 18 / 200)2 1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	4	
	7 / 18 / 200)2 1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		165	

	7 / 18 / 2002	1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.765
6738102						
	6/26/2002	1	00010	TEMPERATURE, WATER (CELSIUS)		27.3
	6/26/2002	1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.02
	6/26/2002	1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2
	6/26/2002	1	01005	BARIUM, DISSOLVED (UG/L AS BA)		14.6
	6/26/2002	1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1
	6/26/2002	1	01020	BORON, DISSOLVED (UG/L AS B)		5130
	6/26/2002	1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1
	6/26/2002	1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)		11.4
	6/26/2002	1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1
	6/26/2002	1	01040	COPPER, DISSOLVED (UG/L AS CU)		7.67
	6/26/2002	1	01046	IRON, DISSOLVED (UG/L AS FE)		93.0
	6/26/2002	1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1
	6/26/2002	1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		3.37
	6/26/2002	1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1
	6/26/2002	1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1
	6/26/2002	1	01065	NICKEL, DISSOLVED (UG/L AS NI)		4.51
	6/26/2002	1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		49.9
	6/26/2002	1	01085	VANADIUM, DISSOLVED (UG/L AS V)		1.94
	6/26/2002	1	01090	ZINC, DISSOLVED (UG/L AS ZN)		4.97
	6/26/2002	1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1
	6/26/2002	1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)		11.7
	6/26/2002	1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		33.2
	6/26/2002	1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	4
	6/26/2002	1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		694
	6/26/2002	1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.697
	6/26/2002	1	82244	ALKALINITY PHENOLPHTHALEIN FIELD DATA (MG/L)		34

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
	7 / 28 / 199	98 1	00010	TEMPERATURE, WATER (CELSIUS)		24.8	
	4 / 7 / 199	99 1	00010	TEMPERATURE, WATER (CELSIUS)		23.4	
	5 / 17 / 200	00 1	00010	TEMPERATURE, WATER (CELSIUS)		24.3	
	5 / 9 /200	01 1	00010	TEMPERATURE, WATER (CELSIUS)		23.2	
	6/19/200	02 1	00010	TEMPERATURE, WATER (CELSIUS)		23.1	
	4/21/200	03 1	00010	TEMPERATURE, WATER (CELSIUS)		22.8	
	7 / 28 / 199	98 1	00090	OXIDATION REDUCTION POTENTIAL (ORP), MILLIVOLTS		359.3	
	4 / 7 / 199	99 1	00090	OXIDATION REDUCTION POTENTIAL (ORP), MILLIVOLTS		240.7	
	7 / 28 / 199	98 1	00608	NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)		0.05	
	4 / 7 / 199	99 1	00608	NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)	<	0.05	
	7 / 28 / 199	98 1	00623	NITROGEN, KJELDAHL, DISSOLVED (MG/L AS N)		0.15	
	4 / 7 / 199	99 1	00623	NITROGEN, KJELDAHL, DISSOLVED (MG/L AS N)		0.091	
	7 / 28 / 199	98 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)		23.2	
	4 / 7 / 199	99 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)		27.7	
	5 / 17 / 200	00 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)		23.0	
	5 / 9 /200	01 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)		19.9	
	6/19/200	02 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)		1.82	
	4/21/200	03 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)		17.5	
	7 / 28 / 199	98 1	00666	PHOSPHORUS, DISSOLVED (MG/L AS P)		0.22	
	4 / 7 / 199	99 1	00666	PHOSPHORUS, DISSOLVED (MG/L AS P)		0.04	
	7 / 28 / 199	98 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2	
	4 / 7 / 199	99 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2	
	5 / 17 / 200	00 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2	
	5 / 9 /200	01 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2	
	6/19/200	02 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2	
	4/21/200	03 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2	
	7 / 28 / 199	98 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		147	
	4 / 7 / 199	99 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		153	
	5 / 17 / 200	00 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		122	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
	5 / 9 /20	01 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		130	
	6/19/20	02 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		145	
	4/21/20	03 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		121	
	7/28/19	98 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1	
	4 / 7 / 19	99 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1	
	5 / 17 / 20	00 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1	
	5 / 9 /20	01 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1	
	6/19/20	02 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1	
	4/21/20	03 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1	
	7/28/19	98 1	01020	BORON, DISSOLVED (UG/L AS B)		142	
	4 / 7 / 19	99 1	01020	BORON, DISSOLVED (UG/L AS B)		230	
	5 / 17 / 20	00 1	01020	BORON, DISSOLVED (UG/L AS B)		148	
	5 / 9 /20	01 1	01020	BORON, DISSOLVED (UG/L AS B)		81.9	
	6/19/20	02 1	01020	BORON, DISSOLVED (UG/L AS B)		316	
	4/21/20	03 1	01020	BORON, DISSOLVED (UG/L AS B)		174	
	7 / 28 / 19	98 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1	
	4 / 7 / 19	99 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)		2.6	
	5 / 17 / 20	00 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1	
	5 / 9 /20	01 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1	
	6/19/20	02 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1	
	4/21/20	03 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1	
	7 / 28 / 19	98 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)		1.5	
	4 / 7 / 19	99 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)		12.6	
	5 / 17 / 20	00 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)		1.94	
	5 / 9 /20	01 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)	<	1	
	6/19/20	02 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)		5.45	
	4/21/20	03 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)		1.64	
	7 / 28 / 19	98 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1	
	4 / 7 / 19	99 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
	5 / 17 / 200	00 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1	
	5 / 9 /200	01 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1	
	6/19/200)2 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1	
	4/21/200)3 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1	
	7 / 28 / 199	98 1	01040	COPPER, DISSOLVED (UG/L AS CU)		15.5	
	4 / 7 / 199	99 1	01040	COPPER, DISSOLVED (UG/L AS CU)		21.4	
	5 / 17 / 200	00 1	01040	COPPER, DISSOLVED (UG/L AS CU)		15.1	
	5 / 9 /200	01 1	01040	COPPER, DISSOLVED (UG/L AS CU)		4.05	
	6/19/200)2 1	01040	COPPER, DISSOLVED (UG/L AS CU)		6.13	
	4/21/200	03 1	01040	COPPER, DISSOLVED (UG/L AS CU)		3.84	
	7 / 28 / 199	98 1	01046	IRON, DISSOLVED (UG/L AS FE)		10	
	4 / 7 / 199	99 1	01046	IRON, DISSOLVED (UG/L AS FE)	<	50	
	5 / 17 / 200	00 1	01046	IRON, DISSOLVED (UG/L AS FE)	<	50	
	5 / 9 /200	01 1	01046	IRON, DISSOLVED (UG/L AS FE)	<	51	
	6/19/200)2 1	01046	IRON, DISSOLVED (UG/L AS FE)	<	50	
	4/21/200	03 1	01046	IRON, DISSOLVED (UG/L AS FE)	<	50	
	7 / 28 / 199	98 1	01049	LEAD, DISSOLVED (UG/L AS PB)		4	
	4 / 7 / 199	99 1	01049	LEAD, DISSOLVED (UG/L AS PB)		2.8	
	5 / 17 / 200	00 1	01049	LEAD, DISSOLVED (UG/L AS PB)		1.85	
	5 / 9 /200	01 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1	
	6/19/200)2 1	01049	LEAD, DISSOLVED (UG/L AS PB)		1.06	
	4/21/200)3 1	01049	LEAD, DISSOLVED (UG/L AS PB)		1.08	
	7 / 28 / 199	98 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)	<	1	
	4 / 7 / 199	99 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)	<	1	
	5 / 17 / 200	00 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)	<	1	
	5 / 9 /200	01 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)	<	1	
	6/19/200)2 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)	<	1	
	4/21/200)3 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)	<	1	
	7 / 28 / 199	98 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value + or -
	4 / 7 / 199	9 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1
	5 / 17 / 200	0 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1
	5 / 9 /200	1 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1
	6/19/200	2 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1
	4/21/200	3 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1
	7 / 28 / 199	8 1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1
	4 / 7 / 199	9 1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1
	5 / 17 / 200	0 1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1
	5 / 9 /200	1 1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1
	6/19/200	2 1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1
	4/21/200	3 1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1
	7 / 28 / 199	8 1	01065	NICKEL, DISSOLVED (UG/L AS NI)		15
	4 / 7 / 199	9 1	01065	NICKEL, DISSOLVED (UG/L AS NI)		19.9
	5 / 17 / 200	0 1	01065	NICKEL, DISSOLVED (UG/L AS NI)		2.75
	5 / 9 /200	1 1	01065	NICKEL, DISSOLVED (UG/L AS NI)		1.71
	6/19/200	2 1	01065	NICKEL, DISSOLVED (UG/L AS NI)		5.22
	4/21/200	3 1	01065	NICKEL, DISSOLVED (UG/L AS NI)		3.12
	7 / 28 / 199	8 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		251
	4 / 7 / 199	9 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		274
	5 / 17 / 200	0 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		223
	5 / 9 /200	1 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		195
	6/19/200	2 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		239
	4/21/200	3 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		224
	7 / 28 / 199	8 1	01085	VANADIUM, DISSOLVED (UG/L AS V)		2.4
	4 / 7 / 199	9 1	01085	VANADIUM, DISSOLVED (UG/L AS V)		5.7
	5 / 17 / 200	0 1	01085	VANADIUM, DISSOLVED (UG/L AS V)		2.78
	5 / 9 /200	1 1	01085	VANADIUM, DISSOLVED (UG/L AS V)		2.08
	6/19/200	2 1	01085	VANADIUM, DISSOLVED (UG/L AS V)		3.71
	4/21/200	3 1	01085	VANADIUM, DISSOLVED (UG/L AS V)		2.65

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value + or
	7 / 28 / 199	98 1	01090	ZINC, DISSOLVED (UG/L AS ZN)		63
	4 / 7 / 199	99 1	01090	ZINC, DISSOLVED (UG/L AS ZN)		62.2
	5 / 17 / 200	00 1	01090	ZINC, DISSOLVED (UG/L AS ZN)		69.7
	5 / 9 /200	01 1	01090	ZINC, DISSOLVED (UG/L AS ZN)		19.9
	6/19/200	02 1	01090	ZINC, DISSOLVED (UG/L AS ZN)		24.3
	4/21/200	03 1	01090	ZINC, DISSOLVED (UG/L AS ZN)		21.5
	7 / 28 / 199	98 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1
	4 / 7 / 199	99 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1
	5 / 17 / 200	00 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1
	5 / 9 /200	01 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1
	6/19/200	02 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1
	4/21/200	03 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1
	7 / 28 / 199	98 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	4
	4 / 7 / 199	99 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	4
	5 / 17 / 200	00 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	4
	5 / 9 /200	01 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	4
	6/19/200	02 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	4
	4/21/200	03 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)		4.00
	7 / 28 / 199	98 1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		5.3
	4 / 7 / 199	99 1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		6.1
	5 / 17 / 200	00 1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		7.29
	5 / 9 /200	01 1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		3.78
	6/19/200	02 1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		5.04
	4/21/200	03 1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		4.34
	7 / 28 / 199	98 1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	4
	4 / 7 / 199	99 1	01145	SELENIUM, DISSOLVED (UG/L AS SE)		4.3
	5 / 17 / 200	00 1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	4
	5 / 9 /200	01 1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	4
	6/19/200	02 1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	4

State Well Number	Date S	Sample#	Storet Code	Description	Flag Va	alue + or -
	4 / 21 / 2003	3 1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	4
	7 / 28 / 1998	3 1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3	2	243.0
	4 / 7 / 1999) 1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3	2	265.0
	5 / 17 / 2000) 1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3	2	260.0
	5 / 9 /2001	1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		252
	6 / 19 / 2002	2 1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		254
	4/21/2003	3 1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		260
	7 / 28 / 1998	3 1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.27
	4 / 7 / 1999	1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.35
	5 / 17 / 2000) 1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)	(0.250
	5 / 9 /2001	1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)	().252
	6 / 19 / 2002	2 1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)	(0.293
	4 / 21 / 2003	3 1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)	().195
6738405						
	4 / 21 / 2003	3 1	00010	TEMPERATURE, WATER (CELSIUS)		26.9
	4/21/2003	3 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	0.	0555
	4/21/2003	3 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2
	4 / 21 / 2003	3 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		13.6
	4 / 21 / 2003	3 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1
	4/21/2003	3 1	01020	BORON, DISSOLVED (UG/L AS B)		4670
	4 / 21 / 2003	3 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1
	4/21/2003	3 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)		3.92
	4/21/2003	3 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1
	4 / 21 / 2003	3 1	01040	COPPER, DISSOLVED (UG/L AS CU)		11.2
	4 / 21 / 2003	3 1	01046	IRON, DISSOLVED (UG/L AS FE)	<	50
	4 / 21 / 2003	3 1	01049	LEAD, DISSOLVED (UG/L AS PB)		2.04
	4 / 21 / 2003	3 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		1.99
	4/21/2003	3 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1
	4/21/2003	3 1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1

tate Well Number	Date S	Sample#	Storet Code	Description	Flag	Value +	or -
	4 / 21 / 2003	3 1	01065	NICKEL, DISSOLVED (UG/L AS NI)	<	1	
	4 / 21 / 2003	3 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		49.4	
	4/21/2003	3 1	01085	VANADIUM, DISSOLVED (UG/L AS V)		1.47	
	4/21/2003	3 1	01090	ZINC, DISSOLVED (UG/L AS ZN)		5.98	
	4 / 21 / 2003	3 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1	
	4 / 21 / 2003	3 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)		14.7	
	4 / 21 / 2003	3 1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		29.2	
	4 / 21 / 2003	3 1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	4	
	4/21/2003	3 1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		700	
	4/21/2003	3 1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.272	
	4 / 21 / 2003	3 1	82244	ALKALINITY PHENOLPHTHALEIN FIELD DATA (MG/L)		36	
6739101							
	7 / 29 / 1998	3 1	00010	TEMPERATURE, WATER (CELSIUS)		28.1	
	4 / 7 / 1999) 1	00010	TEMPERATURE, WATER (CELSIUS)		24.0	
	5 / 17 / 2000) 1	00010	TEMPERATURE, WATER (CELSIUS)		25.0	
	5 / 9 /2001	1 1	00010	TEMPERATURE, WATER (CELSIUS)		24.1	
	6/21/2002	2 1	00010	TEMPERATURE, WATER (CELSIUS)		24.0	
	4 / 23 / 2003	3 1	00010	TEMPERATURE, WATER (CELSIUS)		22.4	
	7 / 29 / 1998	3 1	00090	OXIDATION REDUCTION POTENTIAL (ORP), MILLIVOLTS		235	
	4 / 7 / 1999) 1	00090	OXIDATION REDUCTION POTENTIAL (ORP), MILLIVOLTS		209.2	
	7 / 29 / 1998	3 1	00608	NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)		0.05	
	4 / 7 / 1999) 1	00608	NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)	<	0.05	
	7 / 29 / 1998	3 1	00623	NITROGEN, KJELDAHL, DISSOLVED (MG/L AS N)		0.08	
	4 / 7 / 1999	9 1	00623	NITROGEN, KJELDAHL, DISSOLVED (MG/L AS N)		0.097	
	7 / 29 / 1998	3 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)		7.52	
	4 / 7 / 1999) 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)		9.58	
	5 / 17 / 2000) 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)		7.93	
	5 / 9 /2001	1 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)		9.66	
	6/21/2002	2 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)		5.27	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value + o
	4 / 23 / 200	3 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)		8.15
	7 / 29 / 199	8 1	00666	PHOSPHORUS, DISSOLVED (MG/L AS P)		0.18
	4 / 7 / 199	9 1	00666	PHOSPHORUS, DISSOLVED (MG/L AS P)	<	0.04
	7 / 29 / 199	8 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2
	4 / 7 / 199	9 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2
	5 / 17 / 200	0 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2
	5 / 9 /200	1 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2
	6/21/200	2 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2
	4/23/200	3 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2
	7 / 29 / 199	8 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		324
	4 / 7 / 199	9 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		282
	5 / 17 / 200	0 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		359
	5 / 9 /200	1 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		383
	6/21/200	2 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		332
	4/23/200	3 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		302
	7 / 29 / 199	8 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1
	4 / 7 / 199	9 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1
	5 / 17 / 200	0 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1
	5 / 9 /200	1 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1
	6/21/200	2 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1
	4 / 23 / 200	3 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1
	7 / 29 / 199	8 1	01020	BORON, DISSOLVED (UG/L AS B)		86
	4 / 7 / 199	9 1	01020	BORON, DISSOLVED (UG/L AS B)		112
	5 / 17 / 200	0 1	01020	BORON, DISSOLVED (UG/L AS B)		94.2
	5 / 9 /200	1 1	01020	BORON, DISSOLVED (UG/L AS B)	<	51
	6/21/200	2 1	01020	BORON, DISSOLVED (UG/L AS B)		136
	4/23/200	3 1	01020	BORON, DISSOLVED (UG/L AS B)		87.7
	7 / 29 / 199	8 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1
	4 / 7 / 199	9 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value + or -
	5 / 17 / 200	0 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1
	5 / 9 /200	1 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1
	6/21/200	2 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1
	4/23/200	3 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1
	7 / 29 / 199	1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)		2.2
	4 / 7 / 199	9 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)		7.5
	5 / 17 / 200	00 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)		1.04
	5 / 9 /200	1 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)	<	1
	6/21/200	2 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)		3.48
	4/23/200	3 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)		1.52
	7 / 29 / 199	8 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1
	4 / 7 / 199	9 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1
	5 / 17 / 200	00 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1
	5 / 9 /200	1 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1
	6/21/200	2 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1
	4 / 23 / 200	3 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1
	7 / 29 / 199	8 1	01040	COPPER, DISSOLVED (UG/L AS CU)		5.2
	4 / 7 / 199	9 1	01040	COPPER, DISSOLVED (UG/L AS CU)		8
	5 / 17 / 200	00 1	01040	COPPER, DISSOLVED (UG/L AS CU)		10.9
	5 / 9 /200	1 1	01040	COPPER, DISSOLVED (UG/L AS CU)		10.8
	6/21/200	2 1	01040	COPPER, DISSOLVED (UG/L AS CU)		20.5
	4 / 23 / 200	3 1	01040	COPPER, DISSOLVED (UG/L AS CU)		19.2
	7 / 29 / 199	8 1	01046	IRON, DISSOLVED (UG/L AS FE)		23
	4 / 7 / 199	9 1	01046	IRON, DISSOLVED (UG/L AS FE)		73
	5 / 17 / 200	00 1	01046	IRON, DISSOLVED (UG/L AS FE)	<	50
	5 / 9 /200	1 1	01046	IRON, DISSOLVED (UG/L AS FE)	<	51
	6/21/200	2 1	01046	IRON, DISSOLVED (UG/L AS FE)	<	50
	4 / 23 / 200	3 1	01046	IRON, DISSOLVED (UG/L AS FE)	<	50
	7 / 29 / 199	8 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value + or
	4 / 7 / 199	99 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1
	5 / 17 / 200	00 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1
	5 / 9 /200	01 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1
	6/21/200)2 1	01049	LEAD, DISSOLVED (UG/L AS PB)		1.21
	4 / 23 / 200)3 1	01049	LEAD, DISSOLVED (UG/L AS PB)		1.29
	7 / 29 / 199	98 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)	<	1
	4 / 7 / 199	99 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)	<	1
	5 / 17 / 200	00 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)	<	1
	5 / 9 /200	01 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)	<	1
	6/21/200)2 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)	<	1
	4/23/200	03 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)	<	1
	7 / 29 / 199	98 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1
	4 / 7 / 199	99 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1
	5 / 17 / 200	00 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1
	5 / 9 /200	01 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1
	6/21/200)2 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1
	4 / 23 / 200	03 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1
	7 / 29 / 199	98 1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1
	4 / 7 / 199	99 1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1
	5 / 17 / 200	00 1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1
	5 / 9 /200	01 1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1
	6/21/200)2 1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1
	4 / 23 / 200)3 1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1
	7 / 29 / 199	98 1	01065	NICKEL, DISSOLVED (UG/L AS NI)		9.2
	4 / 7 / 199	99 1	01065	NICKEL, DISSOLVED (UG/L AS NI)		14
	5 / 17 / 200	00 1	01065	NICKEL, DISSOLVED (UG/L AS NI)		1.94
	5 / 9 /200	01 1	01065	NICKEL, DISSOLVED (UG/L AS NI)		1.42
	6/21/200)2 1	01065	NICKEL, DISSOLVED (UG/L AS NI)		2.95
	4/23/200)3 1	01065	NICKEL, DISSOLVED (UG/L AS NI)		2.90

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value -	+ or -
	7 / 29 / 19	98 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		144	
	4 / 7 / 19	99 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		143	
	5 / 17 / 20	00 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		175	
	5 / 9 /20	01 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		155	
	6/21/20	02 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		151	
	4/23/20	03 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		157	
	7 / 29 / 19	98 1	01085	VANADIUM, DISSOLVED (UG/L AS V)		6.9	
	4 / 7 / 19	99 1	01085	VANADIUM, DISSOLVED (UG/L AS V)		8.2	
	5 / 17 / 20	00 1	01085	VANADIUM, DISSOLVED (UG/L AS V)		7.60	
	5 / 9 /20	01 1	01085	VANADIUM, DISSOLVED (UG/L AS V)		7.28	
	6/21/20	02 1	01085	VANADIUM, DISSOLVED (UG/L AS V)		8.51	
	4/23/20	03 1	01085	VANADIUM, DISSOLVED (UG/L AS V)		7.00	
	7 / 29 / 19	98 1	01090	ZINC, DISSOLVED (UG/L AS ZN)		22.5	
	4 / 7 / 19	99 1	01090	ZINC, DISSOLVED (UG/L AS ZN)		37.1	
	5 / 17 / 20	00 1	01090	ZINC, DISSOLVED (UG/L AS ZN)		25.2	
	5 / 9 /20	01 1	01090	ZINC, DISSOLVED (UG/L AS ZN)		19.0	
	6/21/20	02 1	01090	ZINC, DISSOLVED (UG/L AS ZN)		88.5	
	4 / 23 / 20	03 1	01090	ZINC, DISSOLVED (UG/L AS ZN)		48.0	
	7 / 29 / 19	98 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1	
	4 / 7 / 19	99 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1	
	5 / 17 / 20	00 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1	
	5 / 9 /20	01 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1	
	6/21/20	02 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1	
	4/23/20	03 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1	
	7 / 29 / 19	98 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	4	
	4 / 7 / 19	99 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	4	
	5 / 17 / 20	00 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	4	
	5 / 9 /20	01 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	4	
	6/21/20	02 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	4	

ate Well Number	Date S	Sample#	Storet Code	Description	Flag	Value + or -
	4 / 23 / 2003	1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	4
	7 / 29 / 1998	1	01130	LITHIUM, DISSOLVED (UG/L AS LI)	<	2
	4 / 7 / 1999	1	01130	LITHIUM, DISSOLVED (UG/L AS LI)	<	2
	5 / 17 / 2000	1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		4.22
	5 / 9 /2001	1	01130	LITHIUM, DISSOLVED (UG/L AS LI)	<	2
	6/21/2002	. 1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		2.32
	4 / 23 / 2003	1	01130	LITHIUM, DISSOLVED (UG/L AS LI)	<	2
	7 / 29 / 1998	1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	4
	4 / 7 / 1999	1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	4
	5 / 17 / 2000	1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	4
	5 / 9 /2001	1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	4
	6/21/2002	1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	4
	4 / 23 / 2003	1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	4
	7 / 29 / 1998	1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		159.0
	4 / 7 / 1999	1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		169.0
	5 / 17 / 2000	1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		173.0
	5 / 9 /2001	1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		174
	6/21/2002	. 1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		170
	4 / 23 / 2003	1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		176
	7 / 29 / 1998	1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.05
	4 / 7 / 1999	1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.13
	5 / 17 / 2000	1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.130
	5 / 9 /2001	1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.225
	6/21/2002	. 1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.115
	4 / 23 / 2003	1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.105
6739702						
	7 / 29 / 1998	1	00010	TEMPERATURE, WATER (CELSIUS)		26.3
	4 / 7 / 1999	1	00010	TEMPERATURE, WATER (CELSIUS)		24.6
	5 / 17 / 2000	1	00010	TEMPERATURE, WATER (CELSIUS)		24.1

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
	5 / 9 /200	01 1	00010	TEMPERATURE, WATER (CELSIUS)		23.6	
	6/21/200	02 1	00010	TEMPERATURE, WATER (CELSIUS)		24.6	
	4/23/200	03 1	00010	TEMPERATURE, WATER (CELSIUS)		23.4	
	7 / 29 / 199	98 1	00090	OXIDATION REDUCTION POTENTIAL (ORP), MILLIVOLTS		196	
	4 / 7 / 199	99 1	00090	OXIDATION REDUCTION POTENTIAL (ORP), MILLIVOLTS		217.0	
	7 / 29 / 199	98 1	00608	NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)		0.13	
	4 / 7 / 199	99 1	00608	NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)	<	0.05	
	7 / 29 / 199	98 1	00623	NITROGEN, KJELDAHL, DISSOLVED (MG/L AS N)		0.21	
	4 / 7 / 199	99 1	00623	NITROGEN, KJELDAHL, DISSOLVED (MG/L AS N)		0.282	
	7 / 29 / 199	98 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)		0.1	
	4 / 7 / 199	99 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)		0.121	
	5 / 17 / 200	00 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)		0.195	
	5 / 9 /200	01 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)		0.168	
	6/21/200	02 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)		0.358	
	4/23/200	03 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)		0.805	
	7 / 29 / 19	98 1	00666	PHOSPHORUS, DISSOLVED (MG/L AS P)		0.17	
	4 / 7 / 199	99 1	00666	PHOSPHORUS, DISSOLVED (MG/L AS P)	<	0.04	
	7 / 29 / 199	98 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2	
	4 / 7 / 199	99 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2	
	5 / 17 / 200	00 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2	
	5 / 9 /200	01 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2	
	6/21/200	02 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2	
	4 / 23 / 200	03 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2	
	7 / 29 / 19	98 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		67.4	
	4 / 7 / 199	99 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		68.8	
	5 / 17 / 200	00 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		66.3	
	5 / 9 /200	01 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		64.1	
	6/21/200	02 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		61.2	
	4/23/200	03 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		65.3	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value + or
	7 / 29 / 199	98 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1
	4 / 7 / 199	99 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1
	5 / 17 / 200	00 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1
	5 / 9 /200	01 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1
	6/21/200)2 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1
	4/23/200)3 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1
	7 / 29 / 199	98 1	01020	BORON, DISSOLVED (UG/L AS B)		374
	4 / 7 / 199	99 1	01020	BORON, DISSOLVED (UG/L AS B)		398
	5 / 17 / 200	00 1	01020	BORON, DISSOLVED (UG/L AS B)		368
	5 / 9 /200	01 1	01020	BORON, DISSOLVED (UG/L AS B)		340
	6/21/200)2 1	01020	BORON, DISSOLVED (UG/L AS B)		607
	4 / 23 / 200	03 1	01020	BORON, DISSOLVED (UG/L AS B)		468
	7 / 29 / 199	98 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1
	4 / 7 / 199	99 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1
	5 / 17 / 200	00 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1
	5 / 9 /200	01 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1
	6/21/200)2 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1
	4/23/200)3 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1
	7 / 29 / 199	98 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)		2.4
	4 / 7 / 199	99 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)		10
	5 / 17 / 200	00 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)		1.25
	5 / 9 /200	01 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)	<	1
	6/21/200)2 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)		3.88
	4/23/200)3 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)	<	1
	7 / 29 / 199	98 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1
	4 / 7 / 199	99 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1
	5 / 17 / 200	00 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1
	5 / 9 /200	01 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1
	6/21/200)2 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value + o
	4 / 23 / 200	3 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1
	7 / 29 / 199	8 1	01040	COPPER, DISSOLVED (UG/L AS CU)		8.7
	4 / 7 / 199	9 1	01040	COPPER, DISSOLVED (UG/L AS CU)		8.6
	5 / 17 / 200	00 1	01040	COPPER, DISSOLVED (UG/L AS CU)		4.31
	5 / 9 /200	1 1	01040	COPPER, DISSOLVED (UG/L AS CU)		3.14
	6/21/200	2 1	01040	COPPER, DISSOLVED (UG/L AS CU)		1.98
	4/23/200	3 1	01040	COPPER, DISSOLVED (UG/L AS CU)		5.25
	7 / 29 / 199	8 1	01046	IRON, DISSOLVED (UG/L AS FE)		19
	4 / 7 / 199	9 1	01046	IRON, DISSOLVED (UG/L AS FE)	<	50
	5 / 17 / 200	00 1	01046	IRON, DISSOLVED (UG/L AS FE)	<	50
	5 / 9 /200	1 1	01046	IRON, DISSOLVED (UG/L AS FE)	<	51
	6/21/200	2 1	01046	IRON, DISSOLVED (UG/L AS FE)	<	50
	4 / 23 / 200	3 1	01046	IRON, DISSOLVED (UG/L AS FE)	<	50
	7 / 29 / 199	8 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1
	4 / 7 / 199	9 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1
	5 / 17 / 200	00 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1
	5 / 9 /200	1 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1
	6/21/200	2 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1
	4 / 23 / 200	3 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1
	7 / 29 / 199	8 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		11.8
	4 / 7 / 199	9 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		48.2
	5 / 17 / 200	00 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		11.9
	5 / 9 /200	1 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		8.81
	6/21/200	2 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		10.1
	4 / 23 / 200	3 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		9.16
	7 / 29 / 199	8 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1
	4 / 7 / 199	9 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1
	5 / 17 / 200	0 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1
	5 / 9 /200	1 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value + or
	6/21/200)2 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1
	4/23/200	03 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1
	7 / 29 / 199	98 1	01060	MOLYBDENUM, DISSOLVED, UG/L		1.1
	4 / 7 / 199	99 1	01060	MOLYBDENUM, DISSOLVED, UG/L		1.2
	5 / 17 / 200	00 1	01060	MOLYBDENUM, DISSOLVED, UG/L		1.09
	5 / 9 /200	01 1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1
	6/21/200)2 1	01060	MOLYBDENUM, DISSOLVED, UG/L		1.21
	4/23/200	03 1	01060	MOLYBDENUM, DISSOLVED, UG/L		1.12
	7 / 29 / 199	98 1	01065	NICKEL, DISSOLVED (UG/L AS NI)		9.6
	4 / 7 / 199	99 1	01065	NICKEL, DISSOLVED (UG/L AS NI)		12.7
	5 / 17 / 200	00 1	01065	NICKEL, DISSOLVED (UG/L AS NI)		1.83
	5 / 9 /200	01 1	01065	NICKEL, DISSOLVED (UG/L AS NI)		1.11
	6/21/200)2 1	01065	NICKEL, DISSOLVED (UG/L AS NI)		2.73
	4 / 23 / 200	03 1	01065	NICKEL, DISSOLVED (UG/L AS NI)		2.46
	7 / 29 / 199	98 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		1120
	4 / 7 / 199	99 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		1110
	5 / 17 / 200	00 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		1120
	5 / 9 /200	01 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		1000
	6/21/200)2 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		1070
	4 / 23 / 200	03 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		1110
	7 / 29 / 199	98 1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	1
	4 / 7 / 199	99 1	01085	VANADIUM, DISSOLVED (UG/L AS V)		3
	5 / 17 / 200	00 1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	1
	5 / 9 /200	01 1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	1
	6/21/200)2 1	01085	VANADIUM, DISSOLVED (UG/L AS V)		1.41
	4 / 23 / 200)3 1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	1
	7 / 29 / 199	98 1	01090	ZINC, DISSOLVED (UG/L AS ZN)		6.6
	4 / 7 / 199	99 1	01090	ZINC, DISSOLVED (UG/L AS ZN)		11.2
	5 / 17 / 200	00 1	01090	ZINC, DISSOLVED (UG/L AS ZN)		15.5

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value + or
	5 / 9 /200	1 1	01090	ZINC, DISSOLVED (UG/L AS ZN)		11.3
	6/21/200	2 1	01090	ZINC, DISSOLVED (UG/L AS ZN)		7.49
	4/23/200	3 1	01090	ZINC, DISSOLVED (UG/L AS ZN)		36.2
	7 / 29 / 199	8 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1
	4 / 7 / 199	9 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1
	5 / 17 / 200	0 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1
	5 / 9 /200	1 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1
	6/21/200	2 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1
	4/23/200	3 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1
	7 / 29 / 199	8 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	4
	4 / 7 / 199	9 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	4
	5 / 17 / 200	0 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	4
	5 / 9 /200	1 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	4
	6/21/200	2 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	4
	4/23/200	3 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	4
	7 / 29 / 199	8 1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		37.9
	4 / 7 / 199	9 1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		40.3
	5 / 17 / 200	0 1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		44.6
	5 / 9 /200	1 1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		35.8
	6/21/200	2 1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		34.4
	4 / 23 / 200	3 1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		34.5
	7 / 29 / 199	8 1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	4
	4 / 7 / 199	9 1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	4
	5 / 17 / 200	0 1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	4
	5 / 9 /200	1 1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	4
	6/21/200	2 1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	4
	4 / 23 / 200	3 1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	4
	7 / 29 / 199	8 1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		234.0
	4 / 7 / 199	9 1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		235.0

tate Well Number	Date	Sample#	Storet Code	Description	Flag Value + or -
	5 / 17 / 200	0 1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3	234.0
	5 / 9 /200	1 1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3	226
	6/21/200	2 1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3	230
	4/23/200	3 1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3	240
	7 / 29 / 199	8 1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)	0.25
	4 / 7 / 199	9 1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)	0.27
	5 / 17 / 200	0 1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)	0.270
	5 / 9 /200	1 1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)	0.766
	6/21/200	2 1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)	0.196
	4/23/200	3 1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)	0.235
6742603					
	8 / 1 /197	3 1	01020	BORON, DISSOLVED (UG/L AS B)	< 100.
	8 / 1 /197	3 1	01045	IRON, TOTAL (UG/L AS FE)	1750.
6742610					
	4/27/200	9 1	00010	TEMPERATURE, WATER (CELSIUS)	23.8
	8/18/201	0 1	00010	TEMPERATURE, WATER (CELSIUS)	24.2
	4/27/200	9 1	00666	PHOSPHORUS, DISSOLVED (MG/L AS P)	0.06
	8 / 18 / 201	0 1	00666	PHOSPHORUS, DISSOLVED (MG/L AS P)	0.01
	4 / 27 / 200	9 1	01020	BORON, DISSOLVED (UG/L AS B)	350
	8 / 18 / 201	0 1	01020	BORON, DISSOLVED (UG/L AS B)	300
6742611					
	4 / 7 /200	9 1	00010	TEMPERATURE, WATER (CELSIUS)	27.5
	4/20/201	1 1	00010	TEMPERATURE, WATER (CELSIUS)	25.1
	4/20/201	1 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	0.244
	4 / 7 /200	9 1	00666	PHOSPHORUS, DISSOLVED (MG/L AS P)	< 0.01
	4/20/201	1 1	00666	PHOSPHORUS, DISSOLVED (MG/L AS P)	0.136
	4/20/201	1 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	2.5
	4/20/201	1 1	01005	BARIUM, DISSOLVED (UG/L AS BA)	66.5
	4/20/201	1 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	< 1.0

tate Well Number	Date S	Sample#	Storet Code	Description	Flag	Value + or
	4 / 7 /2009	9 1	01020	BORON, DISSOLVED (UG/L AS B)		1520
	4/20/2011	1 1	01020	BORON, DISSOLVED (UG/L AS B)		1440
	4/20/2011	1 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1.0
	4/20/2011	1 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)		8.6
	4 / 20 / 2011	1 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1.0
	4 / 20 / 2011	1 1	01040	COPPER, DISSOLVED (UG/L AS CU)		7.7
	4/20/2011	1 1	01046	IRON, DISSOLVED (UG/L AS FE)		135
	4/20/2011	1 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1.0
	4/20/2011	1 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		20.8
	4/20/2011	1 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1.0
	4/20/2011	1 1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1.0
	4/20/2011	1 1	01075	SILVER, DISSOLVED (UG/L AS AG)	<	1.0
	4/20/2011	1 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		379
	4/20/2011	1 1	01085	VANADIUM, DISSOLVED (UG/L AS V)		2.2
	4/20/2011	1 1	01090	ZINC, DISSOLVED (UG/L AS ZN)		46.1
	4/20/2011	1 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1.0
	4/20/2011	1 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	4.1
	4/20/2011	1 1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		105
	4/20/2011	1 1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	4.1
	4/20/2011	1 1	22703	URANIUM, NATURAL, DISSOLVED, UG/L	<	1.0
	4/20/2011	1 1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		552
	4/20/2011	1 1	50938	ANION/CATION CHG BAL, PERCENT		2.49
	4/20/2011	1 1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		1.82
	4/20/2011	1 1	71890	MERCURY, DISSOLVED (UG/L AS HG)	<	0.200
6742902						
	4 / 28 / 1962	2 1	01020	BORON, DISSOLVED (UG/L AS B)		40.
	4 / 28 / 1962	2 1	01045	IRON, TOTAL (UG/L AS FE)		640.
	9 / 17 / 1974	4 1	01055	MANGANESE, TOTAL (UG/L AS MN)	<	50.
6742903						

tate Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
	5 / 15 / 19	59 1	01020	BORON, DISSOLVED (UG/L AS B)		160.	
	8 / 1 / 19	73 1	01020	BORON, DISSOLVED (UG/L AS B)		1000.	
	7 / 25 / 19	74 1	01020	BORON, DISSOLVED (UG/L AS B)		1000.	
	5 / 6 / 19	40 1	01045	IRON, TOTAL (UG/L AS FE)		260.	
	8 / 5 / 19	41 1	01045	IRON, TOTAL (UG/L AS FE)		200.	
	4/23/19	43 1	01045	IRON, TOTAL (UG/L AS FE)		650.	
	12 / 22 / 19	44 1	01045	IRON, TOTAL (UG/L AS FE)		200.	
	10 / 6 / 19	50 1	01045	IRON, TOTAL (UG/L AS FE)		440.	
	6/22/19	51 1	01045	IRON, TOTAL (UG/L AS FE)		340.	
	6/23/19	55 1	01045	IRON, TOTAL (UG/L AS FE)		300.	
	5 / 2 / 19:	56 1	01045	IRON, TOTAL (UG/L AS FE)		220.	
	10 / 15 / 19	65 1	01045	IRON, TOTAL (UG/L AS FE)	<	20.	
	7/17/19	72 1	01045	IRON, TOTAL (UG/L AS FE)		560.	
	7 / 5 / 19	76 1	01045	IRON, TOTAL (UG/L AS FE)		1600.	
	5 / 15 / 19	59 1	01046	IRON, DISSOLVED (UG/L AS FE)	<	10.	
	5 / 6 / 19	40 1	01055	MANGANESE, TOTAL (UG/L AS MN)	<	30.	
	8 / 5 / 19	41 1	01055	MANGANESE, TOTAL (UG/L AS MN)		100	
	4/23/19	43 1	01055	MANGANESE, TOTAL (UG/L AS MN)		110	
	10 / 6 / 19	50 1	01055	MANGANESE, TOTAL (UG/L AS MN)	<	50	
	6/22/19	51 1	01055	MANGANESE, TOTAL (UG/L AS MN)	<	50	
	6/23/19	55 1	01055	MANGANESE, TOTAL (UG/L AS MN)	<	50	
	5 / 2 / 19	56 1	01055	MANGANESE, TOTAL (UG/L AS MN)		50	
	10 / 15 / 19	65 1	01055	MANGANESE, TOTAL (UG/L AS MN)	<	50	
6742904							
	10 / 15 / 19	65 1	01045	IRON, TOTAL (UG/L AS FE)	<	20.	
	11 /21 /19	67 1	01045	IRON, TOTAL (UG/L AS FE)		60.	
	3 / 14 / 19	68 1	01045	IRON, TOTAL (UG/L AS FE)		760.	
	8/21/19	70 1	01045	IRON, TOTAL (UG/L AS FE)		40.	
	5 / 12 / 19	71 1	01045	IRON, TOTAL (UG/L AS FE)		60.	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
	9 / 17 / 197	4 1	01045	IRON, TOTAL (UG/L AS FE)		670.	
	11 / 19 / 197	5 1	01045	IRON, TOTAL (UG/L AS FE)		300.	
	10 / 15 / 196	5 1	01055	MANGANESE, TOTAL (UG/L AS MN)		20	
	11 / 21 / 196	7 1	01055	MANGANESE, TOTAL (UG/L AS MN)		170	
	3 / 14 / 196	8 1	01055	MANGANESE, TOTAL (UG/L AS MN)	<	50	
	8 / 21 / 197	0 1	01055	MANGANESE, TOTAL (UG/L AS MN)		320.	
	5 / 12 / 197	1 1	01055	MANGANESE, TOTAL (UG/L AS MN)		160	
	9 / 17 / 197	4 1	01055	MANGANESE, TOTAL (UG/L AS MN)	<	50.	
	11 / 19 / 197	5 1	01055	MANGANESE, TOTAL (UG/L AS MN)		300	
6742906							
	3 / 16 / 199	3 1	00010	TEMPERATURE, WATER (CELSIUS)		32.4	
	6/30/199	8 1	00010	TEMPERATURE, WATER (CELSIUS)		34.1	
	4/28/199	9 1	00010	TEMPERATURE, WATER (CELSIUS)		33.5	
	6/29/200	0 1	00010	TEMPERATURE, WATER (CELSIUS)		33.1	
	6 / 7 /200	1 1	00010	TEMPERATURE, WATER (CELSIUS)		25.1	
	7/11/200	2 1	00010	TEMPERATURE, WATER (CELSIUS)		32.8	
	3/16/199	3 1	00090	OXIDATION REDUCTION POTENTIAL (ORP), MILLIVOLTS		29.3	
	6/30/199	8 1	00090	OXIDATION REDUCTION POTENTIAL (ORP), MILLIVOLTS		-115.1	
	4/28/199	9 1	00090	OXIDATION REDUCTION POTENTIAL (ORP), MILLIVOLTS		16.5	
	3 / 16 / 199	3 1	00608	NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)		0.07	
	6/30/199	8 1	00608	NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)		0.21	
	4/28/199	9 1	00608	NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)		0.117	
	3/16/199	3 1	00613	NITRITE NITROGEN, DISSOLVED (MG/L AS N)	<	0.01	
	3 / 16 / 199	3 1	00618	NITRATE NITROGEN, DISSOLVED (MG/L AS N)		0.01	
	3 / 16 / 199	3 1	00623	NITROGEN, KJELDAHL, DISSOLVED (MG/L AS N)		0.1	
	6/30/199	8 1	00623	NITROGEN, KJELDAHL, DISSOLVED (MG/L AS N)	<	0.07	
	4 / 28 / 199	9 1	00623	NITROGEN, KJELDAHL, DISSOLVED (MG/L AS N)		0.157	
	6/30/199	8 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.05	
	4/28/199	9 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.02	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value + or
	6/29/200	00 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.02
	6 / 7 / 200	01 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.02
	7/11/200)2 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.02
	6/30/199	08 1	00666	PHOSPHORUS, DISSOLVED (MG/L AS P)	<	0.1
	4/28/199	9 1	00666	PHOSPHORUS, DISSOLVED (MG/L AS P)	<	0.04
	3 / 16 / 199	3 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	1.0
	6/30/199	08 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2
	4/28/199	9 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2
	6/29/200	00 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2
	6 / 7 / 200	01 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2
	7 / 11 / 200)2 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2
	3 / 16 / 199	03 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		134.
	6/30/199	98 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		153
	4 / 28 / 199	9 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		141
	6/29/200	00 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		124
	6 / 7 / 200	01 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		119
	7 / 11 / 200)2 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		138
	6/30/199	98 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1
	4 / 28 / 199	9 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1
	6/29/200	00 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1
	6 / 7 / 200	01 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1
	7 / 11 / 200)2 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1
	6/30/199	98 1	01020	BORON, DISSOLVED (UG/L AS B)		88
	4 / 28 / 199	9 1	01020	BORON, DISSOLVED (UG/L AS B)		121
	6/29/200	00 1	01020	BORON, DISSOLVED (UG/L AS B)		83.5
	6 / 7 / 200	01 1	01020	BORON, DISSOLVED (UG/L AS B)	<	51
	7 / 11 / 200)2 1	01020	BORON, DISSOLVED (UG/L AS B)		234
	3 / 16 / 199	3 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	2.0
	6/30/199	98 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value + or
	4/28/199	99 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1
	6/29/200	00 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1
	6 / 7 / 200	01 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1
	7/11/200	02 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1
	3/16/199	93 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)	<	4.0
	6/30/199	98 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)		1.3
	4/28/199	99 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)		13.8
	6/29/200	00 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)		4.25
	6 / 7 / 200	01 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)		1.44
	7/11/200	02 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)	<	1
	6/30/199	98 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1
	4/28/199	99 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1
	6/29/200	00 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1
	6 / 7 /200	01 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1
	7/11/200	02 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1
	3 / 16 / 199	93 1	01040	COPPER, DISSOLVED (UG/L AS CU)	<	2.0
	6/30/199	98 1	01040	COPPER, DISSOLVED (UG/L AS CU)	<	2
	4/28/199	99 1	01040	COPPER, DISSOLVED (UG/L AS CU)	<	2
	6/29/200	00 1	01040	COPPER, DISSOLVED (UG/L AS CU)	<	2
	6 / 7 /200	01 1	01040	COPPER, DISSOLVED (UG/L AS CU)	<	2
	7 / 11 / 200	02 1	01040	COPPER, DISSOLVED (UG/L AS CU)	<	1
	11 / 15 / 196	58 1	01045	IRON, TOTAL (UG/L AS FE)		2000.
	4 / 5 / 197	70 1	01045	IRON, TOTAL (UG/L AS FE)		400.
	8/21/197	70 1	01045	IRON, TOTAL (UG/L AS FE)		60.
	5 / 12 / 197	71 1	01045	IRON, TOTAL (UG/L AS FE)		40.
	9 / 17 / 197	74 1	01045	IRON, TOTAL (UG/L AS FE)		590.
	11 / 17 / 197	75 2	01045	IRON, TOTAL (UG/L AS FE)		360.
	3 / 16 / 199	93 1	01046	IRON, DISSOLVED (UG/L AS FE)		196.
	6/30/199	98 1	01046	IRON, DISSOLVED (UG/L AS FE)		99

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value + o	or -
	4 / 28 / 19	99 1	01046	IRON, DISSOLVED (UG/L AS FE)		113	
	6/29/20	00 1	01046	IRON, DISSOLVED (UG/L AS FE)		119	
	6 / 7 /20	01 1	01046	IRON, DISSOLVED (UG/L AS FE)		156	
	7/11/20	02 1	01046	IRON, DISSOLVED (UG/L AS FE)		333	
	3/16/19	93 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	20.	
	6/30/19	98 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1	
	4/28/19	99 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1	
	6/29/20	00 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1	
	6 / 7 /20	01 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1	
	7/11/20	02 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1	
	8/21/19	70 1	01055	MANGANESE, TOTAL (UG/L AS MN)		320	
	5 / 12 / 19	71 1	01055	MANGANESE, TOTAL (UG/L AS MN)		660.	
	9 / 17 / 19	74 1	01055	MANGANESE, TOTAL (UG/L AS MN)	<	50	
	11 / 17 / 19	75 1	01055	MANGANESE, TOTAL (UG/L AS MN)		290.	
	3/16/19	93 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		305.	
	6/30/19	98 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		278	
	4/28/19	99 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		307	
	6/29/20	00 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		293	
	6 / 7 / 20	01 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		269	
	7/11/20	02 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		293	
	6/30/19	98 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1	
	4/28/19	99 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1	
	6/29/20	00 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1	
	6 / 7 / 20	01 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1	
	7/11/20	02 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1	
	6/30/19	98 1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1	
	4/28/19	99 1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1	
	6/29/20	00 1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1	
	6 / 7 / 20	01 1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value + or -
	7 / 11 / 200)2 1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1
	6/30/199	98 1	01065	NICKEL, DISSOLVED (UG/L AS NI)		1.4
	4/28/199	9 1	01065	NICKEL, DISSOLVED (UG/L AS NI)		9
	6/29/200	00 1	01065	NICKEL, DISSOLVED (UG/L AS NI)	<	1
	6 / 7 /200)1 1	01065	NICKEL, DISSOLVED (UG/L AS NI)	<	1
	7/11/200)2 1	01065	NICKEL, DISSOLVED (UG/L AS NI)	<	1
	3 / 16 / 199	93 1	01075	SILVER, DISSOLVED (UG/L AS AG)	<	3.0
	6/30/199	98 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		257
	4/28/199	9 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		261
	6/29/200	00 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		288
	6 / 7 /200	01 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		222
	7 / 11 / 200)2 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		243
	6/30/199	98 1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	1
	4 / 28 / 199	9 1	01085	VANADIUM, DISSOLVED (UG/L AS V)		4
	6/29/200	00 1	01085	VANADIUM, DISSOLVED (UG/L AS V)		1.13
	6 / 7 /200)1 1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	1
	7/11/200)2 1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	1
	3/16/199	3 1	01090	ZINC, DISSOLVED (UG/L AS ZN)		9.7
	6/30/199	08 1	01090	ZINC, DISSOLVED (UG/L AS ZN)		5.8
	4/28/199	9 1	01090	ZINC, DISSOLVED (UG/L AS ZN)		29
	6/29/200	00 1	01090	ZINC, DISSOLVED (UG/L AS ZN)		11.1
	6 / 7 /200	01 1	01090	ZINC, DISSOLVED (UG/L AS ZN)		8.99
	7/11/200)2 1	01090	ZINC, DISSOLVED (UG/L AS ZN)		4.63
	6/30/199	08 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1
	4 / 28 / 199	9 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1
	6/29/200	00 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1
	6 / 7 /200	01 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1
	7 / 11 / 200)2 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1
	6/30/199	08 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	4

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
	4/28/19	99 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	4	
	6/29/20	00 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	4	
	6 / 7 / 20	01 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	4	
	7/11/20	02 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	4	
	6/30/19	98 1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		21.6	
	4/28/19	99 1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		25.9	
	6/29/20	00 1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		29.1	
	6 / 7 / 20	01 1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		26.9	
	7/11/20	02 1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		22.4	
	3/16/19	93 1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	2.0	
	6/30/19	98 1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	4	
	4/28/19	99 1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	4	
	6/29/20	00 1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	4	
	6 / 7 / 20	01 1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	4	
	7/11/20	02 1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	4	
	3/16/19	93 1	01503	ALPHA, DISSOLVED (PC/L)		3.6	2.2
	3/16/19	93 1	03503	BETA, DISSOLVED (PC/L)		11	4
	3/16/19	93 1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		144	
	6/30/19	98 1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		136.0	
	4/28/19	99 1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		139.0	
	6/29/20	00 1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		140	
	6 / 7 /20	01 1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		142	
	7 / 11 / 20	02 1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		139	
	3 / 16 / 19	93 1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.17	
	6/30/19	98 1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.1	
	4/28/19	99 1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.17	
	6/29/20	00 1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.180	
	6 / 7 / 20	01 1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.154	
	7/11/20	02 1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.201	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value + or
	3 / 16 / 199	3 1	71890	MERCURY, DISSOLVED (UG/L AS HG)	<	0.13
6742913						
	8 / 18 / 199	8 1	00010	TEMPERATURE, WATER (CELSIUS)		30.5
	8 / 18 / 199	8 1	00403	PH (STANDARD UNITS) LAB		8.04
	8 / 18 / 199	8 2	00403	PH (STANDARD UNITS) LAB		8.21
	8 / 19 / 199	8 1	00403	PH (STANDARD UNITS) LAB		7.99
	8 / 18 / 199	8 2	00615	NITRITE NITROGEN, TOTAL (MG/L AS N)	<	0.010
	8 / 18 / 199	8 1	00615	NITRITE NITROGEN, TOTAL (MG/L AS N)	<	0.010
	8 / 18 / 199	8 2	00620	NITRATE NITROGEN, TOTAL (MG/L AS N)	<	0.010
	8 / 18 / 199	8 1	00620	NITRATE NITROGEN, TOTAL (MG/L AS N)	<	0.010
	8 / 19 / 199	8 1	00620	NITRATE NITROGEN, TOTAL (MG/L AS N)	<	0.010
	8 / 18 / 199	8 1	00940	CHLORIDE, TOTAL (MG/L AS CL)		36.4
	8 / 18 / 199	8 2	00940	CHLORIDE, TOTAL (MG/L AS CL)		36.3
	8 / 19 / 199	8 1	00940	CHLORIDE, TOTAL (MG/L AS CL)		37.2
	8 / 18 / 199	8 2	00945	SULFATE, TOTAL (MG/L AS SO4)		39.70
	8 / 18 / 199	8 1	00945	SULFATE, TOTAL (MG/L AS SO4)		38.90
	8 / 19 / 199	8 1	00945	SULFATE, TOTAL (MG/L AS SO4)		38.90
	8 / 18 / 199	8 2	00951	FLUORIDE, TOTAL (MG/L AS F)		0.04
	8 / 18 / 199	8 1	00951	FLUORIDE, TOTAL (MG/L AS F)		0.04
	8 / 19 / 199	8 1	00951	FLUORIDE, TOTAL (MG/L AS F)		0.04
	8 / 18 / 199	8 2	01002	ARSENIC, TOTAL (UG/L AS AS)	<	2.0
	8 / 18 / 199	8 1	01002	ARSENIC, TOTAL (UG/L AS AS)	<	2.0
	8 / 19 / 199	8 1	01002	ARSENIC, TOTAL (UG/L AS AS)	<	2.0
	8 / 18 / 199	8 1	01007	BARIUM, TOTAL (UG/L AS BA)		110.0
	8 / 18 / 199	8 2	01007	BARIUM, TOTAL (UG/L AS BA)		104.0
	8 / 19 / 199	8 1	01007	BARIUM, TOTAL (UG/L AS BA)		112.0
	8 / 18 / 199	8 2	01012	BERYLLIUM, TOTAL (UG/L AS BE)	<	1.0
	8 / 18 / 199	8 1	01012	BERYLLIUM, TOTAL (UG/L AS BE)	<	1.0
	8 / 19 / 199	8 1	01012	BERYLLIUM, TOTAL (UG/L AS BE)	<	1.0

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value -	+ or -
	8 / 18 / 199	98 2	01034	CHROMIUM, TOTAL (UG/L AS CR)		4.5	
	8 / 18 / 199	98 1	01034	CHROMIUM, TOTAL (UG/L AS CR)		5.8	
	8 / 19 / 199	08 1	01034	CHROMIUM, TOTAL (UG/L AS CR)		6.6	
	8 / 18 / 199	08 2	01042	COPPER, TOTAL (UG/L AS CU)		13.4	
	8 / 18 / 199	08 1	01042	COPPER, TOTAL (UG/L AS CU)	<	2.0	
	8 / 19 / 199	08 1	01042	COPPER, TOTAL (UG/L AS CU)		2.7	
	8 / 18 / 199	08 2	01045	IRON, TOTAL (UG/L AS FE)		0.10	
	8 / 18 / 199	08 1	01045	IRON, TOTAL (UG/L AS FE)		1.45	
	8 / 19 / 199	08 1	01045	IRON, TOTAL (UG/L AS FE)		1.03	
	8/18/199	08 2	01046	IRON, DISSOLVED (UG/L AS FE)		0.02	
	8 / 18 / 199	08 1	01046	IRON, DISSOLVED (UG/L AS FE)		0.02	
	8 / 19 / 199	08 1	01046	IRON, DISSOLVED (UG/L AS FE)		0.02	
	8 / 18 / 199	08 2	01055	MANGANESE, TOTAL (UG/L AS MN)		192.0	
	8 / 18 / 199	98 1	01055	MANGANESE, TOTAL (UG/L AS MN)		183.0	
	8 / 19 / 199	98 1	01055	MANGANESE, TOTAL (UG/L AS MN)		179.0	
	8 / 18 / 199	08 2	01056	MANGANESE, DISSOLVED (UG/L AS MN)		192.0	
	8 / 18 / 199	98 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		183.0	
	8 / 19 / 199	98 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		179.0	
	8 / 18 / 199	08 2	01067	NICKEL, TOTAL (UG/L AS NI)		10.4	
	8 / 18 / 199	98 1	01067	NICKEL, TOTAL (UG/L AS NI)		4.1	
	8 / 19 / 199	98 1	01067	NICKEL, TOTAL (UG/L AS NI)		5.3	
	8 / 18 / 199	98 2	01077	SILVER, TOTAL (UG/L AS AG)	<	1.0	
	8 / 18 / 199	98 1	01077	SILVER, TOTAL (UG/L AS AG)	<	1.0	
	8 / 19 / 199	98 1	01077	SILVER, TOTAL (UG/L AS AG)	<	1.0	
	8 / 18 / 199	98 1	01092	ZINC, TOTAL (UG/L AS ZN)	<	4.000	
	8 / 18 / 199	08 2	01092	ZINC, TOTAL (UG/L AS ZN)		7.000	
	8 / 19 / 199	98 1	01092	ZINC, TOTAL (UG/L AS ZN)	<	4.000	
	8/18/199	08 1	01105	ALUMINUM, TOTAL (UG/L AS AL)	<	4.0	
	8 / 18 / 199	98 2	01105	ALUMINUM, TOTAL (UG/L AS AL)		134.0	

State Well Number	Date S	Sample#	Storet Code	Description	Flag	Value + or
	8 / 19 / 1998	1	01105	ALUMINUM, TOTAL (UG/L AS AL)		14.6
	8 / 18 / 1998	1	01147	SELENIUM, TOTAL (UG/L)	<	4.0
	8 / 18 / 1998	2	01147	SELENIUM, TOTAL (UG/L)	<	4.0
	8 / 19 / 1998	1	01147	SELENIUM, TOTAL (UG/L)	<	4.0
	8 / 18 / 1998	1	70299	SOLIDS, SUSPENDED, RESIDUE ON EVAP AT 180C, MG/L		238
	8 / 18 / 1998	2	70299	SOLIDS, SUSPENDED, RESIDUE ON EVAP AT 180C, MG/L		247
	8 / 19 / 1998	1	70299	SOLIDS, SUSPENDED, RESIDUE ON EVAP AT 180C, MG/L		233
6742914						
	5 / 6 /2003	1	00010	TEMPERATURE, WATER (CELSIUS)		32.0
	5 / 6 /2003	1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.02
	5 / 6 /2003	1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2
	5 / 6 /2003	1	01005	BARIUM, DISSOLVED (UG/L AS BA)		144
	5 / 6 /2003	1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1
	5 / 6 /2003	1	01020	BORON, DISSOLVED (UG/L AS B)		88.1
	5 / 6 /2003	1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1
	5 / 6 /2003	1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)		1.24
	5 / 6 /2003	1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1
	5 / 6 /2003	1	01040	COPPER, DISSOLVED (UG/L AS CU)	<	1
	5 / 6 /2003	1	01046	IRON, DISSOLVED (UG/L AS FE)		137
	5 / 6 /2003	1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1
	5 / 6 /2003	1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		296
	5 / 6 /2003	1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1
	5 / 6 /2003	1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1
	5 / 6 /2003	1	01065	NICKEL, DISSOLVED (UG/L AS NI)		1.39
	5 / 6 /2003	1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		251
	5 / 6 /2003	1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	1
	5 / 6 /2003	1	01090	ZINC, DISSOLVED (UG/L AS ZN)		7.48
	5 / 6 /2003	1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1
	5 / 6 /2003	1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	4

State Well Number	Date S	Sample#	Storet Code	Description	Flag	Value	+ or -
	5 / 6 /2003	3 1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		21.6	
	5 / 6 /2003	3 1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	4	
	5 / 6 /2003	3 1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		150	
	5 / 6 /2003	3 1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.128	
6742915							
	7 / 29 / 2004	4 1	00010	TEMPERATURE, WATER (CELSIUS)		33.8	
	6/30/2005	5 1	00010	TEMPERATURE, WATER (CELSIUS)		33.8	
	10 / 4 /2006	5 1	00010	TEMPERATURE, WATER (CELSIUS)		33.8	
	4 / 7 /2009	9 1	00010	TEMPERATURE, WATER (CELSIUS)		32.4	
	8 / 18 / 2010) 1	00010	TEMPERATURE, WATER (CELSIUS)		33.2	
	6/30/2005	5 1	00094	SPECIFIC CONDUCTANCE, FIELD (UMHOS/CM AT 25C)		447	
	7 / 29 / 2004	4 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.02	
	6 / 29 / 2005	5 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.02	
	10 / 4 /2006	5 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.1	
	4 / 7 /2009	9 1	00666	PHOSPHORUS, DISSOLVED (MG/L AS P)	<	0.01	
	8 / 18 / 2010) 1	00666	PHOSPHORUS, DISSOLVED (MG/L AS P)		0.01	
	7 / 29 / 2004	4 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2.04	
	6 / 29 / 2005	5 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2.04	
	10 / 4 /2006	5 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	1	
	7 / 29 / 2004	4 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		145	
	6/29/2005	5 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		159	
	10 / 4 /2006	5 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		155	
	7 / 29 / 2004	1 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1.02	
	6 / 29 / 2005	5 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1.02	
	10 / 4 /2006	5 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1	
	7 / 29 / 2004	1 1	01020	BORON, DISSOLVED (UG/L AS B)		60.9	
	6/29/2005	5 1	01020	BORON, DISSOLVED (UG/L AS B)		105	
	10 / 4 /2006	5 1	01020	BORON, DISSOLVED (UG/L AS B)		116	
	4 / 7 /2009	9 1	01020	BORON, DISSOLVED (UG/L AS B)		110	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
	8 / 18 / 20	10 1	01020	BORON, DISSOLVED (UG/L AS B)		120	
	7 / 29 / 20	04 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1.02	
	6/29/200	05 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1.02	
	10 / 4 /200	06 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1	
	7 / 29 / 20	04 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)	<	1.02	
	6/29/200	05 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)	<	1.02	
	10 / 4 /200	06 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)	<	1	
	7 / 29 / 20	04 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1.02	
	6/29/200	05 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1.02	
	10 / 4 /200	06 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1	
	7 / 29 / 20	04 1	01040	COPPER, DISSOLVED (UG/L AS CU)	<	1.02	
	6/29/200	05 1	01040	COPPER, DISSOLVED (UG/L AS CU)	<	1.02	
	10 / 4 / 200	06 1	01040	COPPER, DISSOLVED (UG/L AS CU)	<	1	
	7 / 29 / 20	04 1	01046	IRON, DISSOLVED (UG/L AS FE)		220	
	6/29/200	05 1	01046	IRON, DISSOLVED (UG/L AS FE)		250	
	10 / 4 /200	06 1	01046	IRON, DISSOLVED (UG/L AS FE)		462	
	7 / 29 / 20	04 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1.02	
	6/29/200	05 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1.02	
	10 / 4 /200	06 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1	
	7 / 29 / 20	04 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		174	
	6/29/200	05 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		220	
	10 / 4 /200	06 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		201	
	7 / 29 / 20	04 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1.02	
	6/29/200	05 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1.02	
	10 / 4 /200	06 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1	
	7 / 29 / 200	04 1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1.02	
	6/29/200	05 1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1.02	
	10 / 4 /200	06 1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1	
	7 / 29 / 200	04 1	01065	NICKEL, DISSOLVED (UG/L AS NI)	<	1.02	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
	7 / 29 / 200	04 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		317	
	6/29/200	05 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		310	
	10 / 4 / 200	06 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		276	
	7 / 29 / 200	04 1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	1.02	
	6/29/200	05 1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	1.02	
	10 / 4 /200	06 1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	1	
	7 / 29 / 200	04 1	01090	ZINC, DISSOLVED (UG/L AS ZN)		7.26	
	6/29/200	05 1	01090	ZINC, DISSOLVED (UG/L AS ZN)	<	4.08	
	10 / 4 /200	06 1	01090	ZINC, DISSOLVED (UG/L AS ZN)		2	
	7 / 29 / 200	04 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1.02	
	6/29/200	05 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1.02	
	10 / 4 /200	06 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1	
	7 / 29 / 200	04 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	4.08	
	6/29/200	05 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	4.08	
	10 / 4 /200	06 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)		2	
	7 / 29 / 200	04 1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		22.4	
	6/29/200	05 1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		23.6	
	10 / 4 /200	06 1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		23	
	7 / 29 / 200	04 1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	4.08	
	6/29/200	05 1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	4.08	
	10 / 4 /200	06 1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	1	
	6/29/200	05 1	04241	GROSS ALPHA RADIATION, TOTAL, PRODUCED WATER(pCi/L)		3.5	1.5
	6/29/200	05 1	04242	GROSS BETA RADIATION, TOTAL, PRODUCED WATER(pCi/L)		12	1
	7 / 29 / 200	04 1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		20	
	6/30/200	05 1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		20	
	7 / 29 / 200	04 1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.140	
	6/29/200	05 1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.129	
	10 / 4 /200	06 1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)	<	0.50	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
	5 / 20 / 196	9 1	01020	BORON, DISSOLVED (UG/L AS B)	<	100.	
6743104							
	8 / 26 / 199	8 1	00010	TEMPERATURE, WATER (CELSIUS)		28.8	
	9 / 9 / 199	8 1	00010	TEMPERATURE, WATER (CELSIUS)		28.8	
	9 / 10 / 199	8 1	00010	TEMPERATURE, WATER (CELSIUS)		28.8	
	8 / 26 / 199	8 1	00403	PH (STANDARD UNITS) LAB		7.00	
	9 / 9 / 199	8 1	00403	PH (STANDARD UNITS) LAB		7.04	
	9 / 10 / 199	8 1	00403	PH (STANDARD UNITS) LAB		7.83	
	8 / 26 / 199	8 1	00615	NITRITE NITROGEN, TOTAL (MG/L AS N)	<	0.010	
	9 / 9 / 1998	8 1	00615	NITRITE NITROGEN, TOTAL (MG/L AS N)	<	0.010	
	9 / 10 / 199	8 1	00615	NITRITE NITROGEN, TOTAL (MG/L AS N)	<	0.010	
	8 / 26 / 199	8 1	00620	NITRATE NITROGEN, TOTAL (MG/L AS N)	<	0.010	
	9 / 9 / 1998	8 1	00620	NITRATE NITROGEN, TOTAL (MG/L AS N)	<	0.010	
	9 / 10 / 199	8 1	00620	NITRATE NITROGEN, TOTAL (MG/L AS N)	<	0.010	
	8 / 26 / 199	8 1	00940	CHLORIDE, TOTAL (MG/L AS CL)		23.2	
	9 / 9 / 199	8 1	00940	CHLORIDE, TOTAL (MG/L AS CL)		24.7	
	9 / 10 / 199	8 1	00940	CHLORIDE, TOTAL (MG/L AS CL)		24.4	
	8 / 26 / 199	8 1	00945	SULFATE, TOTAL (MG/L AS SO4)		24	
	9 / 9 / 1998	8 1	00945	SULFATE, TOTAL (MG/L AS SO4)		25.00	
	9 / 10 / 199	8 1	00945	SULFATE, TOTAL (MG/L AS SO4)		25.90	
	8 / 26 / 199	8 1	00951	FLUORIDE, TOTAL (MG/L AS F)		0.08	
	9 / 9 / 199	8 1	00951	FLUORIDE, TOTAL (MG/L AS F)		0.09	
	9 / 10 / 199	8 1	00951	FLUORIDE, TOTAL (MG/L AS F)		0.09	
	8 / 26 / 199	8 1	01002	ARSENIC, TOTAL (UG/L AS AS)	<	2.0	
	9 / 9 / 199	8 1	01002	ARSENIC, TOTAL (UG/L AS AS)	<	2.0	
	9 / 10 / 199	8 1	01002	ARSENIC, TOTAL (UG/L AS AS)	<	2.0	
	8 / 26 / 199	8 1	01007	BARIUM, TOTAL (UG/L AS BA)		111.0	
	9 / 9 / 199	8 1	01007	BARIUM, TOTAL (UG/L AS BA)		104.0	
	9 / 10 / 199	8 1	01007	BARIUM, TOTAL (UG/L AS BA)		103.0	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
	8 / 26 / 199	98 1	01012	BERYLLIUM, TOTAL (UG/L AS BE)	<	1.0	
	9 / 9 / 199	98 1	01012	BERYLLIUM, TOTAL (UG/L AS BE)	<	1.0	
	9/10/199	98 1	01012	BERYLLIUM, TOTAL (UG/L AS BE)	<	1.0	
	8/16/196	59 1	01020	BORON, DISSOLVED (UG/L AS B)		100.	
	8 / 26 / 199	98 1	01034	CHROMIUM, TOTAL (UG/L AS CR)		4.4	
	9 / 9 / 199	98 1	01034	CHROMIUM, TOTAL (UG/L AS CR)		5.4	
	9 / 10 / 199	98 1	01034	CHROMIUM, TOTAL (UG/L AS CR)		5.0	
	8 / 26 / 199	98 1	01042	COPPER, TOTAL (UG/L AS CU)	<	2.0	
	9 / 9 / 199	98 1	01042	COPPER, TOTAL (UG/L AS CU)	<	2.0	
	9/10/199	98 1	01042	COPPER, TOTAL (UG/L AS CU)	<	2.0	
	8 / 26 / 199	98 1	01045	IRON, TOTAL (UG/L AS FE)		1.85	
	9 / 9 / 199	98 1	01045	IRON, TOTAL (UG/L AS FE)		1.26	
	9 / 10 / 199	98 1	01045	IRON, TOTAL (UG/L AS FE)		0.96	
	8 / 26 / 199	98 1	01046	IRON, DISSOLVED (UG/L AS FE)		0.02	
	9 / 9 / 199	98 1	01046	IRON, DISSOLVED (UG/L AS FE)		0.03	
	9 / 10 / 199	98 1	01046	IRON, DISSOLVED (UG/L AS FE)		0.03	
	8 / 26 / 199	98 1	01055	MANGANESE, TOTAL (UG/L AS MN)		156.0	
	9 / 9 / 199	98 1	01055	MANGANESE, TOTAL (UG/L AS MN)		177.0	
	9 / 10 / 199	98 1	01055	MANGANESE, TOTAL (UG/L AS MN)		175.0	
	8 / 26 / 199	98 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		161.0	
	9 / 9 / 199	98 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		174.0	
	9 / 10 / 199	98 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		173.0	
	8 / 26 / 199	98 1	01067	NICKEL, TOTAL (UG/L AS NI)		2.3	
	9 / 9 / 199	98 1	01067	NICKEL, TOTAL (UG/L AS NI)		1.1	
	9 / 10 / 199	98 1	01067	NICKEL, TOTAL (UG/L AS NI)		1.0	
	8 / 26 / 199	98 1	01077	SILVER, TOTAL (UG/L AS AG)	<	1.0	
	9 / 9 / 199	98 1	01077	SILVER, TOTAL (UG/L AS AG)	<	1.0	
	9 / 10 / 199	98 1	01077	SILVER, TOTAL (UG/L AS AG)	<	1.0	
	8/26/199	98 1	01092	ZINC, TOTAL (UG/L AS ZN)	<	4.0	

ate Well Number	Date Sa	mple#	Storet Code	Description	Flag	Value + or
	9 / 9 /1998	1	01092	ZINC, TOTAL (UG/L AS ZN)	<	4.0
	9 / 10 / 1998	1	01092	ZINC, TOTAL (UG/L AS ZN)	<	4.0
	8 / 26 / 1998	1	01105	ALUMINUM, TOTAL (UG/L AS AL)	<	4.0
	9 / 9 / 1998	1	01105	ALUMINUM, TOTAL (UG/L AS AL)		9.9
	9 / 10 / 1998	1	01105	ALUMINUM, TOTAL (UG/L AS AL)		6.0
	8 / 26 / 1998	1	01147	SELENIUM, TOTAL (UG/L)	<	4.0
	9 / 9 / 1998	1	01147	SELENIUM, TOTAL (UG/L)	<	4.0
	9 / 10 / 1998	1	01147	SELENIUM, TOTAL (UG/L)	<	4.0
	8 / 26 / 1998	1	70299	SOLIDS, SUSPENDED, RESIDUE ON EVAP AT 180C, MG/L		173
	9 / 9 / 1998	1	70299	SOLIDS, SUSPENDED, RESIDUE ON EVAP AT 180C, MG/L		132
	9 / 10 / 1998	1	70299	SOLIDS, SUSPENDED, RESIDUE ON EVAP AT 180C, MG/L		140
6743203						
	5 / 21 / 1969	1	01020	BORON, DISSOLVED (UG/L AS B)		100.
6743204						
	8 / 18 / 2010	1	00010	TEMPERATURE, WATER (CELSIUS)		23.9
	8/18/2010	1	00666	PHOSPHORUS, DISSOLVED (MG/L AS P)		0.06
	8 / 18 / 2010	1	01020	BORON, DISSOLVED (UG/L AS B)		1230
6743402						
	8 / 18 / 2010	1	00010	TEMPERATURE, WATER (CELSIUS)		23.9
	8 / 18 / 2010	1	00666	PHOSPHORUS, DISSOLVED (MG/L AS P)		0.01
	8 / 18 / 2010	1	01020	BORON, DISSOLVED (UG/L AS B)		480
6743406						
	4 / 28 / 1962	1	01045	IRON, TOTAL (UG/L AS FE)		60.
	4 / 28 / 1962	1	01046	IRON, DISSOLVED (UG/L AS FE)		10.
6743806						
	3 / 25 / 1959	1	01020	BORON, DISSOLVED (UG/L AS B)		20.
	2 / 13 / 1945	1	01045	IRON, TOTAL (UG/L AS FE)		200.
6743903	2/13/1743	•	01015	10., 10.12 (00/21/21)		200.
0, 10,00	3 / 16 / 1993	1	00010	TEMPERATURE, WATER (CELSIUS)		42.5

State Well Number	Date	Sample#	Storet Code	Description	Flag Value	e + or -
	6/30/19	98 1	00010	TEMPERATURE, WATER (CELSIUS)	43.	6
	4/28/19	99 1	00010	TEMPERATURE, WATER (CELSIUS)	44.	7
	6/28/20	00 1	00010	TEMPERATURE, WATER (CELSIUS)	44.	4
	6 / 6 / 20	01 1	00010	TEMPERATURE, WATER (CELSIUS)	45.	4
	7/10/20	02 1	00010	TEMPERATURE, WATER (CELSIUS)	44.	5
	5 / 6 /20	03 1	00010	TEMPERATURE, WATER (CELSIUS)	44.	5
	7 / 29 / 20	04 1	00010	TEMPERATURE, WATER (CELSIUS)	44.	2
	6/29/20	05 1	00010	TEMPERATURE, WATER (CELSIUS)	44.	2
	10 / 3 /20	06 1	00010	TEMPERATURE, WATER (CELSIUS)	44.	2
	1/28/20	09 1	00010	TEMPERATURE, WATER (CELSIUS)	32.	5
	8/16/20	10 1	00010	TEMPERATURE, WATER (CELSIUS)	43.	0
	4/18/20	11 1	00010	TEMPERATURE, WATER (CELSIUS)	34.	2
	3/16/19	93 1	00090	OXIDATION REDUCTION POTENTIAL (ORP), MILLIVOLTS	84.	5
	6/30/19	98 1	00090	OXIDATION REDUCTION POTENTIAL (ORP), MILLIVOLTS	-299.	0
	4/28/19	99 1	00090	OXIDATION REDUCTION POTENTIAL (ORP), MILLIVOLTS	-292.	2
	6/29/20	05 1	00094	SPECIFIC CONDUCTANCE, FIELD (UMHOS/CM AT 25C)	77	1
	3/16/19	93 1	00608	NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)	0.5	9
	6/30/19	98 1	00608	NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)	0.7	8
	4/28/19	99 1	00608	NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)	0.67	2
	3/16/19	93 1	00613	NITRITE NITROGEN, DISSOLVED (MG/L AS N)	< 0.0	1
	3/16/19	93 1	00618	NITRATE NITROGEN, DISSOLVED (MG/L AS N)	0.0	1
	3/16/19	93 1	00623	NITROGEN, KJELDAHL, DISSOLVED (MG/L AS N)	0.	7
	6/30/19	98 1	00623	NITROGEN, KJELDAHL, DISSOLVED (MG/L AS N)	0.6	9
	4/28/19	99 1	00623	NITROGEN, KJELDAHL, DISSOLVED (MG/L AS N)	0.73	1
	6/30/19	98 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	< 0.0	5
	4/28/19	99 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	< 0.0	2
	6/28/20	00 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	< 0.0	2
	6 / 6 / 20	01 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	< 0.0	2
	7/10/20	02 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	< 0.0	2

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value + or
	5 / 6 /20	03 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.02
	7 / 29 / 20	04 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.02
	6/29/20	05 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.02
	10 / 3 /20	06 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.1
	4/18/20	11 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.020
	6/30/19	98 1	00666	PHOSPHORUS, DISSOLVED (MG/L AS P)	<	0.1
	4/28/19	99 1	00666	PHOSPHORUS, DISSOLVED (MG/L AS P)	<	0.04
	1/28/20	08 1	00666	PHOSPHORUS, DISSOLVED (MG/L AS P)	<	0.01
	8/16/20	10 1	00666	PHOSPHORUS, DISSOLVED (MG/L AS P)		0.04
	4/18/20	11 1	00666	PHOSPHORUS, DISSOLVED (MG/L AS P)	<	0.020
	3/16/19	93 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	1.0
	6/30/19	98 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2
	4/28/19	99 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2
	6/28/20	00 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2
	6 / 6 / 20	01 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2
	7 / 10 / 20	02 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2
	5 / 6 /20	03 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2
	7 / 29 / 20	04 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2.04
	6/29/20	05 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2.04
	10 / 3 /20	06 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	1
	4/18/20	11 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2.0
	3 / 16 / 19	93 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		80.4
	6/30/19	98 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		69.1
	4/28/19	99 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		77
	6/28/20	00 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		65.1
	6 / 6 / 20	01 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		61.2
	7/10/20	02 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		77.1
	5 / 6 /20	03 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		64.6
	7 / 29 / 20	04 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		50.6

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value + or
	6/29/200	05 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		64.3
	10 / 3 /200	06 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		86
	4/18/201	11 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		64.4
	6/30/199	98 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1
	4/28/199	99 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1
	6/28/200	00 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1
	6 / 6 / 200	01 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1
	7 / 10 / 200	02 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1
	5 / 6 /200	03 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1
	7 / 29 / 200	04 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1.02
	6/29/200	05 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1.02
	10 / 3 /200	06 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1
	4/18/201	11 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1.0
	4/13/195	59 1	01020	BORON, DISSOLVED (UG/L AS B)		320.
	7 / 17 / 197	72 1	01020	BORON, DISSOLVED (UG/L AS B)		400.
	6/30/199	98 1	01020	BORON, DISSOLVED (UG/L AS B)		392
	4/28/199	99 1	01020	BORON, DISSOLVED (UG/L AS B)		387
	6/28/200	00 1	01020	BORON, DISSOLVED (UG/L AS B)		410
	6 / 6 / 200	01 1	01020	BORON, DISSOLVED (UG/L AS B)		342
	7 / 10 / 200	02 1	01020	BORON, DISSOLVED (UG/L AS B)		509
	5 / 6 /200	03 1	01020	BORON, DISSOLVED (UG/L AS B)		414
	7 / 29 / 200	04 1	01020	BORON, DISSOLVED (UG/L AS B)		372
	6/29/200	05 1	01020	BORON, DISSOLVED (UG/L AS B)		385
	10 / 3 /200	06 1	01020	BORON, DISSOLVED (UG/L AS B)		363
	1 / 28 / 200	08 1	01020	BORON, DISSOLVED (UG/L AS B)		0.38
	8 / 16 / 201	10 1	01020	BORON, DISSOLVED (UG/L AS B)		440
	4/18/201	11 1	01020	BORON, DISSOLVED (UG/L AS B)		358
	3 / 16 / 199	93 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	2.0
	6/30/199	98 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value + or
	4 / 28 / 19	99 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1
	6/28/20	00 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1
	6 / 6 / 20	01 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1
	7/10/20	02 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1
	5 / 6 /20	03 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1
	7 / 29 / 20	04 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1.02
	6/29/20	05 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1.02
	10 / 3 /20	06 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1
	4/18/20	11 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1.0
	3/16/19	93 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)	<	4.0
	6/30/19	98 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)		6.1
	4/28/19	99 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)		29.1
	6/28/20	00 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)		9.88
	6 / 6 / 20	01 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)		3.45
	7/10/20	02 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)	<	1
	5 / 6 /20	03 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)		2.78
	7 / 29 / 20	04 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)	<	1.02
	6/29/20	05 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)	<	1.02
	10 / 3 /20	06 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)	<	1
	4/18/20	11 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)		5.7
	6/30/19	98 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1
	4/28/19	99 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1
	6/28/20	00 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1
	6 / 6 / 20	01 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1
	7/10/20	02 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1
	5 / 6 /20	03 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1
	7 / 29 / 20	04 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1.02
	6/29/20	05 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1.02
	10 / 3 /20	06 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value + or
	4/18/20	11 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1.0
	3/16/19	93 1	01040	COPPER, DISSOLVED (UG/L AS CU)	<	2.0
	6/30/19	98 1	01040	COPPER, DISSOLVED (UG/L AS CU)		3
	4/28/19	99 1	01040	COPPER, DISSOLVED (UG/L AS CU)		2.9
	6/28/20	00 1	01040	COPPER, DISSOLVED (UG/L AS CU)	<	2
	6 / 6 / 20	01 1	01040	COPPER, DISSOLVED (UG/L AS CU)	<	2
	7/10/20	02 1	01040	COPPER, DISSOLVED (UG/L AS CU)		1.14
	5 / 6 /20	03 1	01040	COPPER, DISSOLVED (UG/L AS CU)	<	1
	7 / 29 / 20	04 1	01040	COPPER, DISSOLVED (UG/L AS CU)		1.04
	6/29/20	05 1	01040	COPPER, DISSOLVED (UG/L AS CU)		1.59
	10 / 3 /20	06 1	01040	COPPER, DISSOLVED (UG/L AS CU)		5
	4/18/20	11 1	01040	COPPER, DISSOLVED (UG/L AS CU)		1.8
	6 / 4 / 19	54 1	01045	IRON, TOTAL (UG/L AS FE)		1400.
	8 / 29 / 19	63 1	01045	IRON, TOTAL (UG/L AS FE)		80.
	8 / 9 / 19	65 1	01045	IRON, TOTAL (UG/L AS FE)	<	20.
	2/28/19	69 1	01045	IRON, TOTAL (UG/L AS FE)		40.
	5 / 13 / 19	71 1	01045	IRON, TOTAL (UG/L AS FE)	<	20.
	3 / 15 / 19	73 1	01045	IRON, TOTAL (UG/L AS FE)	<	20.
	3 / 16 / 19	93 1	01046	IRON, DISSOLVED (UG/L AS FE)		30.3
	6/30/19	98 1	01046	IRON, DISSOLVED (UG/L AS FE)		36
	4/28/19	99 1	01046	IRON, DISSOLVED (UG/L AS FE)	<	50
	6/28/20	00 1	01046	IRON, DISSOLVED (UG/L AS FE)		61.1
	6 / 6 / 20	01 1	01046	IRON, DISSOLVED (UG/L AS FE)	<	51
	7/10/20	02 1	01046	IRON, DISSOLVED (UG/L AS FE)	<	50
	5 / 6 /20	03 1	01046	IRON, DISSOLVED (UG/L AS FE)	<	50
	7 / 29 / 20	04 1	01046	IRON, DISSOLVED (UG/L AS FE)	<	51
	6/29/20	05 1	01046	IRON, DISSOLVED (UG/L AS FE)	<	51
	10 / 3 /20	06 1	01046	IRON, DISSOLVED (UG/L AS FE)		36
	4/18/20	11 1	01046	IRON, DISSOLVED (UG/L AS FE)	<	51

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value + or
	3 / 16 / 199	93 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	20.
	6/30/199	98 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1
	4/28/199	99 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1
	6/28/200	00 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1
	6 / 6 / 200	01 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1
	7 / 10 / 200)2 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1
	5 / 6 /200	03 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1
	7 / 29 / 200	04 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1.02
	6/29/200)5 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1.02
	10 / 3 /200	06 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1
	4/18/201	11 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1.0
	6 / 4 / 195	54 1	01055	MANGANESE, TOTAL (UG/L AS MN)	<	50.
	8 / 29 / 196	53 1	01055	MANGANESE, TOTAL (UG/L AS MN)	<	50.
	8 / 9 / 196	55 1	01055	MANGANESE, TOTAL (UG/L AS MN)	<	50.
	2/28/196	59 1	01055	MANGANESE, TOTAL (UG/L AS MN)	<	50.
	5 / 13 / 197	71 1	01055	MANGANESE, TOTAL (UG/L AS MN)	<	50.
	3 / 15 / 197	73 1	01055	MANGANESE, TOTAL (UG/L AS MN)	<	50.
	3 / 16 / 199	93 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		4.2
	6/30/199	98 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		3.5
	4/28/199	99 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		2.4
	6/28/200	00 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		1.66
	6 / 6 / 200	01 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		1.13
	7 / 10 / 200)2 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		2.49
	5 / 6 /200)3 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		3.41
	7 / 29 / 200)4 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		4.58
	6/29/200)5 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		2.06
	10 / 3 /200)6 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		3
	4/18/201	11 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		7.2
	6/30/199	98 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value + or -
	4/28/19	99 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1
	6/28/20	00 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1
	6 / 6 / 20	01 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1
	7/10/20	02 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1
	5 / 6 /20	03 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1
	7 / 29 / 20	04 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1.02
	6/29/20	05 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1.02
	10 / 3 /20	06 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1
	4/18/20	11 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1.0
	6/30/19	98 1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1
	4/28/19	99 1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1
	6/28/20	00 1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1
	6 / 6 /20	01 1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1
	7/10/20	02 1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1
	5 / 6 /20	03 1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1
	7 / 29 / 20	04 1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1.02
	6/29/20	05 1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1.02
	10 / 3 /20	06 1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1
	4/18/20	11 1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1.0
	6/30/19	98 1	01065	NICKEL, DISSOLVED (UG/L AS NI)	<	1
	4/28/19	99 1	01065	NICKEL, DISSOLVED (UG/L AS NI)	<	1
	6/28/20	00 1	01065	NICKEL, DISSOLVED (UG/L AS NI)	<	1
	6 / 6 / 20	01 1	01065	NICKEL, DISSOLVED (UG/L AS NI)	<	1
	7/10/20	02 1	01065	NICKEL, DISSOLVED (UG/L AS NI)	<	1
	5 / 6 /20	03 1	01065	NICKEL, DISSOLVED (UG/L AS NI)	<	1
	7 / 29 / 20	04 1	01065	NICKEL, DISSOLVED (UG/L AS NI)	<	1.02
	3/16/19	93 1	01075	SILVER, DISSOLVED (UG/L AS AG)	<	3.0
	4/18/20	11 1	01075	SILVER, DISSOLVED (UG/L AS AG)	<	1.0
	6/30/19	98 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		191

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
	4 / 28 / 19	99 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		198	
	6/28/20	000 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		220	
	6 / 6 / 20	001 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		167	
	7/10/20	002 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		190	
	5 / 6 /20	003 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		184	
	7 / 29 / 20	004 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		158	
	6/29/20	005 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		184	
	10 / 3 /20	006 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		162	
	4/18/20	11 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		192	
	6/30/19	98 1	01085	VANADIUM, DISSOLVED (UG/L AS V)		1.7	
	4/28/19	99 1	01085	VANADIUM, DISSOLVED (UG/L AS V)		8.2	
	6/28/20	000 1	01085	VANADIUM, DISSOLVED (UG/L AS V)		2.65	
	6 / 6 / 20	001 1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	1	
	7/10/20	002 1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	1	
	5 / 6 /20	003 1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	1	
	7 / 29 / 20	004 1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	1.02	
	6/29/20	005 1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	1.02	
	10 / 3 /20	006 1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	1	
	4/18/20	11 1	01085	VANADIUM, DISSOLVED (UG/L AS V)		1.5	
	3/16/19	93 1	01090	ZINC, DISSOLVED (UG/L AS ZN)		9.6	
	6/30/19	98 1	01090	ZINC, DISSOLVED (UG/L AS ZN)	<	4	
	4/28/19	99 1	01090	ZINC, DISSOLVED (UG/L AS ZN)	<	4	
	6/28/20	000 1	01090	ZINC, DISSOLVED (UG/L AS ZN)	<	4	
	6 / 6 / 20	001 1	01090	ZINC, DISSOLVED (UG/L AS ZN)	<	4	
	7/10/20	002 1	01090	ZINC, DISSOLVED (UG/L AS ZN)	<	4	
	5 / 6 /20	003 1	01090	ZINC, DISSOLVED (UG/L AS ZN)	<	4	
	7 / 29 / 20	004 1	01090	ZINC, DISSOLVED (UG/L AS ZN)		16.3	
	6/29/20	005 1	01090	ZINC, DISSOLVED (UG/L AS ZN)	<	4.08	
	10 / 3 /20	006 1	01090	ZINC, DISSOLVED (UG/L AS ZN)		3	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value + or -
	4/18/20	11 1	01090	ZINC, DISSOLVED (UG/L AS ZN)	<	4.1
	6/30/19	98 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1
	4/28/19	99 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1
	6/28/20	00 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1
	6 / 6 / 20	01 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1
	7/10/20	02 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1
	5 / 6 /20	03 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1
	7 / 29 / 20	04 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1.02
	6/29/20	05 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1.02
	10 / 3 /20	06 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1
	4/18/20	11 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1.0
	6/30/19	98 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)		7.4
	4/28/19	99 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)		7.6
	6/28/20	00 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)		7.83
	6 / 6 / 20	01 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)		8.00
	7/10/20	02 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)		8.32
	5 / 6 /20	03 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)		5.88
	7 / 29 / 20	04 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)		6.37
	6/29/20	05 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)		8.33
	10 / 3 /20	06 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)		14
	4/18/20	11 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	4.1
	6/30/19	98 1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		34.3
	4/28/19	99 1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		36.5
	6/28/20	00 1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		43.1
	6 / 6 / 20	01 1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		38.3
	7/10/20	02 1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		30.7
	5 / 6 /20	03 1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		32.8
	7/29/20	04 1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		29.9
	6/29/20	05 1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		32.0

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
	10 / 3 /20	06 1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		31	
	4/18/20	11 1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		34.8	
	3/16/19	93 1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	2.0	
	6/30/19	98 1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	4	
	4/28/19	99 1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	4	
	6/28/20	00 1	01145	SELENIUM, DISSOLVED (UG/L AS SE)		4.38	
	6 / 6 / 20	01 1	01145	SELENIUM, DISSOLVED (UG/L AS SE)		6.82	
	7 / 10 / 20	02 1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	4	
	5 / 6 /20	03 1	01145	SELENIUM, DISSOLVED (UG/L AS SE)		6.44	
	7 / 29 / 20	04 1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	4.08	
	6/29/20	05 1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	4.08	
	10 / 3 /20	06 1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	1	
	4/18/20	11 1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	4.1	
	3/16/19	93 1	01503	ALPHA, DISSOLVED (PC/L)	<	2.0	
	3/16/19	93 1	03503	BETA, DISSOLVED (PC/L)	<	5.0	
	6/29/20	05 1	04241	GROSS ALPHA RADIATION, TOTAL, PRODUCED WATER(pCi/L)		-0.8	1.9
	6/29/20	05 1	04242	GROSS BETA RADIATION, TOTAL, PRODUCED WATER(pCi/L)		3.7	1.6
	4/18/20	11 1	22703	URANIUM, NATURAL, DISSOLVED, UG/L	<	1.0	
	3/16/19	93 1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		340	
	6/30/19	98 1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		351.0	
	4/28/19	99 1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		330.0	
	6/28/20	00 1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		331	
	6 / 6 /20	01 1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		335	
	7/10/20	02 1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		332	
	5 / 6 /20	03 1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		330	
	7 / 29 / 20	04 1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		330	
	6/29/20	05 1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		330	
	4/18/20	11 1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		362	
	4/18/20	11 1	50938	ANION/CATION CHG BAL, PERCENT		3.08	

tate Well Number	Date S	Sample#	Storet Code	Description	Flag	Value + o
	6 / 30 / 1998	3 1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)	<	0.02
	4/28/1999) 1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.23
	6/28/2000) 1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.200
	6 / 6 / 2001	1 1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.212
	7 / 10 / 2002	2 1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.216
	5 / 6 /2003	3 1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.209
	7 / 29 / 2004	1 1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.381
	6/29/2005	5 1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.219
	10 / 3 /2006	5 1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)	<	0.50
	4/18/2011	1 1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.22
	3 / 16 / 1993	3 1	71890	MERCURY, DISSOLVED (UG/L AS HG)	<	0.13
	4/18/2011	1 1	71890	MERCURY, DISSOLVED (UG/L AS HG)	<	0.200
	6/30/1998	3 1	82244	ALKALINITY PHENOLPHTHALEIN FIELD DATA (MG/L)		4.0
6743904						
	8 / 9 / 1965	5 1	01045	IRON, TOTAL (UG/L AS FE)	<	20.
	5 / 30 / 1975	5 1	01045	IRON, TOTAL (UG/L AS FE)	<	20.
	8 / 9 / 1965	5 1	01055	MANGANESE, TOTAL (UG/L AS MN)	<	50.
	5 / 30 / 1975	5 1	01055	MANGANESE, TOTAL (UG/L AS MN)	<	50.
6744103						
	3 / 30 / 1962	2 1	01045	IRON, TOTAL (UG/L AS FE)		2600.
	3 / 30 / 1962	2 1	01046	IRON, DISSOLVED (UG/L AS FE)		30.
6744201						
	3 / 30 / 1962	2 1	00665	PHOSPHORUS, TOTAL (MG/L AS P)		0.09
	3 / 30 / 1962	2 1	01020	BORON, DISSOLVED (UG/L AS B)		260.
	3 / 30 / 1962	2 1	01045	IRON, TOTAL (UG/L AS FE)		70.
	3 / 30 / 1962	2 1	01046	IRON, DISSOLVED (UG/L AS FE)		10.
	3 / 30 / 1962		01055	MANGANESE, TOTAL (UG/L AS MN)		20.
6744202						
	3 / 30 / 1962	2 1	01045	IRON, TOTAL (UG/L AS FE)		14000.

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
	3 / 30 / 196	52 1	01046	IRON, DISSOLVED (UG/L AS FE)	<	10.	
6744401							
	4 / 7 /200	09 1	00010	TEMPERATURE, WATER (CELSIUS)		34.0	
	8 / 16 / 201	10 1	00010	TEMPERATURE, WATER (CELSIUS)		40.7	
	4 / 7 /200)9 1	00666	PHOSPHORUS, DISSOLVED (MG/L AS P)	<	0.01	
	8 / 16 / 201	10 1	00666	PHOSPHORUS, DISSOLVED (MG/L AS P)		0.03	
	4 / 7 /200	9 1	01020	BORON, DISSOLVED (UG/L AS B)		0.10	
	8 / 16 / 201	10 1	01020	BORON, DISSOLVED (UG/L AS B)		120	
	4/28/196	52 1	01045	IRON, TOTAL (UG/L AS FE)		130.	
	4/28/196	52 1	01046	IRON, DISSOLVED (UG/L AS FE)	<	10.	
6744402							
	3 / 20 / 195	59 1	01020	BORON, DISSOLVED (UG/L AS B)		440.	
6744403							
	10 / 10 / 196	52 1	01045	IRON, TOTAL (UG/L AS FE)		15000.	
	10 / 10 / 196	52 1	01046	IRON, DISSOLVED (UG/L AS FE)		150.	
6744605							
	8 / 5 / 199	98 1	00010	TEMPERATURE, WATER (CELSIUS)		44.6	
	5 / 6 /199	99 1	00010	TEMPERATURE, WATER (CELSIUS)		49.0	
	6/28/200	00 1	00010	TEMPERATURE, WATER (CELSIUS)		50.5	
	6 / 6 /200	01 1	00010	TEMPERATURE, WATER (CELSIUS)		55.6	
	7/10/200)2 1	00010	TEMPERATURE, WATER (CELSIUS)		52.3	
	5 / 22 / 200	03 1	00010	TEMPERATURE, WATER (CELSIUS)		52.3	
	6/30/200)5 1	00010	TEMPERATURE, WATER (CELSIUS)		52.0	
	10 / 3 /200	06 1	00010	TEMPERATURE, WATER (CELSIUS)		52.0	
	4 / 7 /200)9 1	00010	TEMPERATURE, WATER (CELSIUS)		30.5	
	8 / 5 / 199	98 1	00090	OXIDATION REDUCTION POTENTIAL (ORP), MILLIVOLTS		-263.7	
	5 / 6 /199	99 1	00090	OXIDATION REDUCTION POTENTIAL (ORP), MILLIVOLTS		-178.8	
	6/30/200)5 1	00094	SPECIFIC CONDUCTANCE, FIELD (UMHOS/CM AT 25C)		2520	
	8 / 5 / 199	98 1	00608	NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)		1.77	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value + o	or -
	5 / 6 / 199	99 1	00608	NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)		1.34	
	8 / 5 / 199	98 1	00623	NITROGEN, KJELDAHL, DISSOLVED (MG/L AS N)		2.18	
	5 / 6 / 199	99 1	00623	NITROGEN, KJELDAHL, DISSOLVED (MG/L AS N)		1.49	
	8 / 5 / 199	98 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.05	
	5 / 6 / 199	99 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.02	
	6/28/200	00 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.02	
	6 / 6 / 200	01 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.02	
	7 / 10 / 200)2 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.02	
	5 / 22 / 200	03 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.02	
	7 / 29 / 200	04 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.02	
	6/30/200)5 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.02	
	10 / 3 /200	06 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.1	
	8 / 5 / 199	98 1	00666	PHOSPHORUS, DISSOLVED (MG/L AS P)		0.12	
	5 / 6 / 199	99 1	00666	PHOSPHORUS, DISSOLVED (MG/L AS P)	<	0.04	
	4 / 7 /200)9 1	00666	PHOSPHORUS, DISSOLVED (MG/L AS P)	<	0.01	
	8 / 5 / 199	98 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	4	
	5 / 6 / 199	99 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2	
	6/28/200	00 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2	
	6 / 6 /200	01 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2	
	7 / 10 / 200)2 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2	
	5 / 22 / 200	03 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2	
	7 / 29 / 200	04 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2.04	
	6/30/200)5 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2.04	
	10 / 3 /200	06 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	1	
	8 / 5 / 199	98 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		153	
	5 / 6 / 199	99 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		130	
	6/28/200	00 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		127	
	6 / 6 /200	01 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		132	
	7/10/200)2 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		153	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
	5 / 22 / 20	003 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		148	
	7 / 29 / 20	004 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		134	
	6/30/20	005 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		157	
	10 / 3 /20	006 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		150	
	8 / 5 / 19	98 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	2	
	5 / 6 /19	99 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1	
	6/28/20	000 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1	
	6 / 6 /20	001 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1	
	7/10/20	002 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1	
	5/22/20	003 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1	
	7 / 29 / 20	004 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1.02	
	6/30/20	005 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1.02	
	10 / 3 /20	006 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1	
	8 / 5 / 19	98 1	01020	BORON, DISSOLVED (UG/L AS B)		2810	
	5 / 6 / 19	99 1	01020	BORON, DISSOLVED (UG/L AS B)		1570	
	6/28/20	000 1	01020	BORON, DISSOLVED (UG/L AS B)		1960	
	6 / 6 / 20	001 1	01020	BORON, DISSOLVED (UG/L AS B)		1890	
	7/10/20	002 1	01020	BORON, DISSOLVED (UG/L AS B)		2030	
	5 / 22 / 20	003 1	01020	BORON, DISSOLVED (UG/L AS B)		1870	
	7 / 29 / 20	004 1	01020	BORON, DISSOLVED (UG/L AS B)		1760	
	6/30/20	005 1	01020	BORON, DISSOLVED (UG/L AS B)		1850	
	10 / 3 /20	006 1	01020	BORON, DISSOLVED (UG/L AS B)		1820	
	4 / 7 /20	009 1	01020	BORON, DISSOLVED (UG/L AS B)		1900	
	8 / 5 / 19	98 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	2	
	5 / 6 / 19	99 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1	
	6/28/20	000 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1	
	6 / 6 / 20	001 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1	
	7/10/20	002 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1	
	5/22/20	003 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value + or
	7 / 29 / 200	04 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1.02
	6/30/200	05 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1.02
	10 / 3 /200	06 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1
	8 / 5 / 199	98 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)		50.8
	5 / 6 / 199	99 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)		63.2
	6/28/200	00 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)		35.4
	6 / 6 / 200	01 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)		9.87
	7/10/200	02 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)	<	1
	5 / 22 / 200	03 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)		11.9
	7/29/200	04 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)		2.05
	6/30/200	05 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)	<	1.02
	10 / 3 /200	06 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)		4
	8 / 5 / 199	98 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	2
	5 / 6 / 199	99 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1
	6/28/200	00 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1
	6 / 6 / 200	01 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1
	7/10/200	02 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1
	5 / 22 / 200	03 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1
	7 / 29 / 200	04 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1.02
	6/30/200	05 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1.02
	10 / 3 /200	06 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1
	8 / 5 / 199	98 1	01040	COPPER, DISSOLVED (UG/L AS CU)		23.2
	5 / 6 /199	99 1	01040	COPPER, DISSOLVED (UG/L AS CU)		9.3
	6/28/200	00 1	01040	COPPER, DISSOLVED (UG/L AS CU)		60.4
	6 / 6 /200	01 1	01040	COPPER, DISSOLVED (UG/L AS CU)		6.43
	7/10/200	02 1	01040	COPPER, DISSOLVED (UG/L AS CU)		40.3
	5 / 22 / 200	03 1	01040	COPPER, DISSOLVED (UG/L AS CU)		39.6
	7 / 29 / 200	04 1	01040	COPPER, DISSOLVED (UG/L AS CU)		3.72
	6/30/200	05 1	01040	COPPER, DISSOLVED (UG/L AS CU)		16.0

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value + or -
	10 / 3 /20	06 1	01040	COPPER, DISSOLVED (UG/L AS CU)	<	1
	8 / 5 / 19	98 1	01046	IRON, DISSOLVED (UG/L AS FE)		16
	5 / 6 / 19	99 1	01046	IRON, DISSOLVED (UG/L AS FE)		427
	6/28/20	00 1	01046	IRON, DISSOLVED (UG/L AS FE)	<	50
	6 / 6 / 20	01 1	01046	IRON, DISSOLVED (UG/L AS FE)	<	51
	7/10/20	02 1	01046	IRON, DISSOLVED (UG/L AS FE)		54.7
	5 / 22 / 20	03 1	01046	IRON, DISSOLVED (UG/L AS FE)	<	50
	7 / 29 / 20	04 1	01046	IRON, DISSOLVED (UG/L AS FE)	<	51
	6/30/20	05 1	01046	IRON, DISSOLVED (UG/L AS FE)	<	51
	10 / 3 /20	06 1	01046	IRON, DISSOLVED (UG/L AS FE)		32
	8 / 5 / 19	98 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	2
	5 / 6 / 19	99 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	5
	6/28/20	00 1	01049	LEAD, DISSOLVED (UG/L AS PB)		3.20
	6 / 6 / 20	01 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1
	7/10/20	02 1	01049	LEAD, DISSOLVED (UG/L AS PB)		1.14
	5 / 22 / 20	03 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1
	7 / 29 / 20	04 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1.02
	6/30/20	05 1	01049	LEAD, DISSOLVED (UG/L AS PB)		9.95
	10 / 3 /20	06 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1
	8 / 5 / 19	98 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		2.2
	5 / 6 / 19	99 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		6
	6/28/20	00 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		2.34
	6 / 6 / 20	01 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		1.89
	7/10/20	02 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		2.73
	5 / 22 / 20	03 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		2.67
	7 / 29 / 20	04 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		2.23
	6/30/20	05 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		2.92
	10 / 3 /20	06 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		2
	8 / 5 / 19	98 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	2

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value + or
	5 / 6 /19	99 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	5
	6/28/20	00 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1
	6 / 6 / 20	01 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1
	7/10/20	02 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1
	5 / 22 / 20	03 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1
	7 / 29 / 20	04 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1.02
	6/30/20	05 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1.02
	10 / 3 /20	06 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1
	8 / 5 / 19	98 1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	2
	5 / 6 / 19	99 1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1
	6/28/20	00 1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1
	6 / 6 / 20	01 1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1
	7/10/20	02 1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1
	5 / 22 / 20	03 1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1
	7/29/20	04 1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1.02
	6/30/20	05 1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1.02
	10 / 3 /20	06 1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1
	8 / 5 / 19	98 1	01065	NICKEL, DISSOLVED (UG/L AS NI)	<	2
	5 / 6 / 19	99 1	01065	NICKEL, DISSOLVED (UG/L AS NI)	<	1
	6/28/20	00 1	01065	NICKEL, DISSOLVED (UG/L AS NI)	<	1
	6 / 6 / 20	01 1	01065	NICKEL, DISSOLVED (UG/L AS NI)	<	1
	7/10/20	02 1	01065	NICKEL, DISSOLVED (UG/L AS NI)	<	1
	5 / 22 / 20	03 1	01065	NICKEL, DISSOLVED (UG/L AS NI)	<	1
	7 / 29 / 20	04 1	01065	NICKEL, DISSOLVED (UG/L AS NI)	<	1.02
	8 / 5 / 19	98 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		440
	5 / 6 / 19	99 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		356
	6/28/20	00 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		476
	6 / 6 / 20	01 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		403
	7/10/20	02 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		422

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
	5 / 22 / 20	03 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		413	
	7 / 29 / 20	04 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		419	
	6/30/20	05 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		422	
	10 / 3 /20	06 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		386	
	8 / 5 / 19	98 1	01085	VANADIUM, DISSOLVED (UG/L AS V)		13.6	
	5 / 6 /19	99 1	01085	VANADIUM, DISSOLVED (UG/L AS V)		17.1	
	6/28/20	00 1	01085	VANADIUM, DISSOLVED (UG/L AS V)		9.51	
	6 / 6 / 20	01 1	01085	VANADIUM, DISSOLVED (UG/L AS V)		2.37	
	7/10/20	02 1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	1	
	5/22/20	03 1	01085	VANADIUM, DISSOLVED (UG/L AS V)		3.23	
	7 / 29 / 20	04 1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	1.02	
	6/30/20	05 1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	1.02	
	10 / 3 /20	06 1	01085	VANADIUM, DISSOLVED (UG/L AS V)		4	
	8 / 5 / 19	98 1	01090	ZINC, DISSOLVED (UG/L AS ZN)	<	8	
	5 / 6 / 19	99 1	01090	ZINC, DISSOLVED (UG/L AS ZN)	<	4	
	6/28/20	00 1	01090	ZINC, DISSOLVED (UG/L AS ZN)		12.4	
	6 / 6 / 20	01 1	01090	ZINC, DISSOLVED (UG/L AS ZN)	<	4	
	7/10/20	02 1	01090	ZINC, DISSOLVED (UG/L AS ZN)		7.81	
	5 / 22 / 20	03 1	01090	ZINC, DISSOLVED (UG/L AS ZN)		7.73	
	7 / 29 / 20	04 1	01090	ZINC, DISSOLVED (UG/L AS ZN)	<	4.08	
	6/30/20	05 1	01090	ZINC, DISSOLVED (UG/L AS ZN)		66.4	
	10 / 3 /20	06 1	01090	ZINC, DISSOLVED (UG/L AS ZN)		1	
	8 / 5 / 19	98 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	2	
	5 / 6 /19	99 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1	
	6/28/20	00 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1	
	6 / 6 / 20	01 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1	
	7/10/20	02 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1	
	5 / 22 / 20	03 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1	
	7 / 29 / 20	04 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1.02	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value + or
	6/30/200	05 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1.02
	10 / 3 /200	06 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1
	8 / 5 / 199	98 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)		8.6
	5 / 6 / 199	99 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	4
	6/28/200	00 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)		7.83
	6 / 6 / 200	01 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)		7.15
	7/10/200	02 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)		9.72
	5 / 22 / 200	03 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)		9.09
	7/29/200	04 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)		9.64
	6/30/200	05 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)		9.59
	10 / 3 /200	06 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)		10
	8 / 5 / 199	98 1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		103
	5 / 6 / 199	99 1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		82.4
	6/28/200	00 1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		116
	6 / 6 / 200	01 1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		105
	7 / 10 / 200	02 1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		90.6
	5 / 22 / 200	03 1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		109
	7 / 29 / 200	04 1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		90.6
	6/30/200	05 1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		82.0
	10 / 3 /200	06 1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		96
	8 / 5 / 199	98 1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	8
	5 / 6 /199	99 1	01145	SELENIUM, DISSOLVED (UG/L AS SE)		4.1
	6/28/200	00 1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	4
	6 / 6 / 200	01 1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	4
	7/10/200	02 1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	4
	5 / 22 / 200	03 1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	4
	7 / 29 / 200	04 1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	4.08
	6/30/200	05 1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	4.08
	10 / 3 /200	06 1	01145	SELENIUM, DISSOLVED (UG/L AS SE)		1

State Well Number	Date S	Sample#	Storet Code	Description	Flag	Value	+ or -
	6/30/2005	5 1	04241	GROSS ALPHA RADIATION, TOTAL, PRODUCED WATER(pCi/L)		2.3	6
	6/30/2005	5 1	04242	GROSS BETA RADIATION, TOTAL, PRODUCED WATER(pCi/L)		8.7	6.2
	8 / 5 / 1998	3 1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		1039	
	5 / 6 /1999) 1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		1014.0	
	6/28/2000) 1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		1006	
	6 / 6 /2001	1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		1019	
	7 / 10 / 2002	2 1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		1016	
	5 / 22 / 2003	3 1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		1018	
	6/30/2005	5 1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		1018	
	8 / 5 / 1998	3 1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.26	
	5 / 6 /1999) 1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.65	
	6/28/2000) 1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.840	
	6 / 6 /2001	1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.674	
	7 / 10 / 2002	2 1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.831	
	5 / 22 / 2003	3 1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.749	
	7 / 29 / 2004	1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		1.70	
	6/30/2005	5 1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.919	
	10 / 3 /2006	5 1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)	<	1.2	
6744802							
	8 / 5 / 1998	3 1	00010	TEMPERATURE, WATER (CELSIUS)		38.0	
	5 / 6 /1999) 1	00010	TEMPERATURE, WATER (CELSIUS)		34.0	
	6/28/2000) 1	00010	TEMPERATURE, WATER (CELSIUS)		49.0	
	6 / 6 /2001	1	00010	TEMPERATURE, WATER (CELSIUS)		42.4	
	7 / 10 / 2002	2 1	00010	TEMPERATURE, WATER (CELSIUS)		32.7	
	5 / 22 / 2003	3 1	00010	TEMPERATURE, WATER (CELSIUS)		32.0	
	7 / 29 / 2004	1	00010	TEMPERATURE, WATER (CELSIUS)		40.7	
	6/30/2005	5 1	00010	TEMPERATURE, WATER (CELSIUS)		40.7	
	10 / 3 /2006	5 1	00010	TEMPERATURE, WATER (CELSIUS)		40.7	
	1 / 28 / 2009) 1	00010	TEMPERATURE, WATER (CELSIUS)		30.6	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
	8/16/20	10 1	00010	TEMPERATURE, WATER (CELSIUS)		40.7	
	8 / 5 / 19	98 1	00090	OXIDATION REDUCTION POTENTIAL (ORP), MILLIVOLTS		-289.6	
	5 / 6 / 19	99 1	00090	OXIDATION REDUCTION POTENTIAL (ORP), MILLIVOLTS		-258.0	
	6/30/20	05 1	00094	SPECIFIC CONDUCTANCE, FIELD (UMHOS/CM AT 25C)		2600	
	8 / 5 / 19	98 1	00608	NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)		1.61	
	5 / 6 / 19	99 1	00608	NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)		1.64	
	8 / 5 / 19	98 1	00623	NITROGEN, KJELDAHL, DISSOLVED (MG/L AS N)		1.94	
	5 / 6 / 19	99 1	00623	NITROGEN, KJELDAHL, DISSOLVED (MG/L AS N)		1.83	
	8 / 5 / 19	98 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.05	
	5 / 6 / 19	99 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.02	
	6/28/20	00 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.02	
	6 / 6 / 20	01 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)		0.961	
	7/10/20	02 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.02	
	5 / 22 / 20	03 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)		0.0232	
	7/29/20	04 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.02	
	6/30/20	05 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.02	
	10 / 3 /20	06 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.1	
	8 / 5 / 19	98 1	00666	PHOSPHORUS, DISSOLVED (MG/L AS P)		0.12	
	5 / 6 / 19	99 1	00666	PHOSPHORUS, DISSOLVED (MG/L AS P)	<	0.04	
	1/28/20	09 1	00666	PHOSPHORUS, DISSOLVED (MG/L AS P)	<	0.01	
	8/16/20	10 1	00666	PHOSPHORUS, DISSOLVED (MG/L AS P)		0.05	
	8 / 5 / 19	98 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2	
	5 / 6 /19	99 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2	
	6/28/20	00 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2	
	6 / 6 / 20	01 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2	
	7/10/20	02 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2	
	5 / 22 / 20	03 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2	
	7 / 29 / 20	04 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2.04	
	6/30/20	05 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2.04	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value -	+ or -
	10 / 3 /20	06 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	1	
	8 / 5 / 19	98 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		139	
	5 / 6 / 19	99 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		154	
	6/28/20	00 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		113	
	6 / 6 / 20	01 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		117	
	7/10/20	02 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		138	
	5 / 22 / 20	03 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		133	
	7 / 29 / 20	04 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		117	
	6/30/20	05 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		136	
	10 / 3 /20	06 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		135	
	8 / 5 / 19	98 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1	
	5 / 6 / 19	99 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1	
	6/28/20	00 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1	
	6 / 6 / 20	01 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1	
	7/10/20	02 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1	
	5 / 22 / 20	03 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1	
	7 / 29 / 20	04 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1.02	
	6/30/20	05 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1.02	
	10 / 3 /20	06 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1	
	8 / 5 / 19	98 1	01020	BORON, DISSOLVED (UG/L AS B)		2380	
	5 / 6 / 19	99 1	01020	BORON, DISSOLVED (UG/L AS B)		1930	
	6/28/20	00 1	01020	BORON, DISSOLVED (UG/L AS B)		1590	
	6 / 6 / 20	01 1	01020	BORON, DISSOLVED (UG/L AS B)		1460	
	7/10/20	02 1	01020	BORON, DISSOLVED (UG/L AS B)		1640	
	5 / 22 / 20	03 1	01020	BORON, DISSOLVED (UG/L AS B)		1540	
	7 / 29 / 20	04 1	01020	BORON, DISSOLVED (UG/L AS B)		1430	
	6/30/20	05 1	01020	BORON, DISSOLVED (UG/L AS B)		1520	
	10 / 3 /20	06 1	01020	BORON, DISSOLVED (UG/L AS B)		1460	
	1/28/20	09 1	01020	BORON, DISSOLVED (UG/L AS B)		1690	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value + or -
	8 / 16 / 20	10 1	01020	BORON, DISSOLVED (UG/L AS B)		1620
	8 / 5 / 199	98 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1
	5 / 6 / 199	99 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1
	6/28/200	00 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1
	6 / 6 / 200	01 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1
	7/10/200	02 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1
	5 / 22 / 200	03 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1
	7 / 29 / 20	04 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1.02
	6/30/200	05 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1.02
	10 / 3 /200	06 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1
	8 / 5 / 199	98 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)		103
	5 / 6 / 199	99 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)		67
	6/28/200	00 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)		28.2
	6 / 6 / 200	01 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)		9.34
	7/10/200	02 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)	<	1
	5 / 22 / 200	03 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)		11.6
	7 / 29 / 200	04 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)		1.91
	6/30/200	05 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)	<	1.02
	10 / 3 /200	06 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)		2
	8 / 5 / 199	98 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1
	5 / 6 / 199	99 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1
	6/28/200	00 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1
	6 / 6 / 200	01 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1
	7/10/200	02 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1
	5 / 22 / 200	03 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1
	7 / 29 / 200	04 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1.02
	6/30/200	05 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1.02
	10 / 3 /200	06 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1
	8 / 5 / 199	98 1	01040	COPPER, DISSOLVED (UG/L AS CU)		22.8

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value +	or -
	5 / 6 / 199	99 1	01040	COPPER, DISSOLVED (UG/L AS CU)		11	
	6/28/200	00 1	01040	COPPER, DISSOLVED (UG/L AS CU)	<	2	
	6 / 6 / 200	01 1	01040	COPPER, DISSOLVED (UG/L AS CU)		6.01	
	7/10/200	02 1	01040	COPPER, DISSOLVED (UG/L AS CU)		2.65	
	5 / 22 / 200	03 1	01040	COPPER, DISSOLVED (UG/L AS CU)		1.63	
	7 / 29 / 20	04 1	01040	COPPER, DISSOLVED (UG/L AS CU)		3.01	
	6/30/200	05 1	01040	COPPER, DISSOLVED (UG/L AS CU)		4.85	
	10 / 3 /200	06 1	01040	COPPER, DISSOLVED (UG/L AS CU)		2	
	8 / 5 / 199	98 1	01046	IRON, DISSOLVED (UG/L AS FE)		154	
	5 / 6 / 199	99 1	01046	IRON, DISSOLVED (UG/L AS FE)		67	
	6/28/200	00 1	01046	IRON, DISSOLVED (UG/L AS FE)		73.8	
	6 / 6 / 200	01 1	01046	IRON, DISSOLVED (UG/L AS FE)		209	
	7/10/200	02 1	01046	IRON, DISSOLVED (UG/L AS FE)		462	
	5 / 22 / 200	03 1	01046	IRON, DISSOLVED (UG/L AS FE)		475	
	7/29/200	04 1	01046	IRON, DISSOLVED (UG/L AS FE)		236	
	6/30/200	05 1	01046	IRON, DISSOLVED (UG/L AS FE)		115	
	10 / 3 /200	06 1	01046	IRON, DISSOLVED (UG/L AS FE)		406	
	8 / 5 / 199	98 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1	
	5 / 6 /199	99 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	5	
	6/28/200	00 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1	
	6 / 6 / 200	01 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1	
	7 / 10 / 200	02 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1	
	5 / 22 / 200	03 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1	
	7 / 29 / 200	04 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1.02	
	6/30/200	05 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1.02	
	10 / 3 /200	06 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1	
	8 / 5 / 199	98 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		6.7	
	5 / 6 / 199	99 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		1.3	
	6/28/200	00 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		3.44	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value -	+ or -
	6 / 6 / 20	01 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		5.09	
	7/10/20	02 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		10.8	
	5 / 22 / 20	03 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		11.7	
	7/29/20	04 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		5.86	
	6/30/20	05 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		3.82	
	10 / 3 /20	06 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		10	
	8 / 5 / 19	98 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1	
	5 / 6 / 19	99 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	5	
	6/28/20	00 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1	
	6 / 6 / 20	01 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1	
	7/10/20	02 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1	
	5 / 22 / 20	03 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1	
	7 / 29 / 20	04 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1.02	
	6/30/20	05 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1.02	
	10 / 3 /20	06 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1	
	8 / 5 / 19	98 1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1	
	5 / 6 / 19	99 1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1	
	6/28/20	00 1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1	
	6 / 6 / 20	01 1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1	
	7/10/20	02 1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1	
	5 / 22 / 20	03 1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1	
	7 / 29 / 20	04 1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1.02	
	6/30/20	05 1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1.02	
	10 / 3 /20	06 1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1	
	8 / 5 / 19	98 1	01065	NICKEL, DISSOLVED (UG/L AS NI)	<	1	
	5 / 6 / 19	99 1	01065	NICKEL, DISSOLVED (UG/L AS NI)	<	1	
	6/28/20	00 1	01065	NICKEL, DISSOLVED (UG/L AS NI)	<	1	
	6 / 6 / 20	01 1	01065	NICKEL, DISSOLVED (UG/L AS NI)	<	1	
	7/10/20	02 1	01065	NICKEL, DISSOLVED (UG/L AS NI)	<	1	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value + or -
	5 / 22 / 200	03 1	01065	NICKEL, DISSOLVED (UG/L AS NI)	<	1
	7 / 29 / 200	04 1	01065	NICKEL, DISSOLVED (UG/L AS NI)	<	1.02
	8 / 5 / 199	98 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		394
	5 / 6 / 199	99 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		407
	6/28/200	00 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		421
	6 / 6 / 200	01 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		343
	7/10/200	02 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		371
	5 / 22 / 200	03 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		370
	7 / 29 / 200	04 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		369
	6/30/200	05 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		372
	10 / 3 /200	06 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		346
	8 / 5 / 199	98 1	01085	VANADIUM, DISSOLVED (UG/L AS V)		27.8
	5 / 6 / 199	99 1	01085	VANADIUM, DISSOLVED (UG/L AS V)		18.1
	6/28/200	00 1	01085	VANADIUM, DISSOLVED (UG/L AS V)		7.55
	6 / 6 / 200	01 1	01085	VANADIUM, DISSOLVED (UG/L AS V)		2.25
	7 / 10 / 200	02 1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	1
	5 / 22 / 200	03 1	01085	VANADIUM, DISSOLVED (UG/L AS V)		3.09
	7 / 29 / 200	04 1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	1.02
	6/30/200	05 1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	1.02
	10 / 3 /200	06 1	01085	VANADIUM, DISSOLVED (UG/L AS V)		2
	8 / 5 / 199	98 1	01090	ZINC, DISSOLVED (UG/L AS ZN)	<	4
	5 / 6 / 199	99 1	01090	ZINC, DISSOLVED (UG/L AS ZN)	<	4
	6/28/200	00 1	01090	ZINC, DISSOLVED (UG/L AS ZN)	<	4
	6 / 6 /200	01 1	01090	ZINC, DISSOLVED (UG/L AS ZN)	<	4
	7/10/200	02 1	01090	ZINC, DISSOLVED (UG/L AS ZN)	<	4
	5 / 22 / 200	03 1	01090	ZINC, DISSOLVED (UG/L AS ZN)	<	4
	7 / 29 / 200	04 1	01090	ZINC, DISSOLVED (UG/L AS ZN)		4.35
	6/30/200	05 1	01090	ZINC, DISSOLVED (UG/L AS ZN)	<	4.08
	10 / 3 /200	06 1	01090	ZINC, DISSOLVED (UG/L AS ZN)		7

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value + or
	8 / 5 / 19	98 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1
	5 / 6 / 19	99 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1
	6/28/20	000 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1
	6 / 6 / 20	001 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1
	7/10/20	002 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1
	5 / 22 / 20	003 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1
	7 / 29 / 20	004 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1.02
	6/30/20	005 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1.02
	10 / 3 /20	006 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1
	8 / 5 / 19	98 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)		6.4
	5 / 6 / 19	99 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)		9.1
	6/28/20	000 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)		6.00
	6 / 6 / 20	001 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)		5.75
	7/10/20	002 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	4
	5/22/20	003 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	4
	7 / 29 / 20	004 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	4.08
	6/30/20	005 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)		7.05
	10 / 3 /20	006 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)		4
	8 / 5 / 19	98 1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		93.5
	5 / 6 /19	99 1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		95.7
	6/28/20	000 1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		107
	6 / 6 / 20	001 1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		95.3
	7/10/20	002 1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		80.5
	5 / 22 / 20	003 1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		96.3
	7 / 29 / 20	004 1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		80.6
	6/30/20	005 1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		73.1
	10 / 3 /20	006 1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		85
	8 / 5 / 19	98 1	01145	SELENIUM, DISSOLVED (UG/L AS SE)		6.8
	5 / 6 / 19	99 1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	4

tate Well Number	Date	Sample#	Storet Code	Description	Flag	Value +	+ or -
	6/28/200	0 1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	4	
	6 / 6 /200	1 1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	4	
	7/10/200	2 1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	4	
	5 / 22 / 200	3 1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	4	
	7 / 29 / 200	4 1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	4.08	
	6/30/200	5 1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	4.08	
	10 / 3 /200	6 1	01145	SELENIUM, DISSOLVED (UG/L AS SE)		1	
	8 / 5 / 199	8 1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		941	
	5 / 6 / 199	9 1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		964.0	
	6/28/200	0 1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		958	
	6 / 6 /200	1 1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		950	
	7 / 10 / 200	2 1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		974	
	5 / 22 / 200	3 1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		960	
	7 / 29 / 200	4 1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		960	
	6/30/200	5 1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		960	
	8 / 5 / 199	8 1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.65	
	5 / 6 /199	9 1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.82	
	6/28/200	0 1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.600	
	6 / 6 /200	1 1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.903	
	7 / 10 / 200	2 1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.743	
	5 / 22 / 200	3 1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.792	
	7 / 29 / 200	4 1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.660	
	6/30/200	5 1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.772	
	10 / 3 /200	6 1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)	<	1.2	
6744803							
	7 / 23 / 200	2 1	00010	TEMPERATURE, WATER (CELSIUS)		23.4	
	7 / 23 / 200	2 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.02	
	7 / 23 / 200	2 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)		24.3	
	7 / 23 / 200	2 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		74.7	

tate Well Number	Date	Sample#	Storet Code	Description	Flag	Value + or
	7 / 23 / 200	2 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	4
	7 / 23 / 200	2 1	01020	BORON, DISSOLVED (UG/L AS B)		991
	7 / 23 / 200	2 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1
	7 / 23 / 200	2 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)	<	4
	7 / 23 / 200	2 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1
	7 / 23 / 200	2 1	01040	COPPER, DISSOLVED (UG/L AS CU)		1.10
	7 / 23 / 200	2 1	01046	IRON, DISSOLVED (UG/L AS FE)		61.6
	7 / 23 / 200	2 1	01049	LEAD, DISSOLVED (UG/L AS PB)		1.86
	7 / 23 / 200	2 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		173
	7 / 23 / 200	2 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1
	7 / 23 / 200	2 1	01060	MOLYBDENUM, DISSOLVED, UG/L		2.95
	7 / 23 / 200	2 1	01065	NICKEL, DISSOLVED (UG/L AS NI)		3.32
	7 / 23 / 200	2 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		1020
	7 / 23 / 200	2 1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	4
	7 / 23 / 200	2 1	01090	ZINC, DISSOLVED (UG/L AS ZN)		7030
	7 / 23 / 200	2 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1
	7 / 23 / 200	2 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	16
	7 / 23 / 200	2 1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		150
	7 / 23 / 200	2 1	01145	SELENIUM, DISSOLVED (UG/L AS SE)		5.22
	7 / 23 / 200	2 1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		216
	7 / 23 / 200	2 1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		1.34
6745203						
	8 / 5 / 199	8 1	00010	TEMPERATURE, WATER (CELSIUS)		50.3
	5 / 5 / 199	9 1	00010	TEMPERATURE, WATER (CELSIUS)		49.4
	6/15/200	0 1	00010	TEMPERATURE, WATER (CELSIUS)		48.0
	6 / 6 /200	1 1	00010	TEMPERATURE, WATER (CELSIUS)		50.1
	7 / 10 / 200	2 1	00010	TEMPERATURE, WATER (CELSIUS)		49.4
	5 / 22 / 200	3 1	00010	TEMPERATURE, WATER (CELSIUS)		48.0
	7 / 29 / 200	4 1	00010	TEMPERATURE, WATER (CELSIUS)		47.5

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
	6/29/200	05 1	00010	TEMPERATURE, WATER (CELSIUS)		47.5	
	10 / 3 /200	06 1	00010	TEMPERATURE, WATER (CELSIUS)		55.3	
	1/28/200	09 1	00010	TEMPERATURE, WATER (CELSIUS)		50.3	
	8/16/20	10 1	00010	TEMPERATURE, WATER (CELSIUS)		31.7	
	4/18/20	11 1	00010	TEMPERATURE, WATER (CELSIUS)		51.1	
	8 / 5 / 199	98 1	00090	OXIDATION REDUCTION POTENTIAL (ORP), MILLIVOLTS		148.7	
	5 / 5 / 199	99 1	00090	OXIDATION REDUCTION POTENTIAL (ORP), MILLIVOLTS		42.9	
	6/29/200	05 1	00094	SPECIFIC CONDUCTANCE, FIELD (UMHOS/CM AT 25C)		5140	
	8 / 5 / 199	98 1	00608	NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)		2.87	
	5 / 5 / 199	99 1	00608	NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)		1.92	
	8 / 5 / 199	98 1	00623	NITROGEN, KJELDAHL, DISSOLVED (MG/L AS N)		3.03	
	5 / 5 / 199	99 1	00623	NITROGEN, KJELDAHL, DISSOLVED (MG/L AS N)		2.76	
	8 / 5 / 199	98 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.05	
	5 / 5 / 199	99 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.02	
	6/15/200	00 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.02	
	6 / 6 / 200	01 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)		1.56	
	7/10/200	02 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.02	
	5 / 22 / 200	03 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)		0.0867	
	7 / 29 / 200	04 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)		0.0560	
	6/29/200	05 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.02	
	10 / 3 /200	06 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.1	
	4/18/20	11 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.020	
	8 / 5 / 199	98 1	00666	PHOSPHORUS, DISSOLVED (MG/L AS P)		0.2	
	5 / 5 / 199	99 1	00666	PHOSPHORUS, DISSOLVED (MG/L AS P)	<	0.04	
	1 / 28 / 200	09 1	00666	PHOSPHORUS, DISSOLVED (MG/L AS P)		0.07	
	8/16/20	10 1	00666	PHOSPHORUS, DISSOLVED (MG/L AS P)		0.09	
	4/18/20	11 1	00666	PHOSPHORUS, DISSOLVED (MG/L AS P)		0.032	
	8 / 5 / 199	98 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	10	
	5 / 5 / 199	99 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
	6/15/20	00 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)		2.49	
	6 / 6 / 20	01 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)		2.32	
	7/10/20	02 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	10	
	5/22/20	03 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	4	
	7 / 29 / 20	04 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)		3.94	
	6/29/20	05 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	4.08	
	10 / 3 /20	06 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	1	
	4/18/20	11 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)		7.1	
	8 / 5 / 19	98 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		505	
	5 / 5 / 19	99 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		452	
	6/15/20	00 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		424	
	6 / 6 / 20	01 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		375	
	7/10/20	02 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		444	
	5 / 22 / 20	03 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		461	
	7 / 29 / 20	04 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		386	
	6/29/20	05 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		392	
	10 / 3 /20	06 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		141	
	4/18/20	11 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		424	
	8 / 5 / 19	98 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	5	
	5 / 5 / 19	99 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	5	
	6/15/20	00 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1	
	6 / 6 / 20	01 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1	
	7/10/20	02 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	5	
	5 / 22 / 20	03 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	2	
	7 / 29 / 20	04 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1.02	
	6/29/20	05 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	2.04	
	10 / 3 /20	06 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1	
	4/18/20	11 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1.0	
	8 / 5 / 19	98 1	01020	BORON, DISSOLVED (UG/L AS B)		8950	

State Well Number	Date	Sample#	Storet Code	Description	Flag Value	+ or -
	5 / 5 / 19	99 1	01020	BORON, DISSOLVED (UG/L AS B)	5740	
	6/15/20	00 1	01020	BORON, DISSOLVED (UG/L AS B)	5590	
	6 / 6 / 20	01 1	01020	BORON, DISSOLVED (UG/L AS B)	5930	
	7/10/20	02 1	01020	BORON, DISSOLVED (UG/L AS B)	5940	
	5 / 22 / 20	03 1	01020	BORON, DISSOLVED (UG/L AS B)	5680	
	7/29/20	04 1	01020	BORON, DISSOLVED (UG/L AS B)	5380	
	6/29/20	05 1	01020	BORON, DISSOLVED (UG/L AS B)	5410	
	10 / 3 /20	06 1	01020	BORON, DISSOLVED (UG/L AS B)	535	
	1/28/20	09 1	01020	BORON, DISSOLVED (UG/L AS B)	7110	
	8/16/20	10 1	01020	BORON, DISSOLVED (UG/L AS B)	5240	
	4/18/20	11 1	01020	BORON, DISSOLVED (UG/L AS B)	5870	
	8 / 5 / 19	98 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	< 5	
	5 / 5 / 19	99 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	< 5	
	6/15/20	00 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	< 1	
	6 / 6 / 20	01 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	< 1	
	7/10/20	02 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	< 5	
	5 / 22 / 20	03 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	< 2	
	7 / 29 / 20	04 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	< 1.02	
	6/29/20	05 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	< 2.04	
	10 / 3 /20	06 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	< 1	
	4/18/20	11 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	< 1.0	
	8 / 5 / 19	98 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)	65.3	
	5 / 5 / 19	99 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)	93.8	
	6/15/20	00 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)	26.1	
	6 / 6 / 20	01 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)	12.6	
	7/10/20	02 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)	< 5	
	5 / 22 / 20	03 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)	6.83	
	7 / 29 / 20	04 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)	3.47	
	6/29/20	05 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)	< 2.04	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value -	+ or -
	10 / 3 /20	06 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)		2	
	4/18/20	11 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)		22.1	
	8 / 5 / 19	98 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	5	
	5 / 5 / 19	99 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1	
	6/15/20	00 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1	
	6 / 6 / 20	01 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1	
	7 / 10 / 20	02 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	5	
	5 / 22 / 20	03 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	2	
	7 / 29 / 20	04 1	01035	COBALT, DISSOLVED (UG/L AS CO)		1.68	
	6/29/20	05 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	2.04	
	10 / 3 /20	06 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1	
	4/18/20	11 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1.0	
	8 / 5 / 19	98 1	01040	COPPER, DISSOLVED (UG/L AS CU)		53.8	
	5 / 5 / 19	99 1	01040	COPPER, DISSOLVED (UG/L AS CU)		19.8	
	6/15/20	00 1	01040	COPPER, DISSOLVED (UG/L AS CU)		48.9	
	6 / 6 / 20	01 1	01040	COPPER, DISSOLVED (UG/L AS CU)		16.4	
	7/10/20	02 1	01040	COPPER, DISSOLVED (UG/L AS CU)		5.80	
	5 / 22 / 20	03 1	01040	COPPER, DISSOLVED (UG/L AS CU)		6.04	
	7 / 29 / 20	04 1	01040	COPPER, DISSOLVED (UG/L AS CU)		21.9	
	6/29/20	05 1	01040	COPPER, DISSOLVED (UG/L AS CU)		8.26	
	10 / 3 /20	06 1	01040	COPPER, DISSOLVED (UG/L AS CU)	<	1	
	4/18/20	11 1	01040	COPPER, DISSOLVED (UG/L AS CU)		28.9	
	8 / 5 / 19	98 1	01046	IRON, DISSOLVED (UG/L AS FE)		25	
	5 / 5 / 19	99 1	01046	IRON, DISSOLVED (UG/L AS FE)		196	
	6/15/20	00 1	01046	IRON, DISSOLVED (UG/L AS FE)	<	50	
	6 / 6 / 20	01 1	01046	IRON, DISSOLVED (UG/L AS FE)	<	51	
	7/10/20	02 1	01046	IRON, DISSOLVED (UG/L AS FE)	<	50	
	5 / 22 / 20	03 1	01046	IRON, DISSOLVED (UG/L AS FE)	<	50	
	7 / 29 / 20	04 1	01046	IRON, DISSOLVED (UG/L AS FE)	<	51	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value + or
	6/29/200	05 1	01046	IRON, DISSOLVED (UG/L AS FE)		108
	10 / 3 /200	06 1	01046	IRON, DISSOLVED (UG/L AS FE)		59
	4/18/20	11 1	01046	IRON, DISSOLVED (UG/L AS FE)	<	51
	8 / 5 / 199	98 1	01049	LEAD, DISSOLVED (UG/L AS PB)		29.5
	5 / 5 / 199	99 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	5
	6/15/200	00 1	01049	LEAD, DISSOLVED (UG/L AS PB)		4.18
	6 / 6 / 200	01 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1
	7/10/200	02 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	5
	5 / 22 / 200	03 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	2
	7 / 29 / 20	04 1	01049	LEAD, DISSOLVED (UG/L AS PB)		15.1
	6/29/200	05 1	01049	LEAD, DISSOLVED (UG/L AS PB)		2.75
	10 / 3 /200	06 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1
	4/18/20	11 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1.0
	8 / 5 / 199	98 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		11.8
	5 / 5 / 199	99 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		8.9
	6/15/200	00 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		10.6
	6 / 6 / 200	01 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		9.04
	7/10/200	02 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		10.7
	5 / 22 / 200	03 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		10.9
	7 / 29 / 20	04 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		11.6
	6/29/200	05 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		8.57
	10 / 3 /200	06 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		7
	4/18/20	11 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		10.4
	8 / 5 / 199	98 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	5
	5 / 5 / 199	99 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	5
	6/15/200	00 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1
	6 / 6 / 200	01 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1
	7/10/200	02 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)		7.04
	5 / 22 / 200	03 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	2

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value + or
	7 / 29 / 20	04 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1.02
	6/29/20	05 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	2.04
	10 / 3 /20	06 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1
	4/18/20	11 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1.0
	8 / 5 / 19	98 1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	5
	5 / 5 / 19	99 1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1
	6/15/20	00 1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1
	6 / 6 / 20	01 1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1
	7/10/20	02 1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	5
	5/22/20	03 1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	2
	7 / 29 / 20	04 1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1.02
	6/29/20	05 1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	2.04
	10 / 3 /20	06 1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1
	4/18/20	11 1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1.0
	8 / 5 / 19	98 1	01065	NICKEL, DISSOLVED (UG/L AS NI)	<	5
	5 / 5 / 19	99 1	01065	NICKEL, DISSOLVED (UG/L AS NI)		1.4
	6/15/20	00 1	01065	NICKEL, DISSOLVED (UG/L AS NI)		2.14
	6 / 6 / 20	01 1	01065	NICKEL, DISSOLVED (UG/L AS NI)	<	1
	7 / 10 / 20	02 1	01065	NICKEL, DISSOLVED (UG/L AS NI)		28.6
	5 / 22 / 20	03 1	01065	NICKEL, DISSOLVED (UG/L AS NI)	<	2
	7 / 29 / 20	04 1	01065	NICKEL, DISSOLVED (UG/L AS NI)		1.05
	4/18/20	11 1	01075	SILVER, DISSOLVED (UG/L AS AG)	<	1.0
	8 / 5 / 19	98 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		1600
	5 / 5 / 19	99 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		1310
	6/15/20	00 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		1380
	6 / 6 / 20	01 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		1280
	7/10/20	02 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		1390
	5 / 22 / 20	03 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		1360
	7 / 29 / 20	04 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		1370

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value -	+ or -
	6/29/200	05 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		1290	
	10 / 3 /200	06 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		403	
	4/18/20	11 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		1330	
	8 / 5 / 199	98 1	01085	VANADIUM, DISSOLVED (UG/L AS V)		16.5	
	5 / 5 / 199	99 1	01085	VANADIUM, DISSOLVED (UG/L AS V)		24.6	
	6/15/200	00 1	01085	VANADIUM, DISSOLVED (UG/L AS V)		6.94	
	6 / 6 / 200	01 1	01085	VANADIUM, DISSOLVED (UG/L AS V)		2.88	
	7/10/200	02 1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	5	
	5 / 22 / 200	03 1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	2	
	7/29/200	04 1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	1.02	
	6/29/200	05 1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	2.04	
	10 / 3 /200	06 1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	1	
	4/18/20	11 1	01085	VANADIUM, DISSOLVED (UG/L AS V)		5.6	
	8 / 5 / 199	98 1	01090	ZINC, DISSOLVED (UG/L AS ZN)	<	20	
	5 / 5 / 199	99 1	01090	ZINC, DISSOLVED (UG/L AS ZN)		55.5	
	6/15/200	00 1	01090	ZINC, DISSOLVED (UG/L AS ZN)		40.0	
	6 / 6 / 200	01 1	01090	ZINC, DISSOLVED (UG/L AS ZN)		20.0	
	7/10/200	02 1	01090	ZINC, DISSOLVED (UG/L AS ZN)	<	20	
	5 / 22 / 200	03 1	01090	ZINC, DISSOLVED (UG/L AS ZN)		9.93	
	7 / 29 / 200	04 1	01090	ZINC, DISSOLVED (UG/L AS ZN)		114	
	6/29/200	05 1	01090	ZINC, DISSOLVED (UG/L AS ZN)		32.8	
	10 / 3 /200	06 1	01090	ZINC, DISSOLVED (UG/L AS ZN)		18	
	4/18/20	11 1	01090	ZINC, DISSOLVED (UG/L AS ZN)		16.4	
	8 / 5 / 199	98 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	5	
	5 / 5 / 199	99 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	5	
	6/15/200	00 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1	
	6 / 6 / 200	01 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1	
	7 / 10 / 200	02 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	5	
	5 / 22 / 200	03 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	2	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
	7 / 29 / 20	04 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1.02	
	6/29/20	05 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	2.04	
	10 / 3 /20	06 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1	
	4/18/20	11 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1.0	
	8 / 5 / 19	98 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	20	
	5 / 5 / 19	99 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)		5.8	
	6/15/20	00 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)		4.09	
	6 / 6 / 20	01 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)		5.70	
	7/10/20	02 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	20	
	5 / 22 / 20	03 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	8	
	7 / 29 / 20	04 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)		5.99	
	6/29/20	05 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	8.16	
	10 / 3 /20	06 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)		2	
	4/18/20	11 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)		6.7	
	8 / 5 / 19	98 1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		247	
	5 / 5 / 19	99 1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		193	
	6/15/20	00 1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		214	
	6 / 6 / 20	01 1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		226	
	7 / 10 / 20	02 1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		212	
	5 / 22 / 20	03 1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		222	
	7 / 29 / 20	04 1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		170	
	6/29/20	05 1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		190	
	10 / 3 /20	06 1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		49	
	4/18/20	11 1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		205	
	8 / 5 / 19	98 1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	20	
	5 / 5 / 19	99 1	01145	SELENIUM, DISSOLVED (UG/L AS SE)		16.1	
	6/15/20	00 1	01145	SELENIUM, DISSOLVED (UG/L AS SE)		9.81	
	6 / 6 / 20	01 1	01145	SELENIUM, DISSOLVED (UG/L AS SE)		6.77	
	7/10/20	02 1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	20	

7 /	22 / 2003 29 / 2004 29 / 2005 3 / 2006	1 1 1	01145 01145	SELENIUM, DISSOLVED (UG/L AS SE)		10.3	
·	29 / 2005		01145				
6/		1		SELENIUM, DISSOLVED (UG/L AS SE)	<	4.08	
	3 /2006	-	01145	SELENIUM, DISSOLVED (UG/L AS SE)		8.20	
10 /		1	01145	SELENIUM, DISSOLVED (UG/L AS SE)		3	
4 /	18 / 2011	1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	4.1	
6/	29 / 2005	1	04241	GROSS ALPHA RADIATION, TOTAL, PRODUCED WATER (pCi/L)		6.7	12.3
6/	29 / 2005	1	04242	GROSS BETA RADIATION, TOTAL, PRODUCED WATER(pCi/L)		17	8
4 /	18 / 2011	1	22703	URANIUM, NATURAL, DISSOLVED, UG/L	<	1.0	
8 /	5 /1998	1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		1418	
5 /	5 /1999	1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		1412.0	
6/	15 / 2000	1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		138.0	
6/	6 /2001	1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		146	
7 /	10 / 2002	1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		1413	
5 /	22 / 2003	1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		1410	
7/	29 / 2004	1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		1410	
4 /	18 / 2011	1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		1386	
4 /	18 / 2011	1	50938	ANION/CATION CHG BAL, PERCENT		4.02	
8 /	5 /1998	1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		3.91	
5 /	5 /1999	1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		3.42	
6/	15 / 2000	1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		3.50	
6/	6 /2001	1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		4.40	
7 /	10 / 2002	1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		3.83	
5 /	22 / 2003	1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		2.61	
7 /	29 / 2004	1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		6.70	
6/	29 / 2005	1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		2.95	
10 /	3 /2006	1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)	<	0.50	
4 /	18 / 2011	1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		3.20	
4 /	18 / 2011	1	71890	MERCURY, DISSOLVED (UG/L AS HG)	<	0.200	
6745902							

tate Well Number	Date S	ample#	Storet Code	Description	Flag	Value	+ or -
	7 / 3 /2001	1	00010	TEMPERATURE, WATER (CELSIUS)		23.7	
	7 / 3 /2001	1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)		0.816	
	7 / 3 /2001	1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2	
	7 / 3 /2001	1	01005	BARIUM, DISSOLVED (UG/L AS BA)		97.9	
	7 / 3 /2001	1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1	
	7 / 3 /2001	1	01020	BORON, DISSOLVED (UG/L AS B)	<	51	
	7 / 3 /2001	1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1	
	7 / 3 /2001	1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)	<	1	
	7 / 3 /2001	1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1	
	7 / 3 /2001	1	01040	COPPER, DISSOLVED (UG/L AS CU)	<	2	
	7 / 3 /2001	1	01046	IRON, DISSOLVED (UG/L AS FE)	<	51	
	7 / 3 /2001	1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1	
	7 / 3 /2001	1	01056	MANGANESE, DISSOLVED (UG/L AS MN)	<	1	
	7 / 3 /2001	1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1	
	7 / 3 /2001	1	01060	MOLYBDENUM, DISSOLVED, UG/L		9.03	
	7 / 3 /2001	1	01065	NICKEL, DISSOLVED (UG/L AS NI)		1.50	
	7 / 3 /2001	1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		216	
	7 / 3 /2001	1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	1	
	7 / 3 /2001	1	01090	ZINC, DISSOLVED (UG/L AS ZN)		9.80	
	7 / 3 /2001	1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1	
	7 / 3 /2001	1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	4	
	7 / 3 /2001	1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		8.61	
	7 / 3 /2001	1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	4	
	7 / 3 /2001	1	04241	GROSS ALPHA RADIATION, TOTAL, PRODUCED WATER (pCi/L)		12	2
	7 / 3 /2001	1	04242	GROSS BETA RADIATION, TOTAL, PRODUCED WATER(pCi/L)		14	2
	7 / 3 /2001	1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		277	
	7 / 3 /2001	1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.233	
6746408							
	5 / 28 / 1992	1	00090	OXIDATION REDUCTION POTENTIAL (ORP), MILLIVOLTS		-8.3	

tate Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
	5 / 28 / 199)2 1	00608	NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)		0.12	
	5 / 28 / 199)2 1	00613	NITRITE NITROGEN, DISSOLVED (MG/L AS N)	<	0.01	
	5 / 28 / 199	2 1	00618	NITRATE NITROGEN, DISSOLVED (MG/L AS N)		0.01	
	5 / 28 / 199	2 1	00623	NITROGEN, KJELDAHL, DISSOLVED (MG/L AS N)		0.2	
	5 / 28 / 199	2 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	10.	
	5 / 28 / 199	2 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		62.	
	5 / 28 / 199	2 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	10.	
	5 / 28 / 199	2 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)	<	20.	
	5 / 28 / 199	2 1	01040	COPPER, DISSOLVED (UG/L AS CU)	<	20.	
	5 / 28 / 199	2 1	01046	IRON, DISSOLVED (UG/L AS FE)		230.	
	5 / 28 / 199	2 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	50.	
	5 / 28 / 199	2 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		44.	
	5 / 28 / 199	2 1	01075	SILVER, DISSOLVED (UG/L AS AG)	<	10.	
	5 / 28 / 199	2 1	01090	ZINC, DISSOLVED (UG/L AS ZN)	<	20.	
	5 / 28 / 199	2 1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	2.	
	5 / 28 / 199	02 1	01503	ALPHA, DISSOLVED (PC/L)	<	2.0	
	5 / 28 / 199	2 1	03503	BETA, DISSOLVED (PC/L)		8.6	1.3
	5 / 28 / 199	02 1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		294.	
	5 / 28 / 199	2 1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.45	
	5 / 28 / 199	2 1	71890	MERCURY, DISSOLVED (UG/L AS HG)	<	.2	
6746509							
	7 / 17 / 199	7 1	00010	TEMPERATURE, WATER (CELSIUS)		24.0	
	7 / 17 / 199	7 1	00090	OXIDATION REDUCTION POTENTIAL (ORP), MILLIVOLTS		-120.4	
	7 / 17 / 199	7 1	00608	NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)		0.16	
	7 / 17 / 199	7 1	00623	NITROGEN, KJELDAHL, DISSOLVED (MG/L AS N)	<	0.5	
	7 / 17 / 199	7 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.04	
	7 / 17 / 199	7 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)		3.9	
	7 / 17 / 199	7 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		57.2	
	7 / 17 / 199	7 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1	

tate Well Number	Date Sa	ample#	Storet Code	Description	Flag	Value + or
	7 / 17 / 1997	1	01020	BORON, DISSOLVED (UG/L AS B)		859
	7 / 17 / 1997	1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1
	7 / 17 / 1997	1	01040	COPPER, DISSOLVED (UG/L AS CU)	<	1
	7 / 17 / 1997	1	01046	IRON, DISSOLVED (UG/L AS FE)	<	15
	7 / 17 / 1997	1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1
	7 / 17 / 1997	1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		31.3
	7 / 17 / 1997	1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1
	7 / 17 / 1997	1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1
	7 / 17 / 1997	1	01065	NICKEL, DISSOLVED (UG/L AS NI)	<	1
	7 / 17 / 1997	1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		447
	7 / 17 / 1997	1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	1
	7 / 17 / 1997	1	01090	ZINC, DISSOLVED (UG/L AS ZN)		3.9
	7 / 17 / 1997	1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1
	7 / 17 / 1997	1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	1.5
	7 / 17 / 1997	1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		89.3
	7 / 17 / 1997	1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	6
	7 / 17 / 1997	1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		339
	7 / 17 / 1997	1	71865	IODIDE (MG/L AS I)	<	0.15
	7 / 17 / 1997	1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.62
6751202						
	4 / 7 /2009	1	00010	TEMPERATURE, WATER (CELSIUS)		39.2
	8/16/2010	1	00010	TEMPERATURE, WATER (CELSIUS)		42.5
	4 / 7 /2009	1	00666	PHOSPHORUS, DISSOLVED (MG/L AS P)	<	0.01
	8 / 16 / 2010	1	00666	PHOSPHORUS, DISSOLVED (MG/L AS P)	<	0.01
	4 / 7 /2009	1	01020	BORON, DISSOLVED (UG/L AS B)		300
	8 / 16 / 2010	1	01020	BORON, DISSOLVED (UG/L AS B)		310
6751303						
	4 / 7 /2009	1	00010	TEMPERATURE, WATER (CELSIUS)		46.4
	8 / 16 / 2010	1	00010	TEMPERATURE, WATER (CELSIUS)		46.6

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value + or
	4/18/20	11 1	00010	TEMPERATURE, WATER (CELSIUS)		45.9
	4/18/20	11 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.020
	4 / 7 /200	9 1	00666	PHOSPHORUS, DISSOLVED (MG/L AS P)	<	0.01
	8/16/20	10 1	00666	PHOSPHORUS, DISSOLVED (MG/L AS P)		0.04
	4/18/20	11 1	00666	PHOSPHORUS, DISSOLVED (MG/L AS P)		0.113
	4/18/20	11 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2.0
	4/18/20	11 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		134
	4/18/20	11 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1.0
	4 / 7 /200	9 1	01020	BORON, DISSOLVED (UG/L AS B)		1020
	8/16/20	10 1	01020	BORON, DISSOLVED (UG/L AS B)		1050
	4/18/20	11 1	01020	BORON, DISSOLVED (UG/L AS B)		951
	4/18/20	11 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1.0
	4/18/20	11 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)		11.8
	4/18/20	11 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1.0
	4/18/20	11 1	01040	COPPER, DISSOLVED (UG/L AS CU)		12.5
	4/18/20	11 1	01046	IRON, DISSOLVED (UG/L AS FE)		152
	4/18/20	11 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1.0
	4/18/20	11 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		4.4
	4/18/20	11 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1.0
	4/18/20	11 1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1.0
	4/18/20	11 1	01075	SILVER, DISSOLVED (UG/L AS AG)	<	1.0
	4/18/20	11 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		382
	4/18/20	11 1	01085	VANADIUM, DISSOLVED (UG/L AS V)		3.0
	4/18/20	11 1	01090	ZINC, DISSOLVED (UG/L AS ZN)		37.3
	4/18/20	11 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1.0
	4/18/20	11 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	4.1
	4/18/20	11 1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		76.5
	4/18/20	11 1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	4.1
	4/18/20	11 1	22703	URANIUM, NATURAL, DISSOLVED, UG/L	<	1.0

State Well Number	Date S	ample#	Storet Code	Description	Flag	Value + or
	4/18/2011	1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		770
	4/18/2011	1	50938	ANION/CATION CHG BAL, PERCENT		2.47
	4/18/2011	1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.62
	4/18/2011	1	71890	MERCURY, DISSOLVED (UG/L AS HG)	<	0.200
6752405						
	6 / 13 / 1988	1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	10.
	6 / 13 / 1988	1	01005	BARIUM, DISSOLVED (UG/L AS BA)		23.
	6 / 13 / 1988	1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	10.
	6 / 13 / 1988	1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)	<	20.
	6 / 13 / 1988	1	01040	COPPER, DISSOLVED (UG/L AS CU)	<	20.
	6 / 13 / 1988	1	01046	IRON, DISSOLVED (UG/L AS FE)		1110.
	6 / 13 / 1988	1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	50.
	6 / 13 / 1988	1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		960.
	6 / 13 / 1988	1	01075	SILVER, DISSOLVED (UG/L AS AG)	<	10.
	6 / 13 / 1988	1	01090	ZINC, DISSOLVED (UG/L AS ZN)		180.
	6/13/1988	1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	2.
	6/13/1988	1	01503	ALPHA, DISSOLVED (PC/L)	<	2.
	6 / 13 / 1988	1	03503	BETA, DISSOLVED (PC/L)		36.
	6 / 13 / 1988	1	71890	MERCURY, DISSOLVED (UG/L AS HG)		0.5
6752406						
	6/16/1988	1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	10.
	6/16/1988	1	01005	BARIUM, DISSOLVED (UG/L AS BA)	<	20.
	6/16/1988	1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	10.
	6/16/1988	1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)	<	20.
	6/16/1988	1	01040	COPPER, DISSOLVED (UG/L AS CU)	<	20.
	6/16/1988	1	01046	IRON, DISSOLVED (UG/L AS FE)		320.
	6/16/1988	1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	50.
	6/16/1988	1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		770.
	6/16/1988	1	01075	SILVER, DISSOLVED (UG/L AS AG)	<	10.

State Well Number	Date S	Sample#	Storet Code	Description	Flag	Value	+ or -
	6 / 16 / 1988	8 1	01090	ZINC, DISSOLVED (UG/L AS ZN)		110.	
	6/16/1988	8 1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	2.	
	6/16/1988	8 1	01503	ALPHA, DISSOLVED (PC/L)		2.3	
	6/16/1988	8 1	03503	BETA, DISSOLVED (PC/L)	<	25.	
	6/16/1988	8 1	71890	MERCURY, DISSOLVED (UG/L AS HG)		0.4	